
mmcv Documentation

发布 2.2.0

MMCV Contributors

2024 年 04 月 25 日

1	Introduction	3
2	Installation	5
2.1	Install mmcv	5
2.2	Install mmcv-lite	7
3	Build MMCV from source	9
3.1	Build mmcv	9
3.2	Build mmcv-lite	14
3.3	Build mmcv-full on Cambricon MLU Devices	14
4	API reference table	17
4.1	Related issues, PRs and discussions	17
4.2	mmcv.fileio	18
4.3	mmcv.runner	18
4.4	mmcv.parallel	18
4.5	mmcv.engine	18
4.6	mmcv.device	18
4.7	mmcv.utils	18
4.8	mmcv.cnn	18
4.9	mmcv.model_zoo	18
5	Data Process	19
5.1	Image	19
5.2	Video	22
6	Data Transformation	27
6.1	Design of data transformation	27
6.2	Data pipeline	28
6.3	Common data transformation classes	29
6.4	Customize data transformation classes	29
6.5	Transform wrapper	30
7	Visualization	35
8	CNN	37
8.1	Layer building	37

8.2	Module bundles	38
9	ops	39
10	MMCV Operators	41
10.1	MMCVBorderAlign	44
10.2	MMCVCARAFE	44
10.3	MMCVCAWeight	45
10.4	MMCVCAMap	45
10.5	MMCVCornerPool	46
10.6	MMCVDeformConv2d	46
10.7	MMCVModulatedDeformConv2d	47
10.8	MMCVDeformRoIPool	47
10.9	MMCVMaskedConv2d	47
10.10	MMCVPSAMask	48
10.11	NonMaxSuppression	48
10.12	MMCVRoIAlign	49
10.13	MMCVRoIAlignRotated	49
10.14	grid_sampler*	49
10.15	cummax*	50
10.16	cummin*	50
10.17	Reminders	51
11	English	53
12	简体中文	55
13	v2.0.0	57
14	v1.3.18	59
15	v1.3.11	61
16	Frequently Asked Questions	65
16.1	Installation	65
16.2	Usage	67
17	Contributing to OpenMMLab	69
17.1	Pull Request Workflow	69
17.2	Guidance	72
17.3	Code style	73
17.4	PR Specs	74
18	Pull Request (PR)	75
19	mmcv.image	77
19.1	IO	77
19.2	Color Space	80
19.3	Geometric	85
19.4	Photometric	91
19.5	Miscellaneous	97
20	mmcv.video	99
20.1	IO	99
20.2	Optical Flow	102
20.3	Video Processing	104

21	mmcv.visualization	107
21.1	Color	107
21.2	Image	108
21.3	Optical Flow	110
22	mmcv.cnn	111
22.1	Module	111
22.2	Build Function	123
22.3	Miscellaneous	125
23	mmcv.ops	129
23.1	BorderAlign	131
23.2	CARAFE	131
23.3	CARAFENaive	132
23.4	CARAFEPack	132
23.5	Conv2d	133
23.6	ConvTranspose2d	133
23.7	CornerPool	133
23.8	Correlation	134
23.9	CrissCrossAttention	135
23.10	DeformConv2d	135
23.11	DeformConv2dPack	136
23.12	DeformRoIPool	137
23.13	DeformRoIPoolPack	137
23.14	DynamicScatter	138
23.15	FusedBiasLeakyReLU	139
23.16	GroupAll	139
23.17	Linear	140
23.18	MaskedConv2d	140
23.19	MaxPool2d	140
23.20	ModulatedDeformConv2d	140
23.21	ModulatedDeformConv2dPack	141
23.22	ModulatedDeformRoIPoolPack	141
23.23	MultiScaleDeformableAttention	142
23.24	PSAMask	143
23.25	PointsSampler	143
23.26	PrRoIPool	144
23.27	QueryAndGroup	144
23.28	RiRoIAlignRotated	145
23.29	RoIAlign	146
23.30	RoIAlignRotated	147
23.31	RoIAwarePool3d	148
23.32	RoIPointPool3d	148
23.33	RoIPool	149
23.34	SACnv2d	149
23.35	SigmoidFocalLoss	150
23.36	SimpleRoIAlign	150
23.37	SoftmaxFocalLoss	150
23.38	SparseConv2d	151
23.39	SparseConv3d	151
23.40	SparseConvTensor	151
23.41	SparseConvTranspose2d	151
23.42	SparseConvTranspose3d	151
23.43	SparseInverseConv2d	151

23.44	SparseInverseConv3d	151
23.45	SparseMaxPool2d	152
23.46	SparseMaxPool3d	152
23.47	SparseModule	152
23.48	SparseSequential	152
23.49	SubMConv2d	153
23.50	SubMConv3d	153
23.51	SyncBatchNorm	153
23.52	TINShift	154
23.53	Voxelization	154
23.54	mmcv.ops.active_rotated_filter	157
23.55	mmcv.ops.assign_score_withk	157
23.56	mmcv.ops.ball_query	157
23.57	mmcv.ops.batched_nms	157
23.58	mmcv.ops.bbox_overlaps	158
23.59	mmcv.ops.border_align	159
23.60	mmcv.ops.box_iou_rotated	159
23.61	mmcv.ops.bboxes_iou3d	161
23.62	mmcv.ops.bboxes_iou_bev	161
23.63	mmcv.ops.bboxes_overlap_bev	161
23.64	mmcv.ops.carafe	162
23.65	mmcv.ops.carafe_naive	162
23.66	mmcv.ops.chamfer_distance	162
23.67	mmcv.ops.contour_expand	162
23.68	mmcv.ops.convex_giou	162
23.69	mmcv.ops.convex_iou	163
23.70	mmcv.ops.deform_conv2d	163
23.71	mmcv.ops.deform_roi_pool	163
23.72	mmcv.ops.diff_iou_rotated_2d	163
23.73	mmcv.ops.diff_iou_rotated_3d	163
23.74	mmcv.ops.dynamic_scatter	164
23.75	mmcv.ops.furthest_point_sample	164
23.76	mmcv.ops.furthest_point_sample_with_dist	164
23.77	mmcv.ops.fused_bias_leakyrelu	164
23.78	mmcv.ops.gather_points	165
23.79	mmcv.ops.grouping_operation	165
23.80	mmcv.ops.knn	165
23.81	mmcv.ops.masked_conv2d	165
23.82	mmcv.ops.min_area_polygons	165
23.83	mmcv.ops.modulated_deform_conv2d	165
23.84	mmcv.ops.nms	165
23.85	mmcv.ops.nms3d	166
23.86	mmcv.ops.nms3d_normal	167
23.87	mmcv.ops.nms_bev	167
23.88	mmcv.ops.nms_match	167
23.89	mmcv.ops.nms_normal_bev	168
23.90	mmcv.ops.nms_rotated	168
23.91	mmcv.ops.pixel_group	169
23.92	mmcv.ops.point_sample	169
23.93	mmcv.ops.points_in_boxes_all	170
23.94	mmcv.ops.points_in_boxes_cpu	170
23.95	mmcv.ops.points_in_boxes_part	170
23.96	mmcv.ops.points_in_polygons	171
23.97	mmcv.ops.prroi_pool	171

23.98	mmcv.ops.rel_roi_point_to_rel_img_point	171
23.99	mmcv.ops.rroi_align_rotated	172
23.100	mmcv.ops.roi_align	172
23.101	mmcv.ops.roi_align_rotated	172
23.102	mmcv.ops.roi_pool	172
23.103	mmcv.ops.rotated_feature_align	172
23.104	mmcv.ops.scatter_nd	172
23.105	mmcv.ops.sigmoid_focal_loss	172
23.106	mmcv.ops.soft_nms	173
23.107	mmcv.ops.softmax_focal_loss	173
23.108	mmcv.ops.three_interpolate	174
23.109	mmcv.ops.three_nn	174
23.110	mmcv.ops.tin_shift	174
23.111	mmcv.ops.upfirdn2d	174
23.112	mmcv.ops.voxelization	175
24	mmcv.transforms	177
24.1	BaseTransform	177
24.2	TestTimeAug	178
24.3	Loading	179
24.4	Processing	182
24.5	Wrapper	193
25	mmcv.arraymisc	199
25.1	mmcv.arraymisc.quantize	199
25.2	mmcv.arraymisc.dequantize	200
26	mmcv.utils	201
26.1	mmcv.utils.IS_CUDA_AVAILABLE	201
26.2	mmcv.utils.IS_MLU_AVAILABLE	201
26.3	mmcv.utils.IS_MPS_AVAILABLE	202
26.4	mmcv.utils.collect_env	202
26.5	mmcv.utils.jit	203
26.6	mmcv.utils.skip_no_ehna	203
27	Indices and tables	205
	索引	207

You can switch between Chinese and English documents in the lower-left corner of the layout.

MMCV is a foundational library for computer vision research and provides the following functionalities.

- *Image/Video processing*
- *Image and annotation visualization*
- *Image transformation*
- *Various CNN architectures*
- *High-quality implementation of common CUDA ops*

It supports the following systems:

- Linux
- Windows
- macOS

It supports many research projects as below:

- **MMClassification**: OpenMMLab image classification toolbox and benchmark.
- **MMDetection**: OpenMMLab detection toolbox and benchmark.
- **MMDetection3D**: OpenMMLab's next-generation platform for general 3D object detection.
- **MMRotate**: OpenMMLab rotated object detection toolbox and benchmark.
- **MMYOLO**: OpenMMLab YOLO series toolbox and benchmark.
- **MMSegmentation**: OpenMMLab semantic segmentation toolbox and benchmark.
- **MMOCR**: OpenMMLab text detection, recognition, and understanding toolbox.
- **MMPose**: OpenMMLab pose estimation toolbox and benchmark.
- **MMHuman3D**: OpenMMLab 3D human parametric model toolbox and benchmark.
- **MMSelfSup**: OpenMMLab self-supervised learning toolbox and benchmark.
- **MMRazor**: OpenMMLab model compression toolbox and benchmark.

- [MMFewShot](#): OpenMMLab fewshot learning toolbox and benchmark.
- [MMAction2](#): OpenMMLab's next-generation action understanding toolbox and benchmark.
- [MMTracking](#): OpenMMLab video perception toolbox and benchmark.
- [MMFlow](#): OpenMMLab optical flow toolbox and benchmark.
- [MMEditing](#): OpenMMLab image and video editing toolbox.
- [MMGeneration](#): OpenMMLab image and video generative models toolbox.
- [MMDeploy](#): OpenMMLab model deployment framework.

There are two versions of MMCV:

- **mmcv**: comprehensive, with full features and various CUDA ops out of box. It takes longer time to build.
- **mmcv-lite**: lite, without CUDA ops but all other features, similar to mmcv<1.0.0. It is useful when you do not need those CUDA ops.

警告: Do not install both versions in the same environment, otherwise you may encounter errors like `ModuleNotFound`. You need to uninstall one before installing the other. Installing the full version is highly recommended if CUDA is available.

2.1 Install mmcv

Before installing mmcv, make sure that PyTorch has been successfully installed following the [PyTorch official installation guide](#). This can be verified using the following command

```
python -c 'import torch;print(torch.__version__)'
```

If version information is output, then PyTorch is installed.

2.1.1 Install with mim (recommended)

`mim` is the package management tool for the OpenMMLab projects, which makes it easy to install `mmcv`

```
pip install -U openmim
mim install mmcv
```

If you find that the above installation command does not use a pre-built package ending with `.whl` but a source package ending with `.tar.gz`, you may not have a pre-build package corresponding to the PyTorch or CUDA or `mmcv` version, in which case you can *build `mmcv` from source*.

Looking in links: <https://download.openmmlab.com/mmcv/dist/cu102/torch1.8.0/index.html> Collecting `mmcv`
Downloading https://download.openmmlab.com/mmcv/dist/cu102/torch1.8.0/mmcv-2.0.0-cp38-cp38-manylinux1_x86_64.whl

Looking in links: <https://download.openmmlab.com/mmcv/dist/cu102/torch1.8.0/index.html> Collecting `mmcv==2.0.0`
Downloading `mmcv-2.0.0.tar.gz`

To install a specific version of `mmcv`, for example, `mmcv` version 2.0.0, you can use the following command

```
mim install mmcv==2.0.0
```

注解: If you would like to use `opencv-python-headless` instead of `opencv-python`, e.g., in a minimum container environment or servers without GUI, you can first install it before installing MMCV to skip the installation of `opencv-python`.

Alternatively, if it takes too long to install a dependency library, you can specify the pypi source

```
mim install mmcv -i https://pypi.tuna.tsinghua.edu.cn/simple
```

You can run [check_installation.py](#) to check the installation of `mmcv-full` after running the installation commands.

2.1.2 Install with pip

Use the following command to check the version of CUDA and PyTorch

```
python -c 'import torch;print(torch.__version__);print(torch.version.cuda)'
```

Select the appropriate installation command depending on the type of system, CUDA version, PyTorch version, and MMCV version

If you do not find a corresponding version in the dropdown box above, you probably do not have a pre-built package corresponding to the PyTorch or CUDA or `mmcv` version, at which point you can *build `mmcv` from source*.

注解: `mmcv` is only compiled on PyTorch 1.x.0 because the compatibility usually holds between 1.x.0 and 1.x.1. If your PyTorch version is 1.x.1, you can install `mmcv` compiled with PyTorch 1.x.0 and it usually works well. For example, if your PyTorch version is 1.8.1, you can feel free to choose 1.8.x.

注解: If you would like to use `opencv-python-headless` instead of `opencv-python`, e.g., in a minimum container environment or servers without GUI, you can first install it before installing MMCV to skip the installation of `opencv-python`.

Alternatively, if it takes too long to install a dependency library, you can specify the pypi source

```
mim install mmcv -i https://pypi.tuna.tsinghua.edu.cn/simple
```

You can run [check_installation.py](#) to check the installation of mmcv after running the installation commands.

2.1.3 Using mmcv with Docker

Build with local repository

```
git clone https://github.com/open-mmlab/mmcv.git && cd mmcv
docker build -t mmcv -f docker/release/Dockerfile .
```

Or build with remote repository

```
docker build -t mmcv https://github.com/open-mmlab/mmcv.git#main:docker/release
```

The Dockerfile installs latest released version of mmcv-full by default, but you can specify mmcv versions to install expected versions.

```
docker image build -t mmcv -f docker/release/Dockerfile --build-arg MMCV=2.0.0 .
```

If you also want to use other versions of PyTorch and CUDA, you can also pass them when building docker images.

An example to build an image with PyTorch 1.11 and CUDA 11.3.

```
docker build -t mmcv -f docker/release/Dockerfile \
  --build-arg PYTORCH=1.11.0 \
  --build-arg CUDA=11.3 \
  --build-arg CUDNN=8 \
  --build-arg MMCV=2.0.0 .
```

More available versions of PyTorch and CUDA can be found at [dockerhub/pytorch](#).

2.2 Install mmcv-lite

If you need to use PyTorch-related modules, make sure PyTorch has been successfully installed in your environment by referring to the [PyTorch official installation guide](#).

```
pip install mmcv-lite
```

Build MMCV from source

3.1 Build mmcv

Before installing mmcv, make sure that PyTorch has been successfully installed following the [PyTorch official installation guide](#). This can be verified using the following command

```
python -c 'import torch;print(torch.__version__)'
```

If version information is output, then PyTorch is installed.

注解: If you would like to use `opencv-python-headless` instead of `opencv-python`, e.g., in a minimum container environment or servers without GUI, you can first install it before installing MMCV to skip the installation of `opencv-python`.

3.1.1 Build on Linux

1. Clone the repo

```
git clone https://github.com/open-mmlab/mmcv.git
cd mmcv
```

2. Install `ninja` and `psutil` to speed up the compilation

```
pip install -r requirements/optional.txt
```

3. Check the `nvcc` version (requires 9.2+. Skip if no GPU available.)

```
nvcc --version
```

If the above command outputs the following message, it means that the `nvcc` setting is OK, otherwise you need to set `CUDA_HOME`.

```
nvcc: NVIDIA (R) Cuda compiler driver
Copyright (c) 2005-2020 NVIDIA Corporation
Built on Mon_Nov_30_19:08:53_PST_2020
Cuda compilation tools, release 11.2, V11.2.67
Build cuda_11.2.r11.2/compiler.29373293_0
```

注解: If you want to support ROCm, you can refer to [AMD ROCm](#) to install ROCm.

4. Check the gcc version (requires 5.4+)

```
gcc --version
```

5. Start building (takes 10+ min)

```
pip install -e . -v
```

6. Validate the installation

```
python .dev_scripts/check_installation.py
```

If no error is reported by the above command, the installation is successful. If there is an error reported, please check [Frequently Asked Questions](#) to see if there is already a solution.

If no solution is found, please feel free to open an [issue](#).

3.1.2 Build on macOS

注解: If you are using a mac with apple silicon chip, install the PyTorch 1.13+, otherwise you will encounter the problem in [issues#2218](#).

1. Clone the repo

```
git clone https://github.com/open-mmlab/mmcv.git
cd mmcv
```

2. Install ninja and psutil to speed up the compilation

```
pip install -r requirements/optional.txt
```

3. Start building

```
MMCV_WITH_OPS=1 pip install -e .
```

4. Validate the installation

```
python .dev_scripts/check_installation.py
```

If no error is reported by the above command, the installation is successful. If there is an error reported, please check [Frequently Asked Questions](#) to see if there is already a solution.

If no solution is found, please feel free to open an [issue](#).

3.1.3 Build on Windows

Building MMCV on Windows is a bit more complicated than that on Linux. The following instructions show how to get this accomplished.

Prerequisite

The following software is required for building MMCV on windows. Install them first.

- [Git](#)
 - During installation, tick **add git to Path**.
- [Visual Studio Community 2019](#)
 - A compiler for C++ and CUDA codes.
- [Miniconda](#)
 - Official distributions of Python should work too.
- [CUDA 10.2](#)
 - Not required for building CPU version.
 - Customize the installation if necessary. As a recommendation, skip the driver installation if a newer version is already installed.

注解: You should know how to set up environment variables, especially `Path`, on Windows. The following instruction relies heavily on this skill.

Common steps

1. Launch Anaconda prompt from Windows Start menu

Do not use raw `cmd.exe` s instruction is based on PowerShell syntax.

2. Create a new conda environment

```
(base) PS C:\Users\xxx> conda create --name mmcv python=3.7
(base) PS C:\Users\xxx> conda activate mmcv # make sure to activate environment
↪before any operation
```

3. Install PyTorch. Choose a version based on your need.

```
# CUDA version
(mmcv) PS C:\Users\xxx> conda install pytorch torchvision cudatoolkit=10.2 -c
↪pytorch
# CPU version
(mmcv) PS C:\Users\xxx> conda install install pytorch torchvision cpuonly -c
↪pytorch
```

4. Clone the repo

```
(mmcv) PS C:\Users\xxx> git clone https://github.com/open-mmlab/mmcv.git
(mmcv) PS C:\Users\xxx\mmcv> cd mmcv
```

5. Install ninja and psutil to speed up the compilation

```
(mmcv) PS C:\Users\xxx\mmcv> pip install -r requirements/optional.txt
```

6. Set up MSVC compiler

Set Environment variable, add C:\Program Files (x86)\Microsoft Visual Studio\2019\Community\VC\Tools\MSVC\14.27.29110\bin\Hostx86\x64 to PATH, so that `cl.exe` will be available in prompt, as shown below.

```
(mmcv) PS C:\Users\xxx\mmcv> cl
Microsoft (R) C/C++ Optimizing Compiler Version 19.27.29111 for x64
Copyright (C) Microsoft Corporation. All rights reserved.

usage: cl [ option... ] filename... [ / link linkoption... ]
```

For compatibility, we use the x86-hosted and x64-targeted compiler. note `Hostx86\x64` in the path.

You may want to change the system language to English because pytorch will parse text output from `cl.exe` to check its version. However only utf-8 is recognized. Navigate to Control Panel -> Region -> Administrative -> Language for Non-Unicode programs and change it to English.

Build and install MMCV

mmcv can be built in two ways:

1. Full version (CPU ops)

Module `ops` will be compiled as a pytorch extension, but only x86 code will be compiled. The compiled ops can be executed on CPU only.

2. Full version (CUDA ops)

Both x86 and CUDA codes of `ops` module will be compiled. The compiled version can be run on both CPU and CUDA-enabled GPU (if implemented).

CPU version

Build and install

```
(mmcv) PS C:\Users\xxx\mmcv> python setup.py build_ext
(mmcv) PS C:\Users\xxx\mmcv> python setup.py develop
```

GPU version

1. Make sure CUDA_PATH or CUDA_HOME is already set in envs via `ls env:`, desired output is shown as below:

```
(mmcv) PS C:\Users\xxx\mmcv> ls env:

Name                                     Value
----                                     -
CUDA_PATH                             C:\Program Files\NVIDIA GPU Computing Toolkit\CUDA\
  ↳ v10.2
CUDA_PATH_V10_1                       C:\Program Files\NVIDIA GPU Computing Toolkit\CUDA\
  ↳ v10.1
CUDA_PATH_V10_2                       C:\Program Files\NVIDIA GPU Computing Toolkit\CUDA\
  ↳ v10.2
```

This should already be done by CUDA installer. If not, or you have multiple version of CUDA toolkit installed, set it with

```
(mmcv) PS C:\Users\xxx\mmcv> $env:CUDA_HOME = "C:\Program Files\NVIDIA GPU_
↪Computing Toolkit\CUDA\v10.2"
# OR
(mmcv) PS C:\Users\xxx\mmcv> $env:CUDA_HOME = $env:CUDA_PATH_V10_2 # if CUDA_PATH_
↪V10_2 is in envs:
```

2. Set CUDA target arch

```
# Here you need to change to the target architecture corresponding to your GPU
(mmcv) PS C:\Users\xxx\mmcv> $env:Torch_CUDA_ARCH_LIST="7.5"
```

注解: Check your the compute capability of your GPU from [here](#).

```
(mmcv) PS C:\Users\xxx\mmcv> &"C:\Program Files\NVIDIA GPU Computing Toolkit\CUDA\
↪v10.2\extras\demo_suite\deviceQuery.exe"
Device 0: "NVIDIA GeForce GTX 1660 SUPER"
CUDA Driver Version / Runtime Version      11.7 / 11.1
CUDA Capability Major/Minor version number: 7.5
```

The 7.5 above indicates the target architecture. Note: You need to replace v10.2 with your CUDA version in the above command.

3. Build and install

```
# build
python setup.py build_ext # if success, cl will be launched to compile ops
# install
python setup.py develop
```

注解: If you are compiling against PyTorch 1.6.0, you might meet some errors from PyTorch as described in [this issue](#). Follow [this pull request](#) to modify the source code in your local PyTorch installation.

Validate installation

```
(mmcv) PS C:\Users\xxx\mmcv> python .dev_scripts/check_installation.py
```

If no error is reported by the above command, the installation is successful. If there is an error reported, please check [Frequently Asked Questions](#) to see if there is already a solution. If no solution is found, please feel free to open an [issue](#).

3.2 Build mmcv-lite

If you need to use PyTorch-related modules, make sure PyTorch has been successfully installed in your environment by referring to the [PyTorch official installation guide](#).

1. Clone the repo

```
git clone https://github.com/open-mmlab/mmcv.git
cd mmcv
```

2. Start building

```
MMCV_WITH_OPS=0 pip install -e . -v
```

3. Validate installation

```
python -c 'import mmcv;print(mmcv.__version__)'
```

3.3 Build mmcv-full on Cambricon MLU Devices

3.3.1 Install torch_mlu

Option1: Install mmcv-full based on Cambricon docker image

Firstly, install and pull Cambricon docker image (please email service@cambricon.com for the latest release docker):

```
docker pull ${docker image}
```

Run and attach to the docker, *Install mmcv-full on MLU device* and *make sure you've installed mmcv-full on MLU device successfully*

Option2: Install mmcv-full from compiling Cambricon PyTorch source code

Please email service@cambricon.com or contact with Cambricon engineers for a suitable version of CATCH package. After you get the suitable version of CATCH package, please follow the steps in `${CATCH-path}/CONTRIBUTING.md` to install Cambricon PyTorch.

3.3.2 Install mmcv-full on Cambricon MLU device

Clone the repo

```
git clone https://github.com/open-mmlab/mmcv.git
```

The mlu-ops library will be downloaded to the default directory (mmcv/mlu-ops) while building MMCV. You can also set `MMCV_MLU_OPS_PATH` to an existing mlu-ops library before building as follows:

```
export MMCV_MLU_OPS_PATH=/xxx/xxx/mlu-ops
```

Install mmcv-full

```
cd mmcv
export MMCV_WITH_OPS=1
export FORCE_MLU=1
python setup.py install
```

3.3.3 Test Code

After finishing previous steps, you can run the following python code to make sure that you' ve installed mmcv-full on MLU device successfully

```
import torch
import torch_mlu
from mmcv.ops import sigmoid_focal_loss
x = torch.randn(3, 10).mlu()
x.requires_grad = True
y = torch.tensor([1, 5, 3]).mlu()
w = torch.ones(10).float().mlu()
output = sigmoid_focal_loss(x, y, 2.0, 0.25, w, 'none')
print(output)
```

API reference table

Due to the removal of the `mmcv.fileio`, `mmcv.runner`, `mmcv.parallel`, `mmcv.engine`, `mmcv.device` modules, and all classes and most of the functions in the `mmcv.utils` module during the upgrade from MMCV v1.x to MMCV v2.x, which were removed at [PR #2179](#), [PR #2216](#), [PR #2217](#). Therefore, we provide the following API reference table to make it easier to quickly find the migrated interfaces.

4.1 Related issues, PRs and discussions

- Remove runner, parallel, engine and device
- ImportError: cannot import name 'is_list_of' from 'mmcv.utils'
- Could not find the files in MMEngine which are removed in MMCV_v2x parallel. example, for DataContainer
- `mmcv.cnn.bricks.registry`
- Replace `mmcv`'s function and modules imported with `mmengine`'s

4.2 `mmcv.fileio`

4.3 `mmcv.runner`

4.4 `mmcv.parallel`

4.5 `mmcv.engine`

4.6 `mmcv.device`

4.7 `mmcv.utils`

4.8 `mmcv.cnn`

4.9 `mmcv.model_zoo`

5.1 Image

This module provides some image processing methods, which requires `opencv` to be installed first.

5.1.1 Read/Write/Show

To read or write images files, use `imread` or `imwrite`.

```
import mmcv

img = mmcv.imread('test.jpg')
img = mmcv.imread('test.jpg', flag='grayscale')
img_ = mmcv.imread(img) # nothing will happen, img_ = img
mmcv.imwrite(img, 'out.jpg')
```

To read images from bytes

```
with open('test.jpg', 'rb') as f:
    data = f.read()
img = mmcv.imreadfrombytes(data)
```

To show an image file or a loaded image

```
mmcv.imshow('tests/data/color.jpg')
# this is equivalent to

for i in range(10):
    img = np.random.randint(256, size=(100, 100, 3), dtype=np.uint8)
    mmcv.imshow(img, win_name='test image', wait_time=200)
```

5.1.2 Color space conversion

Supported conversion methods:

- `bgr2gray`
- `gray2bgr`
- `bgr2rgb`
- `rgb2bgr`
- `bgr2hsv`
- `hsv2bgr`

```
img = mmcv.imread('tests/data/color.jpg')
img1 = mmcv.bgr2rgb(img)
img2 = mmcv.rgb2gray(img1)
img3 = mmcv.bgr2hsv(img)
```

5.1.3 Resize

There are three resize methods. All `imresize_*` methods have an argument `return_scale`, if this argument is `False`, then the return value is merely the resized image, otherwise is a tuple (`resized_img`, `scale`).

```
# resize to a given size
mmcv.imresize(img, (1000, 600), return_scale=True)

# resize to the same size of another image
mmcv.imresize_like(img, dst_img, return_scale=False)

# resize by a ratio
mmcv.imrescale(img, 0.5)

# resize so that the max edge no longer than 1000, short edge no longer than 800
# without changing the aspect ratio
mmcv.imrescale(img, (1000, 800))
```

5.1.4 Rotate

To rotate an image by some angle, use `imrotate`. The center can be specified, which is the center of original image by default. There are two modes of rotating, one is to keep the image size unchanged so that some parts of the image will be cropped after rotating, the other is to extend the image size to fit the rotated image.

```
img = mmcv.imread('tests/data/color.jpg')

# rotate the image clockwise by 30 degrees.
img_ = mmcv.imrotate(img, 30)

# rotate the image counterclockwise by 90 degrees.
img_ = mmcv.imrotate(img, -90)

# rotate the image clockwise by 30 degrees, and rescale it by 1.5x at the same time.
img_ = mmcv.imrotate(img, 30, scale=1.5)
```

(下页继续)

(续上页)

```
# rotate the image clockwise by 30 degrees, with (100, 100) as the center.
img_ = mmcv.imrotate(img, 30, center=(100, 100))

# rotate the image clockwise by 30 degrees, and extend the image size.
img_ = mmcv.imrotate(img, 30, auto_bound=True)
```

5.1.5 Flip

To flip an image, use `imflip`.

```
img = mmcv.imread('tests/data/color.jpg')

# flip the image horizontally
mmcv.imflip(img)

# flip the image vertically
mmcv.imflip(img, direction='vertical')
```

5.1.6 Crop

`imcrop` can crop the image with one or more regions. Each region is represented by the upper left and lower right coordinates as (x1, y1, x2, y2).

```
import mmcv
import numpy as np

img = mmcv.imread('tests/data/color.jpg')

# crop the region (10, 10, 100, 120)
bboxes = np.array([10, 10, 100, 120])
patch = mmcv.imcrop(img, bboxes)

# crop two regions (10, 10, 100, 120) and (0, 0, 50, 50)
bboxes = np.array([[10, 10, 100, 120], [0, 0, 50, 50]])
patches = mmcv.imcrop(img, bboxes)

# crop two regions, and rescale the patches by 1.2x
patches = mmcv.imcrop(img, bboxes, scale=1.2)
```

5.1.7 Padding

There are two methods, `impad` and `impad_to_multiple`, to pad an image to the specific size with given values.

```
img = mmcv.imread('tests/data/color.jpg')

# pad the image to (1000, 1200) with all zeros
img_ = mmcv.impad(img, shape=(1000, 1200), pad_val=0)

# pad the image to (1000, 1200) with different values for three channels.
img_ = mmcv.impad(img, shape=(1000, 1200), pad_val=(100, 50, 200))
```

(下页继续)

(续上页)

```
# pad the image on left, right, top, bottom borders with all zeros
img_ = mmcv.impad(img, padding=(10, 20, 30, 40), pad_val=0)

# pad the image on left, right, top, bottom borders with different values
# for three channels.
img_ = mmcv.impad(img, padding=(10, 20, 30, 40), pad_val=(100, 50, 200))

# pad an image so that each edge is a multiple of some value.
img_ = mmcv.impad_to_multiple(img, 32)
```

5.2 Video

This module provides the following functionalities:

- A VideoReader class with friendly apis to read and convert videos.
- Some methods for editing (cut, concat, resize) videos.
- Optical flow read/write/warp.

5.2.1 VideoReader

The VideoReader class provides sequence like apis to access video frames. It will internally cache the frames which have been visited.

```
video = mmcv.VideoReader('test.mp4')

# obtain basic information
print(len(video))
print(video.width, video.height, video.resolution, video.fps)

# iterate over all frames
for frame in video:
    print(frame.shape)

# read the next frame
img = video.read()

# read a frame by index
img = video[100]

# read some frames
img = video[5:10]
```

To convert a video to images or generate a video from a image directory.

```
# split a video into frames and save to a folder
video = mmcv.VideoReader('test.mp4')
video.cvt2frames('out_dir')

# generate video from frames
mmcv.frames2video('out_dir', 'test.avi')
```

5.2.2 Editing utils

There are also some methods for editing videos, which wraps the commands of ffmpeg.

```
# cut a video clip
mmcv.cut_video('test.mp4', 'clip1.mp4', start=3, end=10, vcodec='h264')

# join a list of video clips
mmcv.concat_video(['clip1.mp4', 'clip2.mp4'], 'joined.mp4', log_level='quiet')

# resize a video with the specified size
mmcv.resize_video('test.mp4', 'resized1.mp4', (360, 240))

# resize a video with a scaling ratio of 2
mmcv.resize_video('test.mp4', 'resized2.mp4', ratio=2)
```

5.2.3 Optical flow

mmcv provides the following methods to operate on optical flows.

- IO
- Visualization
- Flow warping

We provide two options to dump optical flow files: uncompressed and compressed. The uncompressed way just dumps the floating numbers to a binary file. It is lossless but the dumped file has a larger size. The compressed way quantizes the optical flow to 0-255 and dumps it as a jpeg image. The flow of x-dim and y-dim will be concatenated into a single image.

1. IO


```
flow = np.random.rand(800, 600, 2).astype(np.float32)
# dump the flow to a flo file (~3.7M)
mmcv.flowwrite(flow, 'uncompressed.flo')
# dump the flow to a jpeg file (~230K)
# the shape of the dumped image is (800, 1200)
mmcv.flowwrite(flow, 'compressed.jpg', quantize=True, concat_axis=1)

# read the flow file, the shape of loaded flow is (800, 600, 2) for both ways
flow = mmcv.flowread('uncompressed.flo')
flow = mmcv.flowread('compressed.jpg', quantize=True, concat_axis=1)
```

2. Visualization

It is possible to visualize optical flows with `mmcv.flowshow()`.

```
mmcv.flowshow(flow)
```



3. Flow warping

```
img1 = mmcv.imread('img1.jpg')
flow = mmcv.flowread('flow.flo')
warped_img2 = mmcv.flow_warp(img1, flow)
```

img1 (left) and img2 (right)



optical flow (img2 -> img1)



warped image and difference with ground truth



Data Transformation

In the OpenMMLab algorithm library, dataset construction and data preparation are decoupled. Usually, the construction of the dataset only parses the dataset and records the basic information of each sample, while the data preparation is a series of data transformations including data loading, preprocessing, formatting, and other operations performed according to the basic information of the sample.

6.1 Design of data transformation

In MMCV, we use various callable data transformation classes to manipulate data. These data transformation classes can accept several configuration parameters for the instantiation and then process the input data dictionary by `__call__` method. All data transformation methods accept a dictionary as the input and produce the output as a dictionary as well. A simple example is as follows:

```
>>> import numpy as np
>>> from mmcv.transforms import Resize
>>>
>>> transform = Resize(scale=(224, 224))
>>> data_dict = {'img': np.random.rand(256, 256, 3)}
>>> data_dict = transform(data_dict)
>>> print(data_dict['img'].shape)
(224, 224, 3)
```

The data transformation class reads some fields of the input dictionary and may add or update some fields. The keys of these fields are mostly fixed. For example, `Resize` will always read fields such as "img" in the input dictionary. More information about the conventions for input and output fields could be found in the documentation of the corresponding class.

注解: By convention, the order of image shape which is used as **initialization parameters** in data transformation (such as `Resize`, `Pad`) is (width, height). In the dictionary returned by the data transformation, the image related shape, such as `img_shape`, `ori_shape`, `pad_shape`, etc., is (height, width).

MMCV provides a unified base class called `BaseTransform` for all data transformation classes:

```
class BaseTransform(metaclass=ABCMeta):

    def __call__(self, results: dict) -> dict:

        return self.transform(results)

    @abstractmethod
    def transform(self, results: dict) -> dict:
        pass
```

All data transformation classes must inherit `BaseTransform` and implement the `transform` method. Both the input and output of the `transform` method are a dictionary. In the **Custom data transformation class** section, we will describe how to implement a data transformation class in more detail.

6.2 Data pipeline

As mentioned above, the inputs and outputs of all data transformations are dictionaries. Moreover, according to the [Convention on Datasets] (TODO) in OpenMMLab, the basic information of each sample in the dataset is also a dictionary. This way, we can connect all data transformation operations end to end and combine them into a data pipeline. This pipeline inputs the information dictionary of the samples in the dataset and outputs the information dictionary after a series of processing.

Taking the classification task as an example, we show a typical data pipeline in the figure below. For each sample, the information stored in the dataset is a dictionary, as shown on the far left in the figure. After each data transformation operation represented by the blue block, a new field (marked in green) will be added to the data dictionary or an existing field (marked in orange) will be updated.

The data pipeline is a list of several data transformation configuration dictionaries in the configuration file. Each dataset needs to set the parameter `pipeline` to define the data preparation operations the dataset needs to perform. The configuration of the above data pipeline in the configuration file is as follows:

```
pipeline = [
    dict(type='LoadImageFromFile'),
    dict(type='Resize', size=256, keep_ratio=True),
    dict(type='CenterCrop', crop_size=224),
    dict(type='Normalize', mean=[123.675, 116.28, 103.53], std=[58.395, 57.12, 57.
↪375]),
    dict(type='ClsFormatBundle')
]

dataset = dict(
    ...
    pipeline=pipeline,
    ...
)
```

6.3 Common data transformation classes

The commonly used data transformation classes can be roughly divided into data loading, data preprocessing and augmentation, and data formatting. In MMCV, we provide some commonly used classes as follows:

6.3.1 Data loading

To support the loading of large-scale datasets, data is usually not loaded when `Dataset` is initialized. Only the corresponding path is loaded. Therefore, it is necessary to load specific data in the data pipeline.

6.3.2 Data preprocessing and enhancement

Data preprocessing and augmentation usually involve transforming the image itself, such as cropping, padding, scaling, etc.

6.3.3 Data formatting

Data formatting operations are type conversions performed on the data.

6.4 Customize data transformation classes

To implement a new data transformation class, you must inherit `BaseTransform` and implement the `transform` method. Here, we use a simple flip transform (`MyFlip`) as an example:

```
import random
import mmcv
from mmcv.transforms import BaseTransform, TRANSFORMS

@TRANSFORMS.register_module()
class MyFlip(BaseTransform):
    def __init__(self, direction: str):
        super().__init__()
        self.direction = direction

    def transform(self, results: dict) -> dict:
        img = results['img']
        results['img'] = mmcv.imflip(img, direction=self.direction)
        return results
```

Now, we can instantiate `MyFlip` as a callable object to handle our data dictionary.

```
import numpy as np

transform = MyFlip(direction='horizontal')
data_dict = {'img': np.random.rand(224, 224, 3)}
data_dict = transform(data_dict)
processed_img = data_dict['img']
```

Alternatively, use `MyFlip` transform in the pipeline of the config file.

```
pipeline = [
    ...
    dict(type='MyFlip', direction='horizontal'),
    ...
]
```

It should be noted that if you want to use it in the configuration file, you must ensure that the file where the `MyFlip` class is located can be imported at the runtime.

6.5 Transform wrapper

Transform wrappers are a special class of data transformations. They do not operate on images, labels or other information in the data dictionary by themselves. Instead, they enhance the behavior of data transformations defined in them.

6.5.1 KeyMapper

`KeyMapper` is used to map fields in the data dictionary. For example, image processing transforms usually get their values from the `"img"` field in the data dictionary. But sometimes we want these transforms to handle images in other fields in the data dictionary, such as the `"gt_img"` field.

When used with registry and configuration file, the field map wrapper should be used as follows:

```
pipeline = [
    ...
    dict(type='KeyMapper',
        mapping={
            'img': 'gt_img', # map "gt_img" to "img"
            'mask': ..., # The "mask" field in the raw data is not used. That is,
            ↪ for wrapped data transformations, the "mask" field is not included in the data
        },
        auto_remap=True, # remap "img" back to "gt_img" after the transformation
        transforms=[
            # only need to specify "img" in `RandomFlip`
            dict(type='RandomFlip'),
        ])
    ...
]
```

With `KeyMapper`, we don't need to consider various possible input field names in the `transform` method when we implement the data transformation class. We only need to deal with the default fields.

6.5.2 RandomChoice and RandomApply

`RandomChoice` is used to randomly select a data transformation pipeline from the given choices. With this wrapper, we can easily implement some data augmentation functions, such as `AutoAugment`.

In configuration file, you can use `RandomChoice` as follows:

```
pipeline = [
    ...
    dict(type='RandomChoice',
        transforms=[
```

(下页继续)

(续上页)

```

        [
            dict(type='Posterize', bits=4),
            dict(type='Rotate', angle=30.)
        ], # the first combo option
        [
            dict(type='Equalize'),
            dict(type='Rotate', angle=30)
        ], # the second combo option
    ],
    prob=[0.4, 0.6] # the prob of each combo
)
...
]

```

`RandomApply` is used to randomly perform a combination of data transformations with a specified probability. For example:

```

pipeline = [
    ...
    dict(type='RandomApply',
        transforms=[dict(type='Rotate', angle=30.)],
        prob=0.3) # perform the transformation with prob as 0.3
    ...
]

```

6.5.3 TransformBroadcaster

Usually, a data transformation class only reads the target of an operation from one field. While we can also use `KeyMapper` to change the fields read, there is no way to apply transformations to the data of multiple fields at once. To achieve this, we need to use the multi-target extension wrapper `TransformBroadcaster`.

`TransformBroadcaster` has two uses, one is to apply data transformation to multiple specified fields, and the other is to apply data transformation to a group of targets under a field.

1. Apply to multiple fields

Suppose we need to apply a data transformation to images in two fields "lq" (low-quality) and "gt" (ground-truth).

```

pipeline = [
    dict(type='TransformBroadcaster',
        # apply to the "lq" and "gt" fields respectively, and set the "img" field_
        ↪to both
        mapping={'img': ['lq', 'gt']},
        # remap the "img" field back to the original field after the_
        ↪transformation
        auto_remap=True,
        # whether to share random variables in the transformation of each target
        # more introduction will be referred in the following chapters (random_
        ↪variable sharing)
        share_random_params=True,
        transforms=[
            # only need to manipulate the "img" field in the `RandomFlip` class
            dict(type='RandomFlip'),
        ])
]

```

In the mapping setting of the multi-target extension, we can also use `...` to ignore the specified original field. As shown in the following example, the wrapped `RandomCrop` will crop the image in the field `"img"` and update the size of the cropped image if the field `"img_shape"` exists. If we want to do the same random cropping for both image fields `"lq"` and `"gt"` at the same time but update the `"img_shape"` field only once, we can do it as in the example:

```
pipeline = [
    dict(type='TransformBroadcaster',
        mapping={
            'img': ['lq', 'gt'],
            'img_shape': ['img_shape', ...],
        },
        # remap the "img" and "img_shape" fields back to their original fields.
        ↪after the transformation
        auto_remap=True,
        # whether to share random variables in the transformation of each target
        # more introduction will be referred in the following chapters (random.
        ↪variable sharing)
        share_random_params=True,
        transforms=[
            # "img" and "img_shape" fields are manipulated in the `RandomCrop`.
            ↪class
            # if "img_shape" is missing, only operate on "img"
            dict(type='RandomCrop'),
        ])
]
```

2. A set of targets applied to a field

Suppose we need to apply a data transformation to the `"images"` field, which is a list of images.

```
pipeline = [
    dict(type='TransformBroadcaster',
        # map each image under the "images" field to the "img" field
        mapping={'img': 'images'},
        # remap the images under the "img" field back to the list in the "images".
        ↪field after the transformation
        auto_remap=True,
        # whether to share random variables in the transformation of each target
        share_random_params=True,
        transforms=[
            # in the `RandomFlip` transformation class, we only need to.
            ↪manipulate the "img" field
            dict(type='RandomFlip'),
        ])
]
```


Decorator `cache_randomness`

In `TransformBroadcaster`, we provide the `share_random_params` option to support sharing random states across multiple data transformations. For example, in a super-resolution task, we want to apply **the same** random transformations **simultaneously** to the low-resolution image and the original image. If we use this function in a custom data transformation class, we need to mark which random variables support sharing in the class. This can be achieved with the decorator `cache_randomness`.

Taking `MyFlip` from the above example, we want to perform flipping randomly with a certain probability:

```
from mmcv.transforms.utils import cache_randomness

@TRANSFORMS.register_module()
class MyRandomFlip(BaseTransform):
    def __init__(self, prob: float, direction: str):
        super().__init__()
        self.prob = prob
        self.direction = direction

    @cache_randomness # label the output of the method as a shareable random variable
    def do_flip(self):
        flip = True if random.random() > self.prob else False
        return flip

    def transform(self, results: dict) -> dict:
        img = results['img']
        if self.do_flip():
            results['img'] = mmcv.imflip(img, direction=self.direction)
        return results
```

In the above example, we decorate the `do_flip` method with `cache_randomness`, marking the method return value `flip` as a random variable that supports sharing. Therefore, in the transformation of `TransformBroadcaster` to multiple targets, the value of this variable will remain the same.

Decorator `avoid_cache_randomness`

In some cases, we cannot separate the process of generating random variables in data transformation into a class method. For example, modules from third-party libraries used in data transformation encapsulate the relevant parts of random variables inside, making them impossible to be extracted as class methods for data transformation. Such data transformations cannot support shared random variables through the decorator `cache_randomness` annotation, and thus cannot share random variables during multi-objective expansion.

To avoid misuse of such data transformations in multi-object extensions, we provide another decorator, `avoid_cache_randomness`, to mark such data transformations:

```
from mmcv.transforms.utils import avoid_cache_randomness

@TRANSFORMS.register_module()
@avoid_cache_randomness
class MyRandomTransform(BaseTransform):

    def transform(self, results: dict) -> dict:
        ...
```

Data transformation classes marked with `avoid_cache_randomness` will throw an exception when their instance is wrapped by `TransformBroadcaster` and the parameter `share_random_params` is set to `True`. This reminds the user not to use it in this way.

There are a few things to keep in mind when using `avoid_cache_randomness`:

1. `avoid_cache_randomness` is only used to decorate data transformation classes (subclasses of `BaseTransform`) and cannot be used to decorate other general classes, class methods, or functions
2. When a data transformation decorated with `avoid_cache_randomness` is used as a base class, its subclasses **will not inherit** its feature. If the subclass is still unable to share random variables, `avoid_cache_randomness` should be used again.
3. A data transformation needs to be modified with `avoid_cache_randomness` only when a data transformation is random and cannot share its random parameters. Data transformations without randomness require no decoration

CHAPTER 7

Visualization

`mmcv` can show images and annotations (currently supported types include bounding boxes).

```
# show an image file
mmcv.imshow('a.jpg')

# show a loaded image
img = np.random.rand(100, 100, 3)
mmcv.imshow(img)

# show image with bounding boxes
img = np.random.rand(100, 100, 3)
bboxes = np.array([[0, 0, 50, 50], [20, 20, 60, 60]])
mmcv.imshow_bboxes(img, bboxes)
```

`mmcv` can also visualize special images such as optical flows.

```
flow = mmcv.flowread('test.flo')
mmcv.flowshow(flow)
```


We provide some building bricks for CNNs, including layer building, module bundles and weight initialization.

8.1 Layer building

We may need to try different layers of the same type when running experiments, but do not want to modify the code from time to time. Here we provide some layer building methods to construct layers from a dict, which can be written in configs or specified via command line arguments.

8.1.1 Usage

A simplest example is

```
from mmcv.cnn import build_conv_layer

cfg = dict(type='Conv3d')
layer = build_conv_layer(cfg, in_channels=3, out_channels=8, kernel_size=3)
```

- `build_conv_layer`: Supported types are Conv1d, Conv2d, Conv3d, Conv (alias for Conv2d).
- `build_norm_layer`: Supported types are BN1d, BN2d, BN3d, BN (alias for BN2d), SyncBN, GN, LN, IN1d, IN2d, IN3d, IN (alias for IN2d).
- `build_activation_layer`: Supported types are ReLU, LeakyReLU, PReLU, RReLU, ReLU6, ELU, Sigmoid, Tanh, GELU.
- `build_upsample_layer`: Supported types are nearest, bilinear, deconv, pixel_shuffle.
- `build_padding_layer`: Supported types are zero, reflect, replicate.

8.1.2 Extension

We also allow extending the building methods with custom layers and operators.

1. Write and register your own module.

```
from mmengine.registry import MODELS

@MODELS.register_module()
class MyUpsample:

    def __init__(self, scale_factor):
        pass

    def forward(self, x):
        pass
```

2. Import MyUpsample somewhere (e.g., in `__init__.py`) and then use it.

```
from mmcv.cnn import build_upsample_layer

cfg = dict(type='MyUpsample', scale_factor=2)
layer = build_upsample_layer(cfg)
```

8.2 Module bundles

We also provide common module bundles to facilitate the network construction. ConvModule is a bundle of convolution, normalization and activation layers, please refer to the api for details.

```
from mmcv.cnn import ConvModule

# conv + bn + relu
conv = ConvModule(3, 8, 2, norm_cfg=dict(type='BN'))
# conv + gn + relu
conv = ConvModule(3, 8, 2, norm_cfg=dict(type='GN', num_groups=2))
# conv + relu
conv = ConvModule(3, 8, 2)
# conv
conv = ConvModule(3, 8, 2, act_cfg=None)
# conv + leaky_relu
conv = ConvModule(3, 8, 3, padding=1, act_cfg=dict(type='LeakyReLU'))
# bn + conv + relu
conv = ConvModule(
    3, 8, 2, norm_cfg=dict(type='BN'), order=('norm', 'conv', 'act'))
```

CHAPTER 9

ops

We implement common ops used in detection, segmentation, etc.

MMCV Operators

To make custom operators in MMCV more standard, precise definitions of each operator are listed in this document.

- *MMCV Operators*
 - *MMCVBorderAlign*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
 - *MMCVCARAFE*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
 - *MMCVCAWeight*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
 - *MMCVCAMap*
 - * *Description*

- * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *MMCVCornerPool*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *MMCVDeformConv2d*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *MMCVModulatedDeformConv2d*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *MMCVDeformRoIPool*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *MMCVMaskedConv2d*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *MMCVPSAMask*
 - * *Description*

- * *Parameters*
- * *Inputs*
- * *Outputs*
- * *Type Constraints*
- *NonMaxSuppression*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *MMCVRoIAlign*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *MMCVRoIAlignRotated*
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *grid_sampler**
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *cummax**
 - * *Description*
 - * *Parameters*
 - * *Inputs*
 - * *Outputs*
 - * *Type Constraints*
- *cummin**
 - * *Description*

- * *Parameters*
- * *Inputs*
- * *Outputs*
- * *Type Constraints*
- *Reminders*

10.1 MMCVBorderAlign

10.1.1 Description

Applies `border_align` over the input feature based on predicted bboxes.

For each border line (e.g. top, left, bottom or right) of each box, `border_align` does the following:

- uniformly samples `pool_size+1` positions on this line, involving the start and end points.
- the corresponding features on these points are computed by bilinear interpolation.
- max pooling over all the `pool_size+1` positions are used for computing pooled feature.

Read [BorderDet: Border Feature for Dense Object Detection](#) for more detailed information.

10.1.2 Parameters

10.1.3 Inputs

10.1.4 Outputs

10.1.5 Type Constraints

- T:tensor(float32)

10.2 MMCVCARAFE

10.2.1 Description

CARAFE operator performs feature upsampling.

Read [CARAFE: Content-Aware ReAssembly of FEatures](#) for more detailed information.

10.2.2 Parameters

10.2.3 Inputs

10.2.4 Outputs

10.2.5 Type Constraints

- T:tensor(float32)

10.3 MMCVCAWeight

10.3.1 Description

Operator for Criss-Cross Attention Read [CCNet: Criss-Cross Attention for SemanticSegmentation](#) for more detailed information.

10.3.2 Parameters

None

10.3.3 Inputs

10.3.4 Outputs

10.3.5 Type Constraints

- T:tensor(float32)

10.4 MMCVCAMap

10.4.1 Description

Operator for Criss-Cross Attention Read [CCNet: Criss-Cross Attention for SemanticSegmentation](#) for more detailed information.

10.4.2 Parameters

None

10.4.3 Inputs

10.4.4 Outputs

10.4.5 Type Constraints

- T:tensor(float32)

10.5 MMCVCornerPool

10.5.1 Description

Perform CornerPool on `input` features. Read [CornerNet –Detecting Objects as Paired Keypoints](#) for more details.

10.5.2 Parameters

10.5.3 Inputs

10.5.4 Outputs

10.5.5 Type Constraints

- T:tensor(float32)

10.6 MMCVDeformConv2d

10.6.1 Description

Applies a deformable 2D convolution over an input signal composed of several input planes.

Read [Deformable Convolutional Networks](#) for detail.

10.6.2 Parameters

10.6.3 Inputs

10.6.4 Outputs

10.6.5 Type Constraints

- T:tensor(float32, Linear)

10.7 MMCVModulatedDeformConv2d

10.7.1 Description

Perform Modulated Deformable Convolution on input feature, read [Deformable ConvNets v2: More Deformable, Better Results](#) for detail.

10.7.2 Parameters

10.7.3 Inputs

10.7.4 Outputs

10.7.5 Type Constraints

- T:tensor(float32, Linear)

10.8 MMCVDeformRoIPool

10.8.1 Description

Deformable roi pooling layer

10.8.2 Parameters

10.8.3 Inputs

10.8.4 Outputs

10.8.5 Type Constraints

- T:tensor(float32)

10.9 MMCVMaskedConv2d

10.9.1 Description

Performs a masked 2D convolution from PixelRNN Read [Pixel Recurrent Neural Networks](#) for more detailed information.

10.9.2 Parameters

10.9.3 Inputs

10.9.4 Outputs

10.9.5 Type Constraints

- T:tensor(float32)

10.10 MMCVPSAMask

10.10.1 Description

An operator from PSANet.

Read [PSANet: Point-wise Spatial Attention Network for Scene Parsing](#) for more detailed information.

10.10.2 Parameters

10.10.3 Inputs

10.10.4 Outputs

10.10.5 Type Constraints

- T:tensor(float32)

10.11 NonMaxSuppression

10.11.1 Description

Filter out boxes has high IoU overlap with previously selected boxes or low score. Output the indices of valid boxes.

Note this definition is slightly different with [onnx: NonMaxSuppression](#)

10.11.2 Parameters

10.11.3 Inputs

10.11.4 Outputs

10.11.5 Type Constraints

- T:tensor(float32, Linear)

10.12 MMCVRoIAlign

10.12.1 Description

Perform RoIAlign on output feature, used in bbox_head of most two-stage detectors.

10.12.2 Parameters

10.12.3 Inputs

10.12.4 Outputs

10.12.5 Type Constraints

- T:tensor(float32)

10.13 MMCVRoIAlignRotated

10.13.1 Description

Perform RoI align pooling for rotated proposals

10.13.2 Parameters

10.13.3 Inputs

10.13.4 Outputs

10.13.5 Type Constraints

- T:tensor(float32)

10.14 grid_sampler*

10.14.1 Description

Perform sample from `input` with pixel locations from `grid`.

Check [torch.nn.functional.grid_sample](#) for more information.

10.14.2 Parameters

10.14.3 Inputs

10.14.4 Outputs

10.14.5 Type Constraints

- `T:tensor(float32, Linear)`

10.15 `cummax`*

10.15.1 Description

Returns a tuple `(values, indices)` where `values` is the cumulative maximum elements of `input` in the dimension `dim`. And `indices` is the index location of each maximum value found in the dimension `dim`. Read [torch.cummax](#) for more details.

10.15.2 Parameters

10.15.3 Inputs

10.15.4 Outputs

10.15.5 Type Constraints

- `T:tensor(float32)`

10.16 `cummin`*

10.16.1 Description

Returns a tuple `(values, indices)` where `values` is the cumulative minimum elements of `input` in the dimension `dim`. And `indices` is the index location of each minimum value found in the dimension `dim`. Read [torch.cummin](#) for more details.

10.16.2 Parameters

10.16.3 Inputs

10.16.4 Outputs

10.16.5 Type Constraints

- `T:tensor(float32)`

10.17 Reminders

- Operators endwith * are defined in Torch and are included here for the conversion to ONNX.

CHAPTER 11

English

CHAPTER 12

简体中文

The OpenMMLab team released a new generation of training engine [MME](#) at the World Artificial Intelligence Conference on September 1, 2022. It is a foundational library for training deep learning models. Compared with MMCV, it provides a universal and powerful runner, an open architecture with a more unified interface, and a more customizable training process.

The OpenMMLab team released MMCV v2.0.0 on April 6, 2023. In the 2.x version, it has the following significant changes:

(1) It removed the following components:

- `mmcv.fileio` module, removed in PR [#2179](#). `FileIO` module from `mmengine` will be used wherever required.
- `mmcv.runner`, `mmcv.parallel`, `mmcv.engine` and `mmcv.device`, removed in PR [#2216](#).
- All classes in `mmcv.utils` (eg `Config` and `Registry`) and many functions, removed in PR [#2217](#). Only a few functions related to `mmcv` are reserved.
- `mmcv.onnx`, `mmcv.tensorrt` modules and related functions, removed in PR [#2225](#).
- Removed all root registrars in MMCV and registered classes or functions to the `root registrar` in `MME`.

(2) It added the `mmcv.transforms` data transformation module.

(3) It renamed the package name `mmcv` to `mmcv-lite` and `mmcv-full` to `mmcv` in PR [#2235](#). Also, change the default value of the environment variable `MMCV_WITH_OPS` from 0 to 1.

```
# Contains ops, because the highest version of mmcv-full is less than 2.0.0, so there
↪ is no need to add version restrictions
pip install openmim
mim install mmcv-full

# do not contain ops
pip install openmim
mim install "mmcv < 2.0.0"
```

```
# Contains ops
pip install openmim
mim install mmcv

# Ops are not included, because the starting version of mmcv-lite is 2.0.0rc1, so
↪there is no need to add version restrictions
pip install openmim
mim install mmcv-lite
```

Some ops have different implementations on different devices. Lots of macros and type checks are scattered in several files, which makes the code hard to maintain. For example:

```

    if (input.device().is_cuda()) {
#ifdef MMCV_WITH_CUDA
    CHECK_CUDA_INPUT(input);
    CHECK_CUDA_INPUT(rois);
    CHECK_CUDA_INPUT(output);
    CHECK_CUDA_INPUT(argmax_y);
    CHECK_CUDA_INPUT(argmax_x);

    roi_align_forward_cuda(input, rois, output, argmax_y, argmax_x,
                           aligned_height, aligned_width, spatial_scale,
                           sampling_ratio, pool_mode, aligned);
#else
    AT_ERROR("RoIAlign is not compiled with GPU support");
#endif
    } else {
    CHECK_CPU_INPUT(input);
    CHECK_CPU_INPUT(rois);
    CHECK_CPU_INPUT(output);
    CHECK_CPU_INPUT(argmax_y);
    CHECK_CPU_INPUT(argmax_x);
    roi_align_forward_cpu(input, rois, output, argmax_y, argmax_x,
                          aligned_height, aligned_width, spatial_scale,
                          sampling_ratio, pool_mode, aligned);
    }

```

Registry and dispatcher are added to manage these implementations.

```

void ROIAlignForwardCUDataKernelLauncher(Tensor input, Tensor rois, Tensor output,
                                           Tensor argmax_y, Tensor argmax_x,
                                           int aligned_height, int aligned_width,
                                           float spatial_scale, int sampling_ratio,

```

(下页继续)

(续上页)

```

        int pool_mode, bool aligned);

void roi_align_forward_cuda(Tensor input, Tensor rois, Tensor output,
                           Tensor argmax_y, Tensor argmax_x,
                           int aligned_height, int aligned_width,
                           float spatial_scale, int sampling_ratio,
                           int pool_mode, bool aligned) {
    ROIAlignForwardCUDAKernelLauncher(
        input, rois, output, argmax_y, argmax_x, aligned_height, aligned_width,
        spatial_scale, sampling_ratio, pool_mode, aligned);
}

// register cuda implementation
void roi_align_forward_impl(Tensor input, Tensor rois, Tensor output,
                           Tensor argmax_y, Tensor argmax_x,
                           int aligned_height, int aligned_width,
                           float spatial_scale, int sampling_ratio,
                           int pool_mode, bool aligned);
REGISTER_DEVICE_IMPL(roi_align_forward_impl, CUDA, roi_align_forward_cuda);

// roi_align.cpp
// use the dispatcher to invoke different implementation depending on device type of
// ↪ input tensors.
void roi_align_forward_impl(Tensor input, Tensor rois, Tensor output,
                           Tensor argmax_y, Tensor argmax_x,
                           int aligned_height, int aligned_width,
                           float spatial_scale, int sampling_ratio,
                           int pool_mode, bool aligned) {
    DISPATCH_DEVICE_IMPL(roi_align_forward_impl, input, rois, output, argmax_y,
        argmax_x, aligned_height, aligned_width, spatial_scale,
        sampling_ratio, pool_mode, aligned);
}

```

In order to flexibly support more backends and hardwares like NVIDIA GPUs and AMD GPUs, the directory of `mmcv/ops/csrc` is refactored. Note that this refactoring will not affect the usage in API. For related information, please refer to [PR1206](#).

The original directory was organized as follows.

```
.
├── common_cuda_helper.hpp
├── ops_cuda_kernel.cuh
├── pytorch_cpp_helper.hpp
├── pytorch_cuda_helper.hpp
├── parrots_cpp_helper.hpp
├── parrots_cuda_helper.hpp
├── parrots_cudawarpfunction.cuh
├── onnxruntime
│   ├── onnxruntime_register.h
│   ├── onnxruntime_session_options_config_keys.h
│   ├── ort_mmcv_utils.h
│   ├── ...
│   ├── onnx_ops.h
│   └── cpu
│       ├── onnxruntime_register.cpp
│       ├── ...
│       └── onnx_ops_impl.cpp
├── parrots
│   ├── ...
│   ├── ops.cpp
│   ├── ops_cuda.cu
│   ├── ops_parrots.cpp
│   └── ops_pytorch.h
├── pytorch
│   ├── ...
│   ├── ops.cpp
│   └── ops_cuda.cu
```

(下页继续)

(续上页)

```

├── pybind.cpp
└── tensorrt
    ├── trt_cuda_helper.cuh
    ├── trt_plugin_helper.hpp
    ├── trt_plugin.hpp
    ├── trt_serialize.hpp
    ├── ...
    ├── trt_ops.hpp
    └── plugins
        ├── trt_cuda_helper.cu
        ├── trt_plugin.cpp
        ├── ...
        ├── trt_ops.cpp
        └── trt_ops_kernel.cu

```

After refactored, it is organized as follows.

```

.
├── common
│   ├── box_iou_rotated_utils.hpp
│   ├── parrots_cpp_helper.hpp
│   ├── parrots_cuda_helper.hpp
│   ├── pytorch_cpp_helper.hpp
│   ├── pytorch_cuda_helper.hpp
│   └── cuda
│       ├── common_cuda_helper.hpp
│       ├── parrots_cudawarpfunction.cuh
│       ├── ...
│       └── ops_cuda_kernel.cuh
├── onnxruntime
│   ├── onnxruntime_register.h
│   ├── onnxruntime_session_options_config_keys.h
│   ├── ort_mmcv_utils.h
│   ├── ...
│   ├── onnx_ops.h
│   └── cpu
│       ├── onnxruntime_register.cpp
│       ├── ...
│       └── onnx_ops_impl.cpp
├── parrots
│   ├── ...
│   ├── ops.cpp
│   ├── ops_parrots.cpp
│   └── ops_pytorch.h
├── pytorch
│   ├── info.cpp
│   ├── pybind.cpp
│   ├── ...
│   ├── ops.cpp
│   └── cuda
│       ├── ...
│       └── ops_cuda.cu
└── tensorrt
    ├── trt_cuda_helper.cuh
    ├── trt_plugin_helper.hpp
    └── trt_plugin.hpp

```

(下页继续)

(续上页)

```
|— trt_serialize.hpp
|— ...
|— trt_ops.hpp
└─ plugins
    |— trt_cuda_helper.cu
    |— trt_plugin.cpp
    |— ...
    |— trt_ops.cpp
    └─ trt_ops_kernel.cu
```

Frequently Asked Questions

We list some common troubles faced by many users and their corresponding solutions here. Feel free to enrich the list if you find any frequent issues and have ways to help others to solve them.

16.1 Installation

- `KeyError: "xxx: 'yyy is not in the zzz registry'"`

The registry mechanism will be triggered only when the file of the module is imported. So you need to import that file somewhere. More details can be found at `KeyError: "MaskRCNN: 'RefineRoIHead is not in the models registry'"`.

- `"No module named 'mmdcv.ops'"` ; `"No module named 'mmdcv._ext'"`
 1. Uninstall existing mmdcv in the environment using `pip uninstall mmdcv`
 2. Install mmdcv-full following the [installation instruction](#) or [Build MMCV from source](#)
- `"invalid device function"` or `"no kernel image is available for execution"`
 1. Check the CUDA compute capability of you GPU
 2. Run `python mmdet/utils/collect_env.py` to check whether PyTorch, torchvision, and MMCV are built for the correct GPU architecture. You may need to set `TORCH_CUDA_ARCH_LIST` to reinstall MMCV. The compatibility issue could happen when using old GPUS, e.g., Tesla K80 (3.7) on colab.
 3. Check whether the running environment is the same as that when mmdcv/mmdet is compiled. For example, you may compile mmdcv using CUDA 10.0 bug run it on CUDA9.0 environments
- `"undefined symbol"` or `"cannot open xxx.so"`
 1. If those symbols are CUDA/C++ symbols (e.g., `libcudart.so` or `GLIBCXX`), check whether the CUDA/GCC runtimes are the same as those used for compiling mmdcv
 2. If those symbols are Pytorch symbols (e.g., symbols containing `caffe`, `aten`, and `TH`), check whether the Pytorch version is the same as that used for compiling mmdcv

3. Run `python mmdet/utils/collect_env.py` to check whether PyTorch, torchvision, and MMCV are built by and running on the same environment

- “RuntimeError: CUDA error: invalid configuration argument”

This error may be caused by the poor performance of GPU. Try to decrease the value of `THREADS_PER_BLOCK` and recompile mmcv.

- “RuntimeError: nms is not compiled with GPU support”

This error is because your CUDA environment is not installed correctly. You may try to re-install your CUDA environment and then delete the build/ folder before re-compile mmcv.

- “Segmentation fault”

1. Check your GCC version and use `GCC >= 5.4`. This usually caused by the incompatibility between PyTorch and the environment (e.g., `GCC < 4.9` for PyTorch). We also recommend the users to avoid using GCC 5.5 because many feedbacks report that GCC 5.5 will cause “segmentation fault” and simply changing it to GCC 5.4 could solve the problem
2. Check whether PyTorch is correctly installed and could use CUDA op, e.g. type the following command in your terminal and see whether they could correctly output results

```
python -c 'import torch; print(torch.cuda.is_available())'
```

3. If PyTorch is correctly installed, check whether MMCV is correctly installed. If MMCV is correctly installed, then there will be no issue of the command

```
python -c 'import mmcv; import mmcv.ops'
```

4. If MMCV and PyTorch are correctly installed, you can use `ipdb` to set breakpoints or directly add `print` to debug and see which part leads the segmentation fault

- “libtorch_cuda_cu.so: cannot open shared object file”

`mmcv-full` depends on the share object but it can not be found. We can check whether the object exists in `~/miniconda3/envs/{environment-name}/lib/python3.7/site-packages/torch/lib` or try to re-install the PyTorch.

- “fatal error C1189: #error: –unsupported Microsoft Visual Studio version!”

If you are building `mmcv-full` on Windows and the version of CUDA is 9.2, you will probably encounter the error `"C:\Program Files\NVIDIA GPU Computing Toolkit\CUDA\v9.2\include\crt/host_config.h(133): fatal error C1189: #error: -- unsupported Microsoft Visual Studio version! Only the versions 2012, 2013, 2015 and 2017 are supported!",` in which case you can use a lower version of Microsoft Visual Studio like vs2017.

- “error: member “torch::jit::detail::ModulePolicy::all_slots” may not be initialized”

If your version of PyTorch is 1.5.0 and you are building `mmcv-full` on Windows, you will probably encounter the error `- torch/csrc/jit/api/module.h(474): error: member "torch::jit::detail::ModulePolicy::all_slots" may not be initialized.` The way to solve the error is to replace all the static `constexpr bool all_slots = false;` with `static bool all_slots = false;` at this file <https://github.com/pytorch/pytorch/blob/v1.5.0/torch/csrc/jit/api/module.h>. More details can be found at member `“torch::jit::detail::AttributePolicy::all_slots” may not be initialized.`

- “error: a member with an in-class initializer must be const”

If your version of PyTorch is 1.6.0 and you are building `mmcv-full` on Windows, you will probably encounter the error `"- torch/include/torch/csrc/jit/api/module.h(483): error: a`

member with an in-class initializer must be const". The way to solve the error is to replace all the `CONSTEXPR_EXCEPT_WIN_CUDA` with `const` at `torch/include\torch\csrc\jit\api\module.h`. More details can be found at [Ninja: build stopped: subcommand failed](#).

- “error: member “`torch::jit::ProfileOptionalOp::Kind`” may not be initialized”

If your version of PyTorch is 1.7.0 and you are building mmcv-full on Windows, you will probably encounter the error `torch/include\torch\csrc\jit\ir\ir.h(1347): error: member "torch::jit::ProfileOptionalOp::Kind" may not be initialized`. The way to solve the error needs to modify several local files of PyTorch:

- delete `static constexpr Symbol Kind = ::c10::prim::profile;` and `tatic constexpr Symbol Kind = ::c10::prim::profile_optional;` at `torch/include\torch\csrc\jit\ir\ir.h`
- replace `explicit operator type&() { return *(this->value); }` with `explicit operator type&() { return *((type*)this->value); }` at `torch\include\pybind11\cast.h`
- replace all the `CONSTEXPR_EXCEPT_WIN_CUDA` with `const` at `torch/include\torch\csrc\jit\api\module.h`

More details can be found at [Ensure default extra_compile_args](#).

- Compatibility issue between MMCV and MMDetection; “ConvWS is already registered in conv layer”

Please install the correct version of MMCV for the version of your MMDetection following the [installation instruction](#).

16.2 Usage

- “RuntimeError: Expected to have finished reduction in the prior iteration before starting a new one”
 1. This error indicates that your module has parameters that were not used in producing loss. This phenomenon may be caused by running different branches in your code in DDP mode. More details at [Expected to have finished reduction in the prior iteration before starting a new one](#).
 2. You can set `find_unused_parameters = True` in the config to solve the above problems or find those unused parameters manually
- “RuntimeError: Trying to backward through the graph a second time”

`GradientCumulativeOptimizerHook` and `OptimizerHook` are both set which causes the `loss.backward()` to be called twice so `RuntimeError` was raised. We can only use one of these. More details at [Trying to backward through the graph a second time](#).

Contributing to OpenMMLab

Welcome to the MMCV community, we are committed to building a cutting-edge computer vision foundational library and all kinds of contributions are welcomed, including but not limited to

Fix bug

You can directly post a Pull Request to fix typo in code or documents

The steps to fix the bug of code implementation are as follows.

1. If the modification involve significant changes, you should create an issue first and describe the error information and how to trigger the bug. Other developers will discuss with you and propose an proper solution.
2. Posting a pull request after fixing the bug and adding corresponding unit test.

New Feature or Enhancement

1. If the modification involve significant changes, you should create an issue to discuss with our developers to propose an proper design.
2. Post a Pull Request after implementing the new feature or enhancement and add corresponding unit test.

Document

You can directly post a pull request to fix documents. If you want to add a document, you should first create an issue to check if it is reasonable.

17.1 Pull Request Workflow

If you' re not familiar with Pull Request, don' t worry! The following guidance will tell you how to create a Pull Request step by step. If you want to dive into the develop mode of Pull Request, you can refer to the [official documents](#)

17.1.1 1. Fork and clone

If you are posting a pull request for the first time, you should fork the OpenMMLab repositories by clicking the **Fork** button in the top right corner of the GitHub page, and the forked repositories will appear under your GitHub profile.

Then, you can clone the repositories to local:

```
git clone git@github.com:{username}/mmcv.git
```

After that, you should add official repository as the upstream repository

```
git remote add upstream git@github.com:open-mmlab/mmcv
```

Check whether remote repository has been added successfully by `git remote -v`

```
origin      git@github.com:{username}/mmcv.git (fetch)
origin      git@github.com:{username}/mmcv.git (push)
upstream    git@github.com:open-mmlab/mmcv (fetch)
upstream    git@github.com:open-mmlab/mmcv (push)
```

注解: Here's a brief introduction to origin and upstream. When we use "git clone", we create an "origin" remote by default, which points to the repository cloned from. As for "upstream", we add it ourselves to point to the target repository. Of course, if you don't like the name "upstream", you could name it as you wish. Usually, we'll push the code to "origin". If the pushed code conflicts with the latest code in official("upstream"), we should pull the latest code from upstream to resolve the conflicts, and then push to "origin" again. The posted Pull Request will be updated automatically.

17.1.2 2. Configure pre-commit

You should configure `pre-commit` in the local development environment to make sure the code style matches that of OpenMMLab. **Note:** The following code should be executed under the MMCV directory.

```
pip install -U pre-commit
pre-commit install
```

Check that pre-commit is configured successfully, and install the hooks defined in `.pre-commit-config.yaml`.

```
pre-commit run --all-files
```

注解: Chinese users may fail to download the pre-commit hooks due to the network issue. In this case, you could download these hooks from gitee by setting the `.pre-commit-config-zh-cn.yaml`

```
pre-commit install -c .pre-commit-config-zh-cn.yaml pre-commit run --all-files -c .pre-commit-config-zh-cn.yaml
```

If the installation process is interrupted, you can repeatedly run `pre-commit run ...` to continue the installation.

If the code does not conform to the code style specification, pre-commit will raise a warning and fixes some of the errors automatically.

If we want to commit our code bypassing the pre-commit hook, we can use the `--no-verify` option(**only for temporarily commit**).

```
git commit -m "xxx" --no-verify
```

17.1.3 3. Create a development branch

After configuring the pre-commit, we should create a branch based on the main branch to develop the new feature or fix the bug. The proposed branch name is `username/pr_name`

```
git checkout -b yhc/refactor_contributing_doc
```

In subsequent development, if the main branch of the local repository is behind the main branch of “upstream”, we need to pull the upstream for synchronization, and then execute the above command:

```
git pull upstream main
```

17.1.4 4. Commit the code and pass the unit test

- MMCV introduces mypy to do static type checking to increase the robustness of the code. Therefore, we need to add Type Hints to our code and pass the mypy check. If you are not familiar with Type Hints, you can refer to [this tutorial](#).
- The committed code should pass through the unit test

```
# Pass all unit tests
pytest tests

# Pass the unit test of runner
pytest tests/test_runner/test_runner.py
```

If the unit test fails for lack of dependencies, you can install the dependencies referring to the [guidance](#)

- If the documents are modified/added, we should check the rendering result referring to [guidance](#)

17.1.5 5. Push the code to remote

We could push the local commits to remote after passing through the check of unit test and pre-commit. You can associate the local branch with remote branch by adding `-u` option.

```
git push -u origin {branch_name}
```

This will allow you to use the `git push` command to push code directly next time, without having to specify a branch or the remote repository.

17.1.6 6. Create a Pull Request

- (1) Create a pull request in GitHub's Pull request interface
- (2) Modify the PR description according to the guidelines so that other developers can better understand your changes

Find more details about Pull Request description in [pull request guidelines](#).

note

(a) The Pull Request description should contain the reason for the change, the content of the change, and the impact of the change, and be associated with the relevant Issue (see [documentation](#))

(b) If it is your first contribution, please sign the CLA

(c) Check whether the Pull Request pass through the CI

MMCV will run unit test for the posted Pull Request on different platforms (Linux, Window, Mac), based on different versions of Python, PyTorch, CUDA to make sure the code is correct. We can see the specific test information by clicking [Details](#) in the above image so that we can modify the code.

(3) If the Pull Request passes the CI, then you can wait for the review from other developers. You'll modify the code based on the reviewer's comments, and repeat the steps [4-5](#) until all reviewers approve it. Then, we will merge it ASAP.

17.1.7 7. Resolve conflicts

If your local branch conflicts with the latest main branch of "upstream", you'll need to resolve them. There are two ways to do this:

```
git fetch --all --prune
git rebase upstream/main
```

or

```
git fetch --all --prune
git merge upstream/main
```

If you are very good at handling conflicts, then you can use rebase to resolve conflicts, as this will keep your commit logs tidy. If you are not familiar with rebase, then you can use merge to resolve conflicts.

17.2 Guidance

17.2.1 Unit test

If you cannot run the unit test of some modules for lacking of some dependencies, such as [video](#) module, you can try to install the following dependencies:

```
# Linux
sudo apt-get update -y
sudo apt-get install -y libturbojpeg
sudo apt-get install -y ffmpeg

# Windows
conda install ffmpeg
```


We should also make sure the committed code will not decrease the coverage of unit test, we could run the following command to check the coverage of unit test:

```
python -m coverage run -m pytest /path/to/test_file
python -m coverage html
# check file in htmlcov/index.html
```

17.2.2 Document rendering

If the documents are modified/added, we should check the rendering result. We could install the dependencies and run the following command to render the documents and check the results:

```
pip install -r requirements/docs.txt
cd docs/zh_cn/
# or docs/en
make html
# check file in ./docs/zh_cn/_build/html/index.html
```

17.3 Code style

17.3.1 Python

We adopt [PEP8](#) as the preferred code style.

We use the following tools for linting and formatting:

- [flake8](#): A wrapper around some linter tools.
- [isort](#): A Python utility to sort imports.
- [yapf](#): A formatter for Python files.
- [codespell](#): A Python utility to fix common misspellings in text files.
- [mdformat](#): Mdformat is an opinionated Markdown formatter that can be used to enforce a consistent style in Markdown files.
- [docformatter](#): A formatter to format docstring.

Style configurations of yapf and isort can be found in `setup.cfg`.

We use [pre-commit hook](#) that checks and formats for flake8, yapf, isort, trailing whitespaces, markdown files, fixes end-of-files, double-quoted-strings, python-encoding-pragma, mixed-line-ending, sorts `requirements.txt` automatically on every commit. The config for a pre-commit hook is stored in `.pre-commit-config`.

17.3.2 C++ and CUDA

We follow the [Google C++ Style Guide](#).

17.4 PR Specs

1. Use [pre-commit](#) hook to avoid issues of code style
2. One short-time branch should be matched with only one PR
3. Accomplish a detailed change in one PR. Avoid large PR
 - Bad: Support Faster R-CNN
 - Acceptable: Add a box head to Faster R-CNN
 - Good: Add a parameter to box head to support custom conv-layer number
4. Provide clear and significant commit message
5. Provide clear and meaningful PR description
 - Task name should be clarified in title. The general format is: [Prefix] Short description of the PR (Suffix)
 - Prefix: add new feature [Feature], fix bug [Fix], related to documents [Docs], in developing [WIP] (which will not be reviewed temporarily)
 - Introduce main changes, results and influences on other modules in short description
 - Associate related issues and pull requests with a milestone

CHAPTER 18

Pull Request (PR)

Content has been migrated to *contributing guidance*.

mmcv.image

- *IO*
- *Color Space*
- *Geometric*
- *Photometric*
- *Miscellaneous*

19.1 IO

<i>imfrombytes</i>	Read an image from bytes.
<i>imread</i>	Read an image.
<i>imwrite</i>	Write image to file.
<i>use_backend</i>	Select a backend for image decoding.

19.1.1 mmcv.image.imfrombytes

`mmcv.image.imfrombytes` (*content*: *bytes*, *flag*: *str* = 'color', *channel_order*: *str* = 'bgr', *backend*: *Optional[str]* = *None*) → `numpy.ndarray`

Read an image from bytes.

参数

- **content** (*bytes*) –Image bytes got from files or other streams.
- **flag** (*str*) –Same as `imread()`.

- **channel_order** (*str*) –The channel order of the output, candidates are ‘bgr’ and ‘rgb’. Default to ‘bgr’.
- **backend** (*str* | *None*) –The image decoding backend type. Options are *cv2*, *pillow*, *turbojpeg*, *tiffle*, *None*. If backend is *None*, the global `imread_backend` specified by `mmcv.use_backend()` will be used. Default: *None*.

返回 Loaded image array.

返回类型 ndarray

实际案例

```
>>> img_path = '/path/to/img.jpg'
>>> with open(img_path, 'rb') as f:
>>>     img_buff = f.read()
>>> img = mmcv.imreadfrombytes(img_buff)
>>> img = mmcv.imreadfrombytes(img_buff, flag='color', channel_order='rgb')
>>> img = mmcv.imreadfrombytes(img_buff, backend='pillow')
>>> img = mmcv.imreadfrombytes(img_buff, backend='cv2')
```

19.1.2 mmcv.image.imread

`mmcv.image.imread` (*img_or_path*: *Union[numpy.ndarray, str, pathlib.Path]*, *flag*: *str* = ‘color’, *channel_order*: *str* = ‘bgr’, *backend*: *Optional[str]* = *None*, *file_client_args*: *Optional[dict]* = *None*, *, *backend_args*: *Optional[dict]* = *None*) → *numpy.ndarray*

Read an image.

参数

- **img_or_path** (*ndarray* or *str* or *Path*) –Either a numpy array or str or *pathlib.Path*. If it is a numpy array (loaded image), then it will be returned as is.
- **flag** (*str*) –Flags specifying the color type of a loaded image, candidates are *color*, *grayscale*, *unchanged*, *color_ignore_orientation* and *grayscale_ignore_orientation*. By default, *cv2* and *pillow* backend would rotate the image according to its EXIF info unless called with *unchanged* or **_ignore_orientation* flags. *turbojpeg* and *tiffle* backend always ignore image’s EXIF info regardless of the flag. The *turbojpeg* backend only supports *color* and *grayscale*.
- **channel_order** (*str*) –Order of channel, candidates are *bgr* and *rgb*.
- **backend** (*str* | *None*) –The image decoding backend type. Options are *cv2*, *pillow*, *turbojpeg*, *tiffle*, *None*. If backend is *None*, the global `imread_backend` specified by `mmcv.use_backend()` will be used. Default: *None*.
- **file_client_args** (*dict*, *optional*) –Arguments to instantiate a *FileClient*. See `mmengine.fileio.FileClient` for details. Default: *None*. It will be deprecated in future. Please use *backend_args* instead. Deprecated in version 2.0.0rc4.
- **backend_args** (*dict*, *optional*) –Instantiates the corresponding file backend. It may contain *backend* key to specify the file backend. If it contains, the file backend corresponding to this value will be used and initialized with the remaining values, otherwise the corresponding file backend will be selected based on the prefix of the file path. Defaults to *None*. New in version 2.0.0rc4.

返回 Loaded image array.

返回类型 ndarray

实际案例

```
>>> import mmcv
>>> img_path = '/path/to/img.jpg'
>>> img = mmcv.imread(img_path)
>>> img = mmcv.imread(img_path, flag='color', channel_order='rgb',
...     backend='cv2')
>>> img = mmcv.imread(img_path, flag='color', channel_order='bgr',
...     backend='pillow')
>>> s3_img_path = 's3://bucket/img.jpg'
>>> # infer the file backend by the prefix s3
>>> img = mmcv.imread(s3_img_path)
>>> # manually set the file backend petrel
>>> img = mmcv.imread(s3_img_path, backend_args={
...     'backend': 'petrel'})
>>> http_img_path = 'http://path/to/img.jpg'
>>> img = mmcv.imread(http_img_path)
>>> img = mmcv.imread(http_img_path, backend_args={
...     'backend': 'http'})
```

19.1.3 mmcv.image.imwrite

`mmcv.image.imwrite` (*img: numpy.ndarray, file_path: str, params: Optional[list] = None, auto_mkdir: Optional[bool] = None, file_client_args: Optional[dict] = None, *, backend_args: Optional[dict] = None*) → bool

Write image to file.

警告: The parameter `auto_mkdir` will be deprecated in the future and every file clients will make directory automatically.

参数

- **img** (*ndarray*) –Image array to be written.
- **file_path** (*str*) –Image file path.
- **params** (*None or list*) –Same as opencv `imwrite()` interface.
- **auto_mkdir** (*bool*) –If the parent folder of `file_path` does not exist, whether to create it automatically. It will be deprecated.
- **file_client_args** (*dict, optional*) –Arguments to instantiate a `FileClient`. See `mmengine.fileio.FileClient` for details. Default: `None`. It will be deprecated in future. Please use `backend_args` instead. Deprecated in version 2.0.0rc4.
- **backend_args** (*dict, optional*) –Instantiates the corresponding file backend. It may contain `backend` key to specify the file backend. If it contains, the file backend corresponding to this value will be used and initialized with the remaining values, otherwise the corresponding file backend will be selected based on the prefix of the file path. Defaults to `None`. New in version 2.0.0rc4.

返回 Successful or not.

返回类型 bool

实际案例

```

>>> # write to hard disk client
>>> ret = mmcv.imwrite(img, '/path/to/img.jpg')
>>> # infer the file backend by the prefix s3
>>> ret = mmcv.imwrite(img, 's3://bucket/img.jpg')
>>> # manually set the file backend petrel
>>> ret = mmcv.imwrite(img, 's3://bucket/img.jpg', backend_args={
...     'backend': 'petrel'})

```

19.1.4 mmcv.image.use_backend

`mmcv.image.use_backend(backend: str) → None`

Select a backend for image decoding.

参数

- **backend** (*str*) – The image decoding backend type. Options are `cv2`,
- **pillow** – `//github.com/lilohuang/PyTurboJPEG`)
- (see `https(turbojpeg) – //github.com/lilohuang/PyTurboJPEG`)
- **tiff**file. `turbojpeg` is faster but it only supports `.jpeg` (and)
-
- **format**. (*file*) –

19.2 Color Space

<code>bgr2gray</code>	Convert a BGR image to grayscale image.
<code>bgr2hls</code>	Convert a BGR image to HLS
<code>bgr2hsv</code>	Convert a BGR image to HSV
<code>bgr2rgb</code>	Convert a BGR image to RGB
<code>bgr2ycbcr</code>	Convert a BGR image to YCbCr image.
<code>gray2bgr</code>	Convert a grayscale image to BGR image.
<code>gray2rgb</code>	Convert a grayscale image to RGB image.
<code>hls2bgr</code>	Convert a HLS image to BGR
<code>hsv2bgr</code>	Convert a HSV image to BGR
<code>imconvert</code>	Convert an image from the src colorspace to dst colorspace.
<code>rgb2bgr</code>	Convert a RGB image to BGR
<code>rgb2gray</code>	Convert a RGB image to grayscale image.
<code>rgb2ycbcr</code>	Convert a RGB image to YCbCr image.
<code>ycbcr2bgr</code>	Convert a YCbCr image to BGR image.
<code>ycbcr2rgb</code>	Convert a YCbCr image to RGB image.

19.2.1 mmcv.image.bgr2gray

`mmcv.image.bgr2gray (img: numpy.ndarray, keepdim: bool = False) → numpy.ndarray`

Convert a BGR image to grayscale image.

参数

- **img** (*ndarray*) –The input image.
- **keepdim** (*bool*) –If False (by default), then return the grayscale image with 2 dims, otherwise 3 dims.

返回 The converted grayscale image.

返回类型 *ndarray*

19.2.2 mmcv.image.bgr2hls

`mmcv.image.bgr2hls (img: numpy.ndarray) → numpy.ndarray`

Convert a BGR image to HLS image.

参数 **img** (*ndarray* or *str*) –The input image.

返回 The converted HLS image.

返回类型 *ndarray*

19.2.3 mmcv.image.bgr2hsv

`mmcv.image.bgr2hsv (img: numpy.ndarray) → numpy.ndarray`

Convert a BGR image to HSV image.

参数 **img** (*ndarray* or *str*) –The input image.

返回 The converted HSV image.

返回类型 *ndarray*

19.2.4 mmcv.image.bgr2rgb

`mmcv.image.bgr2rgb (img: numpy.ndarray) → numpy.ndarray`

Convert a BGR image to RGB image.

参数 **img** (*ndarray* or *str*) –The input image.

返回 The converted RGB image.

返回类型 *ndarray*

19.2.5 mmcv.image.bgr2ycbcr

`mmcv.image.bgr2ycbcr (img: numpy.ndarray, y_only: bool = False) → numpy.ndarray`

Convert a BGR image to YCbCr image.

The bgr version of `rgb2ycbcr`. It implements the ITU-R BT.601 conversion for standard-definition television. See more details in https://en.wikipedia.org/wiki/YCbCr#ITU-R_BT.601_conversion.

It differs from a similar function in `cv2.cvtColor`: *BGR* <-> *YCrCb*. In OpenCV, it implements a JPEG conversion. See more details in https://en.wikipedia.org/wiki/YCbCr#JPEG_conversion.

参数

- **img** (*ndarray*) –The input image. It accepts: 1. `np.uint8` type with range [0, 255]; 2. `np.float32` type with range [0, 1].
- **y_only** (*bool*) –Whether to only return Y channel. Default: `False`.

返回 The converted YCbCr image. The output image has the same type and range as input image.

返回类型 `ndarray`

19.2.6 mmcv.image.gray2bgr

`mmcv.image.gray2bgr (img: numpy.ndarray) → numpy.ndarray`

Convert a grayscale image to BGR image.

参数 **img** (*ndarray*) –The input image.

返回 The converted BGR image.

返回类型 `ndarray`

19.2.7 mmcv.image.gray2rgb

`mmcv.image.gray2rgb (img: numpy.ndarray) → numpy.ndarray`

Convert a grayscale image to RGB image.

参数 **img** (*ndarray*) –The input image.

返回 The converted RGB image.

返回类型 `ndarray`

19.2.8 mmcv.image.hls2bgr

`mmcv.image.hls2bgr (img: numpy.ndarray) → numpy.ndarray`

Convert a HLS image to BGR image.

参数 **img** (*ndarray* or *str*) –The input image.

返回 The converted BGR image.

返回类型 `ndarray`

19.2.9 mmcv.image.hsv2bgr

`mmcv.image.hsv2bgr (img: numpy.ndarray) → numpy.ndarray`

Convert a HSV image to BGR image.

参数 **img** (*ndarray* or *str*) –The input image.

返回 The converted BGR image.

返回类型 *ndarray*

19.2.10 mmcv.image.imconvert

`mmcv.image.imconvert (img: numpy.ndarray, src: str, dst: str) → numpy.ndarray`

Convert an image from the src colorspace to dst colorspace.

参数

- **img** (*ndarray*) –The input image.
- **src** (*str*) –The source colorspace, e.g., 'rgb' , 'hsv' .
- **dst** (*str*) –The destination colorspace, e.g., 'rgb' , 'hsv' .

返回 The converted image.

返回类型 *ndarray*

19.2.11 mmcv.image.rgb2bgr

`mmcv.image.rgb2bgr (img: numpy.ndarray) → numpy.ndarray`

Convert a RGB image to BGR image.

参数 **img** (*ndarray* or *str*) –The input image.

返回 The converted BGR image.

返回类型 *ndarray*

19.2.12 mmcv.image.rgb2gray

`mmcv.image.rgb2gray (img: numpy.ndarray, keepdim: bool = False) → numpy.ndarray`

Convert a RGB image to grayscale image.

参数

- **img** (*ndarray*) –The input image.
- **keepdim** (*bool*) –If *False* (by default), then return the grayscale image with 2 dims, otherwise 3 dims.

返回 The converted grayscale image.

返回类型 *ndarray*

19.2.13 mmcv.image.rgb2ycbcr

`mmcv.image.rgb2ycbcr (img: numpy.ndarray, y_only: bool = False) → numpy.ndarray`

Convert a RGB image to YCbCr image.

This function produces the same results as Matlab's `rgb2ycbcr` function. It implements the ITU-R BT.601 conversion for standard-definition television. See more details in https://en.wikipedia.org/wiki/YCbCr#ITU-R_BT.601_conversion.

It differs from a similar function in `cv2.cvtColor`: $RGB \leftrightarrow YCrCb$. In OpenCV, it implements a JPEG conversion. See more details in https://en.wikipedia.org/wiki/YCbCr#JPEG_conversion.

参数

- **img** (*ndarray*) –The input image. It accepts: 1. `np.uint8` type with range [0, 255]; 2. `np.float32` type with range [0, 1].
- **y_only** (*bool*) –Whether to only return Y channel. Default: `False`.

返回 The converted YCbCr image. The output image has the same type and range as input image.

返回类型 `ndarray`

19.2.14 mmcv.image.ycbcr2bgr

`mmcv.image.ycbcr2bgr (img: numpy.ndarray) → numpy.ndarray`

Convert a YCbCr image to BGR image.

The bgr version of `ycbcr2rgb`. It implements the ITU-R BT.601 conversion for standard-definition television. See more details in https://en.wikipedia.org/wiki/YCbCr#ITU-R_BT.601_conversion.

It differs from a similar function in `cv2.cvtColor`: $YCrCb \leftrightarrow BGR$. In OpenCV, it implements a JPEG conversion. See more details in https://en.wikipedia.org/wiki/YCbCr#JPEG_conversion.

参数 **img** (*ndarray*) –The input image. It accepts: 1. `np.uint8` type with range [0, 255]; 2. `np.float32` type with range [0, 1].

返回 The converted BGR image. The output image has the same type and range as input image.

返回类型 `ndarray`

19.2.15 mmcv.image.ycbcr2rgb

`mmcv.image.ycbcr2rgb (img: numpy.ndarray) → numpy.ndarray`

Convert a YCbCr image to RGB image.

This function produces the same results as Matlab's `ycbcr2rgb` function. It implements the ITU-R BT.601 conversion for standard-definition television. See more details in https://en.wikipedia.org/wiki/YCbCr#ITU-R_BT.601_conversion.

It differs from a similar function in `cv2.cvtColor`: $YCrCb \leftrightarrow RGB$. In OpenCV, it implements a JPEG conversion. See more details in https://en.wikipedia.org/wiki/YCbCr#JPEG_conversion.

参数 **img** (*ndarray*) –The input image. It accepts: 1. `np.uint8` type with range [0, 255]; 2. `np.float32` type with range [0, 1].

返回 The converted RGB image. The output image has the same type and range as input image.

返回类型 `ndarray`

19.3 Geometric

<code>cutout</code>	Randomly cut out a rectangle from the original img.
<code>imcrop</code>	Crop image patches.
<code>imflip</code>	Flip an image horizontally or vertically.
<code>impad</code>	Pad the given image to a certain shape or pad on all sides with specified padding mode and padding value.
<code>impad_to_multiple</code>	Pad an image to ensure each edge to be multiple to some number.
<code>imrescale</code>	Resize image while keeping the aspect ratio.
<code>imresize</code>	Resize image to a given size.
<code>imresize_like</code>	Resize image to the same size of a given image.
<code>imresize_to_multiple</code>	Resize image according to a given size or scale factor and then rounds up the the resized or rescaled image size to the nearest value that can be divided by the divisor.
<code>imrotate</code>	Rotate an image.
<code>imshear</code>	Shear an image.
<code>imtranslate</code>	Translate an image.
<code>rescale_size</code>	Calculate the new size to be rescaled to.

19.3.1 mmcv.image.cutout

`mmcv.image.cutout` (*img*: `numpy.ndarray`, *shape*: `Union[int, Tuple[int, int]]`, *pad_val*: `Union[int, float, tuple] = 0`) → `numpy.ndarray`

Randomly cut out a rectangle from the original img.

参数

- **img** (`ndarray`) –Image to be cutout.
- **shape** (`int` | `tuple[int]`) –Expected cutout shape (h, w). If given as a int, the value will be used for both h and w.
- **pad_val** (`int` | `float` | `tuple[int | float]`) –Values to be filled in the cut area. Defaults to 0.

返回 The cutout image.

返回类型 `ndarray`

19.3.2 mmcv.image.imcrop

`mmcv.image.imcrop` (*img*: `numpy.ndarray`, *bboxes*: `numpy.ndarray`, *scale*: `float = 1.0`, *pad_fill*: `Optional[Union[float, list]] = None`) → `Union[numpy.ndarray, List[numpy.ndarray]]`

Crop image patches.

3 steps: scale the bboxes -> clip bboxes -> crop and pad.

参数

- **img** (`ndarray`) –Image to be cropped.
- **bboxes** (`ndarray`) –Shape (k, 4) or (4,), location of cropped bboxes.
- **scale** (`float`, *optional*) –Scale ratio of bboxes, the default value 1.0 means no scaling.

- **pad_fill** (*Number* | *list* [*Number*]) –Value to be filled for padding. Default: None, which means no padding.

返回 The cropped image patches.

返回类型 `list[ndarray]` | `ndarray`

19.3.3 mmcv.image.imflip

`mmcv.image.imflip(img: numpy.ndarray, direction: str = 'horizontal') → numpy.ndarray`

Flip an image horizontally or vertically.

参数

- **img** (*ndarray*) –Image to be flipped.
- **direction** (*str*) –The flip direction, either “horizontal” or “vertical” or “diagonal” .

返回 The flipped image.

返回类型 `ndarray`

19.3.4 mmcv.image.impad

`mmcv.image.impad(img: numpy.ndarray, *, shape: Optional[Tuple[int, int]] = None, padding: Optional[Union[int, tuple]] = None, pad_val: Union[float, List] = 0, padding_mode: str = 'constant') → numpy.ndarray`

Pad the given image to a certain shape or pad on all sides with specified padding mode and padding value.

参数

- **img** (*ndarray*) –Image to be padded.
- **shape** (*tuple* [*int*]) –Expected padding shape (h, w). Default: None.
- **padding** (*int* or *tuple* [*int*]) –Padding on each border. If a single int is provided this is used to pad all borders. If tuple of length 2 is provided this is the padding on left/right and top/bottom respectively. If a tuple of length 4 is provided this is the padding for the left, top, right and bottom borders respectively. Default: None. Note that *shape* and *padding* can not be both set.
- **pad_val** (*Number* | *Sequence* [*Number*]) –Values to be filled in padding areas when *padding_mode* is ‘constant’ . Default: 0.
- **padding_mode** (*str*) –Type of padding. Should be: constant, edge, reflect or symmetric. Default: constant.
 - constant: pads with a constant value, this value is specified with *pad_val*.
 - edge: pads with the last value at the edge of the image.
 - reflect: pads with reflection of image without repeating the last value on the edge. For example, padding [1, 2, 3, 4] with 2 elements on both sides in reflect mode will result in [3, 2, 1, 2, 3, 4, 3, 2].
 - symmetric: pads with reflection of image repeating the last value on the edge. For example, padding [1, 2, 3, 4] with 2 elements on both sides in symmetric mode will result in [2, 1, 1, 2, 3, 4, 4, 3]

返回 The padded image.

返回类型 `ndarray`

19.3.5 `mmcv.image.impad_to_multiple`

`mmcv.image.impad_to_multiple` (*img*: `numpy.ndarray`, *divisor*: `int`, *pad_val*: `Union[float, List] = 0`) → `numpy.ndarray`

Pad an image to ensure each edge to be multiple to some number.

参数

- **img** (`ndarray`) –Image to be padded.
- **divisor** (`int`) –Padded image edges will be multiple to divisor.
- **pad_val** (`Number | Sequence[Number]`) –Same as `impad()`.

返回 The padded image.

返回类型 `ndarray`

19.3.6 `mmcv.image.imrescale`

`mmcv.image.imrescale` (*img*: `numpy.ndarray`, *scale*: `Union[float, int, Tuple[int, int]]`, *return_scale*: `bool = False`, *interpolation*: `str = 'bilinear'`, *backend*: `Optional[str] = None`) → `Union[numpy.ndarray, Tuple[numpy.ndarray, float]]`

Resize image while keeping the aspect ratio.

参数

- **img** (`ndarray`) –The input image.
- **scale** (`float | int | tuple[int]`) –The scaling factor or maximum size. If it is a float number or an integer, then the image will be rescaled by this factor, else if it is a tuple of 2 integers, then the image will be rescaled as large as possible within the scale.
- **return_scale** (`bool`) –Whether to return the scaling factor besides the rescaled image.
- **interpolation** (`str`) –Same as `resize()`.
- **backend** (`str | None`) –Same as `resize()`.

返回 The rescaled image.

返回类型 `ndarray`

19.3.7 `mmcv.image.imresize`

`mmcv.image.imresize` (*img*: `numpy.ndarray`, *size*: `Tuple[int, int]`, *return_scale*: `bool = False`, *interpolation*: `str = 'bilinear'`, *out*: `Optional[numpy.ndarray] = None`, *backend*: `Optional[str] = None`) → `Union[Tuple[numpy.ndarray, float, float], numpy.ndarray]`

Resize image to a given size.

参数

- **img** (`ndarray`) –The input image.
- **size** (`tuple[int]`) –Target size (w, h).
- **return_scale** (`bool`) –Whether to return `w_scale` and `h_scale`.

- **interpolation** (*str*) – Interpolation method, accepted values are “nearest”, “bilinear”, “bicubic”, “area”, “lanczos” for ‘cv2’ backend, “nearest”, “bilinear” for ‘pillow’ backend.
- **out** (*ndarray*) – The output destination.
- **backend** (*str* | *None*) – The image resize backend type. Options are *cv2*, *pillow*, *None*. If backend is *None*, the global `imread_backend` specified by `mmcv.use_backend()` will be used. Default: *None*.

返回 (*resized_img*, *w_scale*, *h_scale*) or *resized_img*.

返回类型 *tuple* | *ndarray*

19.3.8 mmcv.image.imresize_like

`mmcv.image.imresize_like` (*img*: *numpy.ndarray*, *dst_img*: *numpy.ndarray*, *return_scale*: *bool* = *False*, *interpolation*: *str* = ‘bilinear’, *backend*: *Optional[str]* = *None*) → *Union[Tuple[numpy.ndarray, float, float], numpy.ndarray]*

Resize image to the same size of a given image.

参数

- **img** (*ndarray*) – The input image.
- **dst_img** (*ndarray*) – The target image.
- **return_scale** (*bool*) – Whether to return *w_scale* and *h_scale*.
- **interpolation** (*str*) – Same as `resize()`.
- **backend** (*str* | *None*) – Same as `resize()`.

返回 (*resized_img*, *w_scale*, *h_scale*) or *resized_img*.

返回类型 *tuple* or *ndarray*

19.3.9 mmcv.image.imresize_to_multiple

`mmcv.image.imresize_to_multiple` (*img*: *numpy.ndarray*, *divisor*: *Union[int, Tuple[int, int]]*, *size*: *Optional[Union[int, Tuple[int, int]]]* = *None*, *scale_factor*: *Optional[Union[float, int, Tuple[float, float], Tuple[int, int]]]* = *None*, *keep_ratio*: *bool* = *False*, *return_scale*: *bool* = *False*, *interpolation*: *str* = ‘bilinear’, *out*: *Optional[numpy.ndarray]* = *None*, *backend*: *Optional[str]* = *None*) → *Union[Tuple[numpy.ndarray, float, float], numpy.ndarray]*

Resize image according to a given size or scale factor and then rounds up the the resized or rescaled image size to the nearest value that can be divided by the divisor.

参数

- **img** (*ndarray*) – The input image.
- **divisor** (*int* | *tuple*) – Resized image size will be a multiple of divisor. If divisor is a tuple, divisor should be (*w_divisor*, *h_divisor*).
- **size** (*None* | *int* | *tuple[int]*) – Target size (*w*, *h*). Default: *None*.
- **scale_factor** (*None* | *float* | *int* | *tuple[float]* | *tuple[int]*) – Multiplier for spatial size. Should match input size if it is a tuple and the 2D style is (*w_scale_factor*, *h_scale_factor*). Default: *None*.

- **keep_ratio** (*bool*) –Whether to keep the aspect ratio when resizing the image. Default: False.
- **return_scale** (*bool*) –Whether to return *w_scale* and *h_scale*.
- **interpolation** (*str*) –Interpolation method, accepted values are “nearest”, “bilinear”, “bicubic”, “area”, “lanczos” for ‘cv2’ backend, “nearest”, “bilinear” for ‘pillow’ backend.
- **out** (*ndarray*) –The output destination.
- **backend** (*str* | *None*) –The image resize backend type. Options are *cv2*, *pillow*, *None*. If backend is *None*, the global `imread_backend` specified by `mmcv.use_backend()` will be used. Default: *None*.

返回 (*resized_img*, *w_scale*, *h_scale*) or *resized_img*.

返回类型 *tuple* | *ndarray*

19.3.10 mmcv.image.imrotate

`mmcv.image.imrotate` (*img*: *numpy.ndarray*, *angle*: *float*, *center*: *Optional[Tuple[float, float]]* = *None*, *scale*: *float* = 1.0, *border_value*: *int* = 0, *interpolation*: *str* = 'bilinear', *auto_bound*: *bool* = *False*, *border_mode*: *str* = 'constant') → *numpy.ndarray*

Rotate an image.

参数

- **img** (*np.ndarray*) –Image to be rotated.
- **angle** (*float*) –Rotation angle in degrees, positive values mean clockwise rotation.
- **center** (*tuple[float]*, *optional*) –Center point (w, h) of the rotation in the source image. If not specified, the center of the image will be used.
- **scale** (*float*) –Isotropic scale factor.
- **border_value** (*int*) –Border value used in case of a constant border. Defaults to 0.
- **interpolation** (*str*) –Same as `resize()`.
- **auto_bound** (*bool*) –Whether to adjust the image size to cover the whole rotated image.
- **border_mode** (*str*) –Pixel extrapolation method. Defaults to ‘constant’.

返回 The rotated image.

返回类型 *np.ndarray*

19.3.11 mmcv.image.imshear

`mmcv.image.imshear` (*img*: *numpy.ndarray*, *magnitude*: *Union[int, float]*, *direction*: *str* = 'horizontal', *border_value*: *Union[int, Tuple[int, int]]* = 0, *interpolation*: *str* = 'bilinear') → *numpy.ndarray*

Shear an image.

参数

- **img** (*ndarray*) –Image to be sheared with format (h, w) or (h, w, c).
- **magnitude** (*int* | *float*) –The magnitude used for shear.
- **direction** (*str*) –The flip direction, either “horizontal” or “vertical”.

- **border_value** (*int* | *tuple[int]*) –Value used in case of a constant border.
- **interpolation** (*str*) –Same as `resize()`.

返回 The sheared image.

返回类型 `ndarray`

19.3.12 `mmcv.image.imtranslate`

`mmcv.image.imtranslate` (*img*: `numpy.ndarray`, *offset*: `Union[int, float]`, *direction*: *str* = 'horizontal', *border_value*: `Union[int, tuple] = 0`, *interpolation*: *str* = 'bilinear') → `numpy.ndarray`

Translate an image.

参数

- **img** (`ndarray`) –Image to be translated with format (h, w) or (h, w, c).
- **offset** (*int* | *float*) –The offset used for translate.
- **direction** (*str*) –The translate direction, either “horizontal” or “vertical” .
- **border_value** (*int* | *tuple[int]*) –Value used in case of a constant border.
- **interpolation** (*str*) –Same as `resize()`.

返回 The translated image.

返回类型 `ndarray`

19.3.13 `mmcv.image.rescale_size`

`mmcv.image.rescale_size` (*old_size*: `tuple`, *scale*: `Union[float, int, Tuple[int, int]]`, *return_scale*: *bool* = *False*) → `tuple`

Calculate the new size to be rescaled to.

参数

- **old_size** (`tuple[int]`) –The old size (w, h) of image.
- **scale** (*float* | *int* | *tuple[int]*) –The scaling factor or maximum size. If it is a float number or an integer, then the image will be rescaled by this factor, else if it is a tuple of 2 integers, then the image will be rescaled as large as possible within the scale.
- **return_scale** (*bool*) –Whether to return the scaling factor besides the rescaled image size.

返回 The new rescaled image size.

返回类型 `tuple[int]`

19.4 Photometric

<code>adjust_brightness</code>	Adjust image brightness.
<code>adjust_color</code>	It blends the source image and its gray image:
<code>adjust_contrast</code>	Adjust image contrast.
<code>adjust_hue</code>	Adjust hue of an image.
<code>adjust_lighting</code>	AlexNet-style PCA jitter.
<code>adjust_sharpness</code>	Adjust image sharpness.
<code>auto_contrast</code>	Auto adjust image contrast.
<code>clahe</code>	Use CLAHE method to process the image.
<code>imdenormalize</code>	
<code>imequalize</code>	Equalize the image histogram.
<code>iminvert</code>	Invert (negate) an image.
<code>imnormalize</code>	Normalize an image with mean and std.
<code>lut_transform</code>	Transform array by look-up table.
<code>posterize</code>	Posterize an image (reduce the number of bits for each color channel)
<code>solarize</code>	Solarize an image (invert all pixel values above a threshold)

19.4.1 mmcv.image.adjust_brightness

`mmcv.image.adjust_brightness` (*img*, *factor*=1.0, *backend*=None)

Adjust image brightness.

This function controls the brightness of an image. An enhancement factor of 0.0 gives a black image. A factor of 1.0 gives the original image. This function blends the source image and the degenerated black image:

$$output = img * factor + degenerated * (1 - factor)$$

参数

- **img** (*ndarray*) –Image to be brightened.
- **factor** (*float*) –A value controls the enhancement. Factor 1.0 returns the original image, lower factors mean less color (brightness, contrast, etc), and higher values more. Default 1.
- **backend** (*str* | *None*) –The image processing backend type. Options are *cv2*, *pillow*, *None*. If backend is None, the global `imread_backend` specified by `mmcv.use_backend()` will be used. Defaults to None.

返回 The brightened image.

返回类型 *ndarray*

19.4.2 mmcv.image.adjust_color

`mmcv.image.adjust_color(img, alpha=1, beta=None, gamma=0, backend=None)`

It blends the source image and its gray image:

$$output = img * alpha + gray_img * beta + gamma$$

参数

- **img** (*ndarray*) –The input source image.
- **alpha** (*int | float*) –Weight for the source image. Default 1.
- **beta** (*int | float*) –Weight for the converted gray image. If None, it's assigned the value $(1 - alpha)$.
- **gamma** (*int | float*) –Scalar added to each sum. Same as `cv2.addWeighted()`. Default 0.
- **backend** (*str | None*) –The image processing backend type. Options are *cv2*, *pillow*, *None*. If backend is None, the global `imread_backend` specified by `mmcv.use_backend()` will be used. Defaults to None.

返回 Colored image which has the same size and dtype as input.

返回类型 `ndarray`

19.4.3 mmcv.image.adjust_contrast

`mmcv.image.adjust_contrast(img, factor=1.0, backend=None)`

Adjust image contrast.

This function controls the contrast of an image. An enhancement factor of 0.0 gives a solid grey image. A factor of 1.0 gives the original image. It blends the source image and the degenerated mean image:

$$output = img * factor + degenerated * (1 - factor)$$

参数

- **img** (*ndarray*) –Image to be contrasted. BGR order.
- **factor** (*float*) –Same as `mmcv.adjust_brightness()`.
- **backend** (*str | None*) –The image processing backend type. Options are *cv2*, *pillow*, *None*. If backend is None, the global `imread_backend` specified by `mmcv.use_backend()` will be used. Defaults to None.

返回 The contrasted image.

返回类型 `ndarray`

19.4.4 mmcv.image.adjust_hue

`mmcv.image.adjust_hue` (*img*: *numpy.ndarray*, *hue_factor*: *float*, *backend*: *Optional[str] = None*) → *numpy.ndarray*

Adjust hue of an image.

The image hue is adjusted by converting the image to HSV and cyclically shifting the intensities in the hue channel (H). The image is then converted back to original image mode.

hue_factor is the amount of shift in H channel and must be in the interval $[-0.5, 0.5]$.

Modified from <https://github.com/pytorch/vision/blob/main/torchvision/transforms/functional.py>

参数

- **img** (*ndarray*) –Image to be adjusted.
- **hue_factor** (*float*) –How much to shift the hue channel. Should be in $[-0.5, 0.5]$. 0.5 and -0.5 give complete reversal of hue channel in HSV space in positive and negative direction respectively. 0 means no shift. Therefore, both -0.5 and 0.5 will give an image with complementary colors while 0 gives the original image.
- **backend** (*str | None*) –The image processing backend type. Options are *cv2*, *pillow*, *None*. If backend is *None*, the global `imread_backend` specified by `mmcv.use_backend()` will be used. Defaults to *None*.

返回 Hue adjusted image.

返回类型 *ndarray*

19.4.5 mmcv.image.adjust_lighting

`mmcv.image.adjust_lighting` (*img*, *eigval*, *eigvec*, *alphastd*=0.1, *to_rgb*=True)
AlexNet-style PCA jitter.

This data augmentation is proposed in [ImageNet Classification with Deep Convolutional Neural Networks](#).

参数

- **img** (*ndarray*) –Image to be adjusted lighting. BGR order.
- **eigval** (*ndarray*) –the eigenvalue of the covariance matrix of pixel values, respectively.
- **eigvec** (*ndarray*) –the eigenvector of the covariance matrix of pixel values, respectively.
- **alphastd** (*float*) –The standard deviation for distribution of alpha. Defaults to 0.1
- **to_rgb** (*bool*) –Whether to convert img to rgb.

返回 The adjusted image.

返回类型 *ndarray*

19.4.6 mmcv.image.adjust_sharpness

`mmcv.image.adjust_sharpness (img, factor=1.0, kernel=None)`

Adjust image sharpness.

This function controls the sharpness of an image. An enhancement factor of 0.0 gives a blurred image. A factor of 1.0 gives the original image. And a factor of 2.0 gives a sharpened image. It blends the source image and the degenerated mean image:

$$output = img * factor + degenerated * (1 - factor)$$

参数

- **img** (*ndarray*) –Image to be sharpened. BGR order.
- **factor** (*float*) –Same as `mmcv.adjust_brightness()`.
- **kernel** (*np.ndarray, optional*) –Filter kernel to be applied on the img to obtain the degenerated img. Defaults to None.

注解: No value sanity check is enforced on the kernel set by users. So with an inappropriate kernel, the `adjust_sharpness` may fail to perform the function its name indicates but end up performing whatever transform determined by the kernel.

返回 The sharpened image.

返回类型 `ndarray`

19.4.7 mmcv.image.auto_contrast

`mmcv.image.auto_contrast (img, cutoff=0)`

Auto adjust image contrast.

This function maximize (normalize) image contrast by first removing cutoff percent of the lightest and darkest pixels from the histogram and remapping the image so that the darkest pixel becomes black (0), and the lightest becomes white (255).

参数

- **img** (*ndarray*) –Image to be contrasted. BGR order.
- **cutoff** (*int | float | tuple*) –The cutoff percent of the lightest and darkest pixels to be removed. If given as tuple, it shall be (low, high). Otherwise, the single value will be used for both. Defaults to 0.

返回 The contrasted image.

返回类型 `ndarray`

19.4.8 mmcv.image.clahe

`mmcv.image.clahe` (*img*, *clip_limit*=40.0, *tile_grid_size*=(8, 8))

Use CLAHE method to process the image.

See ZUIDERVELD, K. *Contrast Limited Adaptive Histogram Equalization*[J]. *Graphics Gems*, 1994:474-485. for more information.

参数

- **img** (*ndarray*) –Image to be processed.
- **clip_limit** (*float*) –Threshold for contrast limiting. Default: 40.0.
- **tile_grid_size** (*tuple[int]*) –Size of grid for histogram equalization. Input image will be divided into equally sized rectangular tiles. It defines the number of tiles in row and column. Default: (8, 8).

返回 The processed image.

返回类型 `ndarray`

19.4.9 mmcv.image.imdenormalize

`mmcv.image.imdenormalize` (*img*, *mean*, *std*, *to_bgr*=True)

19.4.10 mmcv.image.imequalize

`mmcv.image.imequalize` (*img*)

Equalize the image histogram.

This function applies a non-linear mapping to the input image, in order to create a uniform distribution of grayscale values in the output image.

参数 **img** (*ndarray*) –Image to be equalized.

返回 The equalized image.

返回类型 `ndarray`

19.4.11 mmcv.image.iminvert

`mmcv.image.iminvert` (*img*)

Invert (negate) an image.

参数 **img** (*ndarray*) –Image to be inverted.

返回 The inverted image.

返回类型 `ndarray`

19.4.12 mmcv.image.imnormalize

`mmcv.image.imnormalize (img, mean, std, to_rgb=True)`

Normalize an image with mean and std.

参数

- **img** (*ndarray*) –Image to be normalized.
- **mean** (*ndarray*) –The mean to be used for normalize.
- **std** (*ndarray*) –The std to be used for normalize.
- **to_rgb** (*bool*) –Whether to convert to rgb.

返回 The normalized image.

返回类型 `ndarray`

19.4.13 mmcv.image.lut_transform

`mmcv.image.lut_transform (img, lut_table)`

Transform array by look-up table.

The function `lut_transform` fills the output array with values from the look-up table. Indices of the entries are taken from the input array.

参数

- **img** (*ndarray*) –Image to be transformed.
- **lut_table** (*ndarray*) –look-up table of 256 elements; in case of multi-channel input array, the table should either have a single channel (in this case the same table is used for all channels) or the same number of channels as in the input array.

返回 The transformed image.

返回类型 `ndarray`

19.4.14 mmcv.image.posterize

`mmcv.image.posterize (img, bits)`

Posterize an image (reduce the number of bits for each color channel)

参数

- **img** (*ndarray*) –Image to be posterized.
- **bits** (*int*) –Number of bits (1 to 8) to use for posterizing.

返回 The posterized image.

返回类型 `ndarray`

19.4.15 mmcv.image.solarize

`mmcv.image.solarize(img, thr=128)`

Solarize an image (invert all pixel values above a threshold)

参数

- **img** (*ndarray*) –Image to be solarized.
- **thr** (*int*) –Threshold for solarizing (0 - 255).

返回 The solarized image.

返回类型 `ndarray`

19.5 Miscellaneous

tensor2imgs

Convert tensor to 3-channel images or 1-channel gray images.

19.5.1 mmcv.image.tensor2imgs

`mmcv.image.tensor2imgs(tensor, mean: Optional[tuple] = None, std: Optional[tuple] = None, to_rgb: bool = True) → list`

Convert tensor to 3-channel images or 1-channel gray images.

参数

- **tensor** (*torch.Tensor*) –Tensor that contains multiple images, shape (N, C, H, W). *C* can be either 3 or 1.
- **mean** (*tuple[float], optional*) –Mean of images. If None, (0, 0, 0) will be used for tensor with 3-channel, while (0,) for tensor with 1-channel. Defaults to None.
- **std** (*tuple[float], optional*) –Standard deviation of images. If None, (1, 1, 1) will be used for tensor with 3-channel, while (1,) for tensor with 1-channel. Defaults to None.
- **to_rgb** (*bool, optional*) –Whether the tensor was converted to RGB format in the first place. If so, convert it back to BGR. For the tensor with 1 channel, it must be False. Defaults to True.

返回 A list that contains multiple images.

返回类型 `list[np.ndarray]`

mmcv.video

- *IO*
- *Optical Flow*
- *Video Processing*

20.1 IO

VideoReader

Video class with similar usage to a list object.

Cache

20.1.1 VideoReader

class mmcv.video.VideoReader(*filename*, *cache_capacity*=10)

Video class with similar usage to a list object.

This video wrapper class provides convenient apis to access frames. There exists an issue of OpenCV' s Video-Capture class that jumping to a certain frame may be inaccurate. It is fixed in this class by checking the position after jumping each time. Cache is used when decoding videos. So if the same frame is visited for the second time, there is no need to decode again if it is stored in the cache.

实际案例

```

>>> import mmcv
>>> v = mmcv.VideoReader('sample.mp4')
>>> len(v) # get the total frame number with `len()`
120
>>> for img in v: # v is iterable
>>>     mmcv.imshow(img)
>>> v[5] # get the 6th frame

```

current_frame()

Get the current frame (frame that is just visited).

返回 If the video is fresh, return None, otherwise return the frame.

返回类型 ndarray or None

cvt2frames (*frame_dir*, *file_start*=0, *filename_tmpl*='{:06d}.jpg', *start*=0, *max_num*=0, *show_progress*=True)

Convert a video to frame images.

参数

- **frame_dir** (*str*) –Output directory to store all the frame images.
- **file_start** (*int*) –Filenames will start from the specified number.
- **filename_tmpl** (*str*) –Filename template with the index as the placeholder.
- **start** (*int*) –The starting frame index.
- **max_num** (*int*) –Maximum number of frames to be written.
- **show_progress** (*bool*) –Whether to show a progress bar.

property fourcc

“Four character code” of the video.

Type str

property fps

FPS of the video.

Type float

property frame_cnt

Total frames of the video.

Type int

get_frame (*frame_id*)

Get frame by index.

参数 **frame_id** (*int*) –Index of the expected frame, 0-based.

返回 Return the frame if successful, otherwise None.

返回类型 ndarray or None

property height

Height of video frames.

Type int

property opened

Indicate whether the video is opened.

Type `bool`

property **position**

Current cursor position, indicating frame decoded.

Type `int`

read()

Read the next frame.

If the next frame have been decoded before and in the cache, then return it directly, otherwise decode, cache and return it.

返回 Return the frame if successful, otherwise None.

返回类型 `ndarray` or `None`

property **resolution**

Video resolution (width, height).

Type `tuple`

property **vcap**

The raw VideoCapture object.

Type `cv2.VideoCapture`

property **width**

Width of video frames.

Type `int`

20.1.2 Cache

class `mmcv.video.Cache` (*capacity*)

frames2video

Read the frame images from a directory and join them as a video.

20.1.3 `mmcv.video.frames2video`

`mmcv.video.frames2video` (*frame_dir: str, video_file: str, fps: float = 30, fourcc: str = 'XVID', filename_tmpl: str = '{:06d}.jpg', start: int = 0, end: int = 0, show_progress: bool = True*) → `None`

Read the frame images from a directory and join them as a video.

参数

- **frame_dir** (*str*) –The directory containing video frames.
- **video_file** (*str*) –Output filename.
- **fps** (*float*) –FPS of the output video.
- **fourcc** (*str*) –Fourcc of the output video, this should be compatible with the output file type.
- **filename_tmpl** (*str*) –Filename template with the index as the variable.
- **start** (*int*) –Starting frame index.
- **end** (*int*) –Ending frame index.

- **show_progress** (*bool*) –Whether to show a progress bar.

20.2 Optical Flow

<i>dequantize_flow</i>	Recover from quantized flow.
<i>flow_from_bytes</i>	Read dense optical flow from bytes.
<i>flow_warp</i>	Use flow to warp img.
<i>flowread</i>	Read an optical flow map.
<i>flowwrite</i>	Write optical flow to file.
<i>quantize_flow</i>	Quantize flow to [0, 255].
<i>sparse_flow_from_bytes</i>	Read the optical flow in KITTI datasets from bytes.

20.2.1 mmcv.video.dequantize_flow

`mmcv.video.dequantize_flow` (*dx: numpy.ndarray, dy: numpy.ndarray, max_val: float = 0.02, denorm: bool = True*) → *numpy.ndarray*

Recover from quantized flow.

参数

- **dx** (*ndarray*) –Quantized dx.
- **dy** (*ndarray*) –Quantized dy.
- **max_val** (*float*) –Maximum value used when quantizing.
- **denorm** (*bool*) –Whether to multiply flow values with width/height.

返回 Dequantized flow.

返回类型 *ndarray*

20.2.2 mmcv.video.flow_from_bytes

`mmcv.video.flow_from_bytes` (*content: bytes*) → *numpy.ndarray*

Read dense optical flow from bytes.

注解: This load optical flow function works for FlyingChairs, FlyingThings3D, Sintel, FlyingChairsOcc datasets, but cannot load the data from ChairsSDHom.

参数 **content** (*bytes*) –Optical flow bytes got from files or other streams.

返回 Loaded optical flow with the shape (H, W, 2).

返回类型 *ndarray*

20.2.3 mmcv.video.flow_warp

`mmcv.video.flow_warp` (*img*: `numpy.ndarray`, *flow*: `numpy.ndarray`, *filling_value*: `int` = 0, *interpolate_mode*: `str` = 'nearest') → `numpy.ndarray`

Use flow to warp img.

参数

- **img** (`ndarray`) –Image to be warped.
- **flow** (`ndarray`) –Optical Flow.
- **filling_value** (`int`) –The missing pixels will be set with `filling_value`.
- **interpolate_mode** (`str`) –bilinear -> Bilinear Interpolation; nearest -> Nearest Neighbor.

返回 Warped image with the same shape of img

返回类型 `ndarray`

20.2.4 mmcv.video.flowread

`mmcv.video.flowread` (*flow_or_path*: `Union[numpy.ndarray, str]`, *quantize*: `bool` = False, *concat_axis*: `int` = 0, **args*, ***kwargs*) → `numpy.ndarray`

Read an optical flow map.

参数

- **flow_or_path** (`ndarray` or `str`) –A flow map or filepath.
- **quantize** (`bool`) –whether to read quantized pair, if set to True, remaining args will be passed to `dequantize_flow()`.
- **concat_axis** (`int`) –The axis that dx and dy are concatenated, can be either 0 or 1. Ignored if `quantize` is False.

返回 Optical flow represented as a (h, w, 2) numpy array

返回类型 `ndarray`

20.2.5 mmcv.video.flowwrite

`mmcv.video.flowwrite` (*flow*: `numpy.ndarray`, *filename*: `str`, *quantize*: `bool` = False, *concat_axis*: `int` = 0, **args*, ***kwargs*) → `None`

Write optical flow to file.

If the flow is not quantized, it will be saved as a .flo file losslessly, otherwise a jpeg image which is lossy but of much smaller size. (dx and dy will be concatenated horizontally into a single image if `quantize` is True.)

参数

- **flow** (`ndarray`) –(h, w, 2) array of optical flow.
- **filename** (`str`) –Output filepath.
- **quantize** (`bool`) –Whether to quantize the flow and save it to 2 jpeg images. If set to True, remaining args will be passed to `quantize_flow()`.
- **concat_axis** (`int`) –The axis that dx and dy are concatenated, can be either 0 or 1. Ignored if `quantize` is False.

20.2.6 mmcv.video.quantize_flow

`mmcv.video.quantize_flow` (*flow*: *numpy.ndarray*, *max_val*: *float* = 0.02, *norm*: *bool* = True) → *tuple*
Quantize flow to [0, 255].

After this step, the size of flow will be much smaller, and can be dumped as jpeg images.

参数

- **flow** (*ndarray*) –(h, w, 2) array of optical flow.
- **max_val** (*float*) –Maximum value of flow, values beyond [-max_val, max_val] will be truncated.
- **norm** (*bool*) –Whether to divide flow values by image width/height.

返回 Quantized dx and dy.

返回类型 *tuple*[*ndarray*]

20.2.7 mmcv.video.sparse_flow_from_bytes

`mmcv.video.sparse_flow_from_bytes` (*content*: *bytes*) → *Tuple*[*numpy.ndarray*, *numpy.ndarray*]
Read the optical flow in KITTI datasets from bytes.

This function is modified from RAFT load the [KITTI datasets](#).

参数 **content** (*bytes*) –Optical flow bytes got from files or other streams.

返回 Loaded optical flow with the shape (H, W, 2) and flow valid mask with the shape (H, W).

返回类型 *Tuple*(*ndarray*, *ndarray*)

20.3 Video Processing

<i>concat_video</i>	Concatenate multiple videos into a single one.
<i>convert_video</i>	Convert a video with ffmpeg.
<i>cut_video</i>	Cut a clip from a video.
<i>resize_video</i>	Resize a video.

20.3.1 mmcv.video.concat_video

`mmcv.video.concat_video` (*video_list*: *List*, *out_file*: *str*, *vcodec*: *Optional*[*str*] = None, *acodec*: *Optional*[*str*] = None, *log_level*: *str* = 'info', *print_cmd*: *bool* = False) → *None*
Concatenate multiple videos into a single one.

参数

- **video_list** (*list*) –A list of video filenames
- **out_file** (*str*) –Output video filename
- **vcodec** (*None* or *str*) –Output video codec, None for unchanged
- **acodec** (*None* or *str*) –Output audio codec, None for unchanged
- **log_level** (*str*) –Logging level of ffmpeg.

- **print_cmd** (*bool*) –Whether to print the final ffmpeg command.

20.3.2 mmcv.video.convert_video

`mmcv.video.convert_video` (*in_file: str, out_file: str, print_cmd: bool = False, pre_options: str = "", **kwargs*)
→ *None*

Convert a video with ffmpeg.

This provides a general api to ffmpeg, the executed command is:

```
`ffmpeg -y <pre_options> -i <in_file> <options> <out_file>`
```

Options(kwargs) are mapped to ffmpeg commands with the following rules:

- **key=val**: “-key val”
- **key=True**: “-key”
- **key=False**: “”

参数

- **in_file** (*str*) –Input video filename.
- **out_file** (*str*) –Output video filename.
- **pre_options** (*str*) –Options appears before “-i <in_file>” .
- **print_cmd** (*bool*) –Whether to print the final ffmpeg command.

20.3.3 mmcv.video.cut_video

`mmcv.video.cut_video` (*in_file: str, out_file: str, start: Optional[float] = None, end: Optional[float] = None, vcodec: Optional[str] = None, acodec: Optional[str] = None, log_level: str = 'info', print_cmd: bool = False*) → *None*

Cut a clip from a video.

参数

- **in_file** (*str*) –Input video filename.
- **out_file** (*str*) –Output video filename.
- **start** (*None or float*) –Start time (in seconds).
- **end** (*None or float*) –End time (in seconds).
- **vcodec** (*None or str*) –Output video codec, None for unchanged.
- **acodec** (*None or str*) –Output audio codec, None for unchanged.
- **log_level** (*str*) –Logging level of ffmpeg.
- **print_cmd** (*bool*) –Whether to print the final ffmpeg command.

20.3.4 mmcv.video.resize_video

```
mmcv.video.resize_video(in_file: str, out_file: str, size: Optional[tuple] = None, ratio: Optional[Union[tuple, float]] = None, keep_ar: bool = False, log_level: str = 'info', print_cmd: bool = False) → None
```

Resize a video.

参数

- **in_file** (*str*) –Input video filename.
- **out_file** (*str*) –Output video filename.
- **size** (*tuple*) –Expected size (w, h), eg, (320, 240) or (320, -1).
- **ratio** (*tuple or float*) –Expected resize ratio, (2, 0.5) means (w*2, h*0.5).
- **keep_ar** (*bool*) –Whether to keep original aspect ratio.
- **log_level** (*str*) –Logging level of ffmpeg.
- **print_cmd** (*bool*) –Whether to print the final ffmpeg command.

mmcv.visualization

mmcv.visualization

- *Color*
- *Image*
- *Optical Flow*

21.1 Color

Color

An enum that defines common colors.

21.1.1 Color

class mmcv.visualization.Color (*value*)

An enum that defines common colors.

Contains red, green, blue, cyan, yellow, magenta, white and black.

color_val

Convert various input to color tuples.

21.1.2 mmcv.visualization.color_val

`mmcv.visualization.color_val` (*color*: `Union[mmcv.visualization.color.Color, str, tuple, int, numpy.ndarray]`) \rightarrow `tuple`

Convert various input to color tuples.

参数 **color** (*Color*/str/tuple/int/ndarray) –Color inputs

返回 A tuple of 3 integers indicating BGR channels.

返回类型 `tuple[int]`

21.2 Image

<code>imshow</code>	Show an image.
<code>imshow_bboxes</code>	Draw bboxes on an image.
<code>imshow_det_bboxes</code>	Draw bboxes and class labels (with scores) on an image.

21.2.1 mmcv.visualization.imshow

`mmcv.visualization.imshow` (*img*: `Union[str, numpy.ndarray]`, *win_name*: *str* = "", *wait_time*: *int* = 0)
Show an image.

参数

- **img** (*str* or *ndarray*) –The image to be displayed.
- **win_name** (*str*) –The window name.
- **wait_time** (*int*) –Value of waitKey param.

21.2.2 mmcv.visualization.imshow_bboxes

`mmcv.visualization.imshow_bboxes` (*img*: `Union[str, numpy.ndarray]`, *bboxes*: `Union[list, numpy.ndarray]`, *colors*: `Union[mmcv.visualization.color.Color, str, tuple, int, numpy.ndarray]` = 'green', *top_k*: *int* = -1, *thickness*: *int* = 1, *show*: *bool* = True, *win_name*: *str* = "", *wait_time*: *int* = 0, *out_file*: *Optional[str]* = None)

Draw bboxes on an image.

参数

- **img** (*str* or *ndarray*) –The image to be displayed.
- **bboxes** (*list* or *ndarray*) –A list of ndarray of shape (k, 4).
- **colors** (*Color* or *str* or *tuple* or *int* or *ndarray*) –A list of colors.
- **top_k** (*int*) –Plot the first k bboxes only if set positive.
- **thickness** (*int*) –Thickness of lines.
- **show** (*bool*) –Whether to show the image.

- **win_name** (*str*) –The window name.
- **wait_time** (*int*) –Value of waitKey param.
- **out_file** (*str*, *optional*) –The filename to write the image.

返回 The image with bboxes drawn on it.

返回类型 ndarray

21.2.3 mmcv.visualization.imshow_det_bboxes

```
mmcv.visualization.imshow_det_bboxes (img: Union[str, numpy.ndarray], bboxes: numpy.ndarray,
                                         labels: numpy.ndarray, class_names: Optional[List[str]] =
                                         None, score_thr: float = 0, bbox_color:
                                         Union[mmcv.visualization.color.Color, str, tuple, int,
                                         numpy.ndarray] = 'green', text_color:
                                         Union[mmcv.visualization.color.Color, str, tuple, int,
                                         numpy.ndarray] = 'green', thickness: int = 1, font_scale: float
                                         = 0.5, show: bool = True, win_name: str = "", wait_time: int =
                                         0, out_file: Optional[str] = None)
```

Draw bboxes and class labels (with scores) on an image.

参数

- **img** (*str* or *ndarray*) –The image to be displayed.
- **bboxes** (*ndarray*) –Bounding boxes (with scores), shaped (n, 4) or (n, 5).
- **labels** (*ndarray*) –Labels of bboxes.
- **class_names** (*list[*str*]*) –Names of each classes.
- **score_thr** (*float*) –Minimum score of bboxes to be shown.
- **bbox_color** (*Color* or *str* or *tuple* or *int* or *ndarray*) –Color of bbox lines.
- **text_color** (*Color* or *str* or *tuple* or *int* or *ndarray*) –Color of texts.
- **thickness** (*int*) –Thickness of lines.
- **font_scale** (*float*) –Font scales of texts.
- **show** (*bool*) –Whether to show the image.
- **win_name** (*str*) –The window name.
- **wait_time** (*int*) –Value of waitKey param.
- **out_file** (*str* or *None*) –The filename to write the image.

返回 The image with bboxes drawn on it.

返回类型 ndarray

21.3 Optical Flow

<code>flow2rgb</code>	Convert flow map to RGB image.
<code>flowshow</code>	Show optical flow.
<code>make_color_wheel</code>	Build a color wheel.

21.3.1 mmcv.visualization.flow2rgb

`mmcv.visualization.flow2rgb` (*flow*: `numpy.ndarray`, *color_wheel*: `Optional[numpy.ndarray] = None`, *unknown_thr*: `float = 1000000.0`) → `numpy.ndarray`

Convert flow map to RGB image.

参数

- **flow** (`ndarray`) –Array of optical flow.
- **color_wheel** (`ndarray` or `None`) –Color wheel used to map flow field to RGB colorspace. Default color wheel will be used if not specified.
- **unknown_thr** (`float`) –Values above this threshold will be marked as unknown and thus ignored.

返回 RGB image that can be visualized.

返回类型 `ndarray`

21.3.2 mmcv.visualization.flowshow

`mmcv.visualization.flowshow` (*flow*: `Union[numpy.ndarray, str]`, *win_name*: `str = ""`, *wait_time*: `int = 0`) → `None`

Show optical flow.

参数

- **flow** (`ndarray` or `str`) –The optical flow to be displayed.
- **win_name** (`str`) –The window name.
- **wait_time** (`int`) –Value of waitKey param.

21.3.3 mmcv.visualization.make_color_wheel

`mmcv.visualization.make_color_wheel` (*bins*: `Optional[Union[list, tuple]] = None`) → `numpy.ndarray`

Build a color wheel.

参数 **bins** (`list` or `tuple`, *optional*) –Specify the number of bins for each color range, corresponding to six ranges: red -> yellow, yellow -> green, green -> cyan, cyan -> blue, blue -> magenta, magenta -> red. [15, 6, 4, 11, 13, 6] is used for default (see Middlebury).

返回 Color wheel of shape (total_bins, 3).

返回类型 `ndarray`

mmcv.cnn

mmcv.cnn
<ul style="list-style-type: none"> • <i>Module</i> • <i>Build Function</i> • <i>Miscellaneous</i>

22.1 Module

<i>ContextBlock</i>	ContextBlock module in GCNet.
<i>Conv2d</i>	
<i>Conv3d</i>	
<i>ConvAWS2d</i>	AWS (Adaptive Weight Standardization)
<i>ConvModule</i>	A conv block that bundles conv/norm/activation layers.
<i>ConvTranspose2d</i>	
<i>ConvTranspose3d</i>	
<i>ConvWS2d</i>	
<i>DepthwiseSeparableConvModule</i>	Depthwise separable convolution module.
<i>GeneralizedAttention</i>	GeneralizedAttention module.
<i>HSigmoid</i>	Hard Sigmoid Module.
<i>HSwish</i>	Hard Swish Module.

下页继续

表 1 – 续上页

<i>Linear</i>	
<i>MaxPool2d</i>	
<i>MaxPool3d</i>	
<i>NonLocal1d</i>	1D Non-local module.
<i>NonLocal2d</i>	2D Non-local module.
<i>NonLocal3d</i>	3D Non-local module.
<i>Scale</i>	A learnable scale parameter.
<i>Swish</i>	Swish Module.
<i>Conv2dRFSearchOp</i>	Enable Conv2d with receptive field searching ability.

22.1.1 ContextBlock

class `mmcv.cnn.ContextBlock` (*in_channels*: *int*, *ratio*: *float*, *pooling_type*: *str* = 'att', *fusion_types*: *tuple* = ('channel_add'))

ContextBlock module in GCNet.

See ‘GCNet: Non-local Networks Meet Squeeze-Excitation Networks and Beyond’ (<https://arxiv.org/abs/1904.11492>) for details.

参数

- **in_channels** (*int*) –Channels of the input feature map.
- **ratio** (*float*) –Ratio of channels of transform bottleneck
- **pooling_type** (*str*) –Pooling method for context modeling. Options are ‘att’ and ‘avg’, stand for attention pooling and average pooling respectively. Default: ‘att’.
- **fusion_types** (*Sequence[str]*) –Fusion method for feature fusion, Options are ‘channels_add’, ‘channel_mul’, stand for channelwise addition and multiplication respectively. Default: (‘channel_add’,)

forward (*x*: *torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.2 Conv2d

```
class mmcv.cnn.Conv2d (in_channels: int, out_channels: int, kernel_size: Union[int, Tuple[int, int]], stride: Union[int, Tuple[int, int]] = 1, padding: Union[str, int, Tuple[int, int]] = 0, dilation: Union[int, Tuple[int, int]] = 1, groups: int = 1, bias: bool = True, padding_mode: str = 'zeros', device=None, dtype=None)
```

forward (*x*: *torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.3 Conv3d

```
class mmcv.cnn.Conv3d (in_channels: int, out_channels: int, kernel_size: Union[int, Tuple[int, int, int]], stride: Union[int, Tuple[int, int, int]] = 1, padding: Union[str, int, Tuple[int, int, int]] = 0, dilation: Union[int, Tuple[int, int, int]] = 1, groups: int = 1, bias: bool = True, padding_mode: str = 'zeros', device=None, dtype=None)
```

forward (*x*: *torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.4 ConvAWS2d

```
class mmcv.cnn.ConvAWS2d (in_channels: int, out_channels: int, kernel_size: Union[int, Tuple[int, int]], stride: Union[int, Tuple[int, int]] = 1, padding: Union[int, Tuple[int, int]] = 0, dilation: Union[int, Tuple[int, int]] = 1, groups: int = 1, bias: bool = True)
```

AWS (Adaptive Weight Standardization)

This is a variant of Weight Standardization (<https://arxiv.org/pdf/1903.10520.pdf>) It is used in DetectoRS to avoid NaN (<https://arxiv.org/pdf/2006.02334.pdf>)

参数

- **in_channels** (*int*) –Number of channels in the input image
- **out_channels** (*int*) –Number of channels produced by the convolution
- **kernel_size** (*int* or *tuple*) –Size of the conv kernel
- **stride** (*int* or *tuple*, *optional*) –Stride of the convolution. Default: 1

- **padding** (*int* or *tuple*, *optional*) –Zero-padding added to both sides of the input. Default: 0
- **dilation** (*int* or *tuple*, *optional*) –Spacing between kernel elements. Default: 1
- **groups** (*int*, *optional*) –Number of blocked connections from input channels to output channels. Default: 1
- **bias** (*bool*, *optional*) –If set True, adds a learnable bias to the output. Default: True

forward (*x*: *torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.5 ConvModule

```
class mmcv.cnn.ConvModule (in_channels: int, out_channels: int, kernel_size: Union[int, Tuple[int, int]],
                           stride: Union[int, Tuple[int, int]] = 1, padding: Union[int, Tuple[int, int]] = 0,
                           dilation: Union[int, Tuple[int, int]] = 1, groups: int = 1, bias: Union[bool, str] =
                           'auto', conv_cfg: Optional[Dict] = None, norm_cfg: Optional[Dict] = None,
                           act_cfg: Optional[Dict] = {'type': 'ReLU'}, inplace: bool = True,
                           with_spectral_norm: bool = False, padding_mode: str = 'zeros', order: tuple =
                           ('conv', 'norm', 'act'), efficient_conv_bn_eval: bool = False)
```

A conv block that bundles conv/norm/activation layers.

This block simplifies the usage of convolution layers, which are commonly used with a norm layer (e.g., BatchNorm) and activation layer (e.g., ReLU). It is based upon three build methods: `build_conv_layer()`, `build_norm_layer()` and `build_activation_layer()`.

Besides, we add some additional features in this module. 1. Automatically set *bias* of the conv layer. 2. Spectral norm is supported. 3. More padding modes are supported. Before PyTorch 1.5, nn.Conv2d only supports zero and circular padding, and we add “reflect” padding mode.

参数

- **in_channels** (*int*) –Number of channels in the input feature map. Same as that in `nn._ConvNd`.
- **out_channels** (*int*) –Number of channels produced by the convolution. Same as that in `nn._ConvNd`.
- **kernel_size** (*int* | *tuple[int]*) –Size of the convolving kernel. Same as that in `nn._ConvNd`.
- **stride** (*int* | *tuple[int]*) –Stride of the convolution. Same as that in `nn._ConvNd`.
- **padding** (*int* | *tuple[int]*) –Zero-padding added to both sides of the input. Same as that in `nn._ConvNd`.
- **dilation** (*int* | *tuple[int]*) –Spacing between kernel elements. Same as that in `nn._ConvNd`.

- **groups** (*int*) –Number of blocked connections from input channels to output channels. Same as that in `nn._ConvNd`.
- **bias** (*bool* | *str*) –If specified as *auto*, it will be decided by the `norm_cfg`. Bias will be set as `True` if `norm_cfg` is `None`, otherwise `False`. Default: “auto” .
- **conv_cfg** (*dict*) –Config dict for convolution layer. Default: `None`, which means using `conv2d`.
- **norm_cfg** (*dict*) –Config dict for normalization layer. Default: `None`.
- **act_cfg** (*dict*) –Config dict for activation layer. Default: `dict(type='ReLU')` .
- **inplace** (*bool*) –Whether to use inplace mode for activation. Default: `True`.
- **with_spectral_norm** (*bool*) –Whether use spectral norm in conv module. Default: `False`.
- **padding_mode** (*str*) –If the *padding_mode* has not been supported by current *Conv2d* in PyTorch, we will use our own padding layer instead. Currently, we support [‘zeros’, ‘circular’] with official implementation and [‘reflect’] with our own implementation. Default: ‘zeros’ .
- **order** (*tuple[str]*) –The order of conv/norm/activation layers. It is a sequence of “conv”, “norm” and “act” . Common examples are (“conv”, “norm”, “act”) and (“act”, “conv”, “norm”). Default: (‘conv’, ‘norm’, ‘act’).
- **efficient_conv_bn_eval** (*bool*) –Whether use efficient conv when the consecutive bn is in eval mode (either training or testing), as proposed in <https://arxiv.org/abs/2305.11624> . Default: *False*.

static create_from_conv_bn (*conv: torch.nn.modules.conv._ConvNd, bn: torch.nn.modules.batchnorm._BatchNorm, efficient_conv_bn_eval=True*) → *mmcv.cnn.bricks.conv_module.ConvModule*

Create a `ConvModule` from a conv and a bn module.

forward (*x: torch.Tensor, activate: bool = True, norm: bool = True*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.6 ConvTranspose2d

class `mmcv.cnn.ConvTranspose2d` (*in_channels: int, out_channels: int, kernel_size: Union[int, Tuple[int, int]], stride: Union[int, Tuple[int, int]] = 1, padding: Union[int, Tuple[int, int]] = 0, output_padding: Union[int, Tuple[int, int]] = 0, groups: int = 1, bias: bool = True, dilation: Union[int, Tuple[int, int]] = 1, padding_mode: str = 'zeros', device=None, dtype=None*)

forward (*x: torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.7 ConvTranspose3d

```
class mmcv.cnn.ConvTranspose3d(in_channels: int, out_channels: int, kernel_size: Union[int, Tuple[int, int, int]], stride: Union[int, Tuple[int, int, int]] = 1, padding: Union[int, Tuple[int, int, int]] = 0, output_padding: Union[int, Tuple[int, int, int]] = 0, groups: int = 1, bias: bool = True, dilation: Union[int, Tuple[int, int, int]] = 1, padding_mode: str = 'zeros', device=None, dtype=None)
```

forward (*x: torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.8 ConvWS2d

```
class mmcv.cnn.ConvWS2d(in_channels: int, out_channels: int, kernel_size: Union[int, Tuple[int, int]], stride: Union[int, Tuple[int, int]] = 1, padding: Union[int, Tuple[int, int]] = 0, dilation: Union[int, Tuple[int, int]] = 1, groups: int = 1, bias: bool = True, eps: float = 1e-05)
```

forward (*x: torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.9 DepthwiseSeparableConvModule

```
class mmcv.cnn.DepthwiseSeparableConvModule (in_channels: int, out_channels: int, kernel_size:
                                         Union[int, Tuple[int, int]], stride: Union[int,
                                         Tuple[int, int]] = 1, padding: Union[int, Tuple[int,
                                         int]] = 0, dilation: Union[int, Tuple[int, int]] = 1,
                                         norm_cfg: Optional[Dict] = None, act_cfg: Dict =
                                         {'type': 'ReLU'}, dw_norm_cfg: Union[Dict, str] =
                                         'default', dw_act_cfg: Union[Dict, str] = 'default',
                                         pw_norm_cfg: Union[Dict, str] = 'default',
                                         pw_act_cfg: Union[Dict, str] = 'default', **kwargs)
```

Depthwise separable convolution module.

See <https://arxiv.org/pdf/1704.04861.pdf> for details.

This module can replace a ConvModule with the conv block replaced by two conv block: depthwise conv block and pointwise conv block. The depthwise conv block contains depthwise-conv/norm/activation layers. The pointwise conv block contains pointwise-conv/norm/activation layers. It should be noted that there will be norm/activation layer in the depthwise conv block if *norm_cfg* and *act_cfg* are specified.

参数

- **in_channels** (*int*) –Number of channels in the input feature map. Same as that in `nn._ConvNd`.
- **out_channels** (*int*) –Number of channels produced by the convolution. Same as that in `nn._ConvNd`.
- **kernel_size** (*int* | *tuple[int]*) –Size of the convolving kernel. Same as that in `nn._ConvNd`.
- **stride** (*int* | *tuple[int]*) –Stride of the convolution. Same as that in `nn._ConvNd`. Default: 1.
- **padding** (*int* | *tuple[int]*) –Zero-padding added to both sides of the input. Same as that in `nn._ConvNd`. Default: 0.
- **dilation** (*int* | *tuple[int]*) –Spacing between kernel elements. Same as that in `nn._ConvNd`. Default: 1.
- **norm_cfg** (*dict*) –Default norm config for both depthwise ConvModule and pointwise ConvModule. Default: None.
- **act_cfg** (*dict*) –Default activation config for both depthwise ConvModule and pointwise ConvModule. Default: `dict(type='ReLU')`.
- **dw_norm_cfg** (*dict*) –Norm config of depthwise ConvModule. If it is 'default', it will be the same as *norm_cfg*. Default: 'default'.
- **dw_act_cfg** (*dict*) –Activation config of depthwise ConvModule. If it is 'default', it will be the same as *act_cfg*. Default: 'default'.
- **pw_norm_cfg** (*dict*) –Norm config of pointwise ConvModule. If it is 'default', it will be the same as *norm_cfg*. Default: 'default'.
- **pw_act_cfg** (*dict*) –Activation config of pointwise ConvModule. If it is 'default', it will be the same as *act_cfg*. Default: 'default'.
- **kwargs** (*optional*) –Other shared arguments for depthwise and pointwise ConvModule. See ConvModule for ref.

forward (x : *torch.Tensor*) \rightarrow *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.10 GeneralizedAttention

class `mmcv.cnn.GeneralizedAttention` ($in_channels$: *int*, $spatial_range$: *int* = -1, num_heads : *int* = 9, $position_embedding_dim$: *int* = -1, $position_magnitude$: *int* = 1, kv_stride : *int* = 2, q_stride : *int* = 1, $attention_type$: *str* = '1111')

GeneralizedAttention module.

See ‘An Empirical Study of Spatial Attention Mechanisms in Deep Networks’ (<https://arxiv.org/abs/1904.05873>) for details.

参数

- **in_channels** (*int*) –Channels of the input feature map.
- **spatial_range** (*int*) –The spatial range. -1 indicates no spatial range constraint. Default: -1.
- **num_heads** (*int*) –The head number of empirical_attention module. Default: 9.
- **position_embedding_dim** (*int*) –The position embedding dimension. Default: -1.
- **position_magnitude** (*int*) –A multiplier acting on coord difference. Default: 1.
- **kv_stride** (*int*) –The feature stride acting on key/value feature map. Default: 2.
- **q_stride** (*int*) –The feature stride acting on query feature map. Default: 1.
- **attention_type** (*str*) –A binary indicator string for indicating which items in generalized empirical_attention module are used. Default: ‘1111’ .
 - ‘1000’ indicates ‘query and key content’ (appr - appr) item,
 - ‘0100’ indicates ‘query content and relative position’ (appr - position) item,
 - ‘0010’ indicates ‘key content only’ (bias - appr) item,
 - ‘0001’ indicates ‘relative position only’ (bias - position) item.

forward (x_input : *torch.Tensor*) \rightarrow *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.11 HSigmoid

class `mmcv.cnn.HSigmoid` (*bias*: *float* = 3.0, *divisor*: *float* = 6.0, *min_value*: *float* = 0.0, *max_value*: *float* = 1.0)

Hard Sigmoid Module. Apply the hard sigmoid function: $\text{Hsigmoid}(x) = \min(\max((x + \text{bias}) / \text{divisor}, \text{min_value}), \text{max_value})$ Default: $\text{Hsigmoid}(x) = \min(\max((x + 3) / 6, 0), 1)$

注解: In MMCV v1.4.4, we modified the default value of args to align with PyTorch official.

参数

- **bias** (*float*) –Bias of the input feature map. Default: 3.0.
- **divisor** (*float*) –Divisor of the input feature map. Default: 6.0.
- **min_value** (*float*) –Lower bound value. Default: 0.0.
- **max_value** (*float*) –Upper bound value. Default: 1.0.

返回 The output tensor.

返回类型 Tensor

forward (*x*: *torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.12 HSwish

class `mmcv.cnn.HSwish` (*inplace*: *bool* = False)

Hard Swish Module.

This module applies the hard swish function:

$$\text{Hswish}(x) = x * \text{ReLU6}(x + 3) / 6$$

参数 **inplace** (*bool*) –can optionally do the operation in-place. Default: False.

返回 The output tensor.

返回类型 Tensor

forward (*x*: *torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.13 Linear

```
class mmcv.cnn.Linear (in_features: int, out_features: int, bias: bool = True, device=None, dtype=None)
```

forward (*x*: *torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.14 MaxPool2d

```
class mmcv.cnn.MaxPool2d (kernel_size: Union[int, Tuple[int, ...]], stride: Optional[Union[int, Tuple[int, ...]]] = None, padding: Union[int, Tuple[int, ...]] = 0, dilation: Union[int, Tuple[int, ...]] = 1, return_indices: bool = False, ceil_mode: bool = False)
```

forward (*x*: *torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.15 MaxPool3d

```
class mmcv.cnn.MaxPool3d (kernel_size: Union[int, Tuple[int, ...]], stride: Optional[Union[int, Tuple[int, ...]]] = None, padding: Union[int, Tuple[int, ...]] = 0, dilation: Union[int, Tuple[int, ...]] = 1, return_indices: bool = False, ceil_mode: bool = False)
```

forward (*x*: *torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.16 NonLocal1d

class mmcv.cnn.NonLocal1d(*in_channels: int*, *sub_sample: bool = False*, *conv_cfg: Dict = {'type': 'Conv1d'}*, ***kwargs*)

1D Non-local module.

参数

- **in_channels** (*int*) –Same as *NonLocalND*.
- **sub_sample** (*bool*) –Whether to apply max pooling after pairwise function (Note that the *sub_sample* is applied on spatial only). Default: False.
- **conv_cfg** (*None* | *dict*) –Same as *NonLocalND*. Default: dict(type='Conv1d').

22.1.17 NonLocal2d

class mmcv.cnn.NonLocal2d(*in_channels: int*, *sub_sample: bool = False*, *conv_cfg: Dict = {'type': 'Conv2d'}*, ***kwargs*)

2D Non-local module.

参数

- **in_channels** (*int*) –Same as *NonLocalND*.
- **sub_sample** (*bool*) –Whether to apply max pooling after pairwise function (Note that the *sub_sample* is applied on spatial only). Default: False.
- **conv_cfg** (*None* | *dict*) –Same as *NonLocalND*. Default: dict(type='Conv2d').

22.1.18 NonLocal3d

class mmcv.cnn.NonLocal3d(*in_channels: int*, *sub_sample: bool = False*, *conv_cfg: Dict = {'type': 'Conv3d'}*, ***kwargs*)

3D Non-local module.

参数

- **in_channels** (*int*) –Same as *NonLocalND*.
- **sub_sample** (*bool*) –Whether to apply max pooling after pairwise function (Note that the *sub_sample* is applied on spatial only). Default: False.
- **conv_cfg** (*None* | *dict*) –Same as *NonLocalND*. Default: dict(type='Conv3d').

22.1.19 Scale

class mmcv.cnn.Scale(*scale: float = 1.0*)

A learnable scale parameter.

This layer scales the input by a learnable factor. It multiplies a learnable scale parameter of shape (1,) with input of any shape.

参数 **scale** (*float*) –Initial value of scale factor. Default: 1.0

forward (*x: torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.20 Swish

class `mmcv.cnn.Swish`

Swish Module.

This module applies the swish function:

$$\text{Swish}(x) = x * \text{Sigmoid}(x)$$

返回 The output tensor.

返回类型 Tensor

forward (*x*: `torch.Tensor`) → `torch.Tensor`

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.1.21 Conv2dRFSearchOp

class `mmcv.cnn.Conv2dRFSearchOp` (*op_layer*: `torch.nn.modules.module.Module`, *global_config*: `dict`,
verbose: `bool = True`)

Enable Conv2d with receptive field searching ability.

参数

- **op_layer** (`nn.Module`) –pytorch module, e.g, Conv2d
- **global_config** (`dict`) –config dict. Defaults to None. By default this must include:
 - “init_alphas” : The value for initializing weights of each branch.
 - “num_branches” : The controller of the size of search space (the number of branches).
 - “exp_rate” : The controller of the sparsity of search space.
 - “mmin” : The minimum dilation rate.
 - “mmax” : The maximum dilation rate.

Extra keys may exist, but are used by RFSearchHook, e.g., “step”, “max_step”, “search_interval”, and “skip_layer”.

- **verbose** (`bool`) –Determines whether to print rf-next related logging messages. Defaults to True.

estimate_rates () → `None`

Estimate new dilation rate based on trained branch_weights.

expand_rates () → `None`

Expand dilation rate.

forward (input: `torch.Tensor`) → `torch.Tensor`

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

22.2 Build Function

<code>build_activation_layer</code>	Build activation layer.
<code>build_conv_layer</code>	Build convolution layer.
<code>build_norm_layer</code>	Build normalization layer.
<code>build_padding_layer</code>	Build padding layer.
<code>build_plugin_layer</code>	Build plugin layer.
<code>build_upsample_layer</code>	Build upsample layer.

22.2.1 mmcv.cnn.build_activation_layer

`mmcv.cnn.build_activation_layer` (cfg: `Dict`) → `torch.nn.modules.module.Module`

Build activation layer.

参数 `cfg` (`dict`) –The activation layer config, which should contain:

- `type` (str): Layer type.
- `layer args`: Args needed to instantiate an activation layer.

返回 Created activation layer.

返回类型 `nn.Module`

22.2.2 mmcv.cnn.build_conv_layer

`mmcv.cnn.build_conv_layer` (cfg: `Optional[Dict]`, *args, **kwargs) → `torch.nn.modules.module.Module`

Build convolution layer.

参数

- `cfg` (`None` or `dict`) –The conv layer config, which should contain: - `type` (str): Layer type. - `layer args`: Args needed to instantiate an conv layer.
- `args` (`argument list`) –Arguments passed to the `__init__` method of the corresponding conv layer.
- `kwargs` (`keyword arguments`) –Keyword arguments passed to the `__init__` method of the corresponding conv layer.

返回 Created conv layer.

返回类型 `nn.Module`

22.2.3 `mmcv.cnn.build_norm_layer`

`mmcv.cnn.build_norm_layer` (*cfg: Dict, num_features: int, postfix: Union[int, str] = ""*) → `Tuple[str, torch.nn.modules.module.Module]`

Build normalization layer.

参数

- **cfg** (*dict*) –The norm layer config, which should contain:
 - type (*str*): Layer type.
 - layer args: Args needed to instantiate a norm layer.
 - requires_grad (*bool*, optional): Whether stop gradient updates.
- **num_features** (*int*) –Number of input channels.
- **postfix** (*int | str*) –The postfix to be appended into norm abbreviation to create named layer.

返回 The first element is the layer name consisting of abbreviation and postfix, e.g., bn1, gn. The second element is the created norm layer.

返回类型 `tuple[str, nn.Module]`

22.2.4 `mmcv.cnn.build_padding_layer`

`mmcv.cnn.build_padding_layer` (*cfg: Dict, *args, **kwargs*) → `torch.nn.modules.module.Module`

Build padding layer.

参数 **cfg** (*dict*) –The padding layer config, which should contain: - type (*str*): Layer type. - layer args: Args needed to instantiate a padding layer.

返回 Created padding layer.

返回类型 `nn.Module`

22.2.5 `mmcv.cnn.build_plugin_layer`

`mmcv.cnn.build_plugin_layer` (*cfg: Dict, postfix: Union[int, str] = "", **kwargs*) → `Tuple[str, torch.nn.modules.module.Module]`

Build plugin layer.

参数

- **cfg** (*dict*) –cfg should contain:
 - type (*str*): identify plugin layer type.
 - layer args: args needed to instantiate a plugin layer.
- **postfix** (*int, str*) –appended into norm abbreviation to create named layer. Default: "".

返回 The first one is the concatenation of abbreviation and postfix. The second is the created plugin layer.

返回类型 `tuple[str, nn.Module]`

22.2.6 mmcv.cnn.build_upsample_layer

`mmcv.cnn.build_upsample_layer(cfg: Dict, *args, **kwargs) → torch.nn.modules.module.Module`

Build upsample layer.

参数

- **cfg** (*dict*) –The upsample layer config, which should contain:
 - **type** (*str*): Layer type.
 - **scale_factor** (*int*): Upsample ratio, which is not applicable to deconv.
 - **layer_args**: Args needed to instantiate a upsample layer.
- **args** (*argument list*) –Arguments passed to the `__init__` method of the corresponding conv layer.
- **kwargs** (*keyword arguments*) –Keyword arguments passed to the `__init__` method of the corresponding conv layer.

返回 Created upsample layer.

返回类型 `nn.Module`

22.3 Miscellaneous

<code>fuse_conv_bn</code>	Recursively fuse conv and bn in a module.
<code>conv_ws_2d</code>	
<code>is_norm</code>	Check if a layer is a normalization layer.
<code>make_res_layer</code>	
<code>make_vgg_layer</code>	
<code>get_model_complexity_info</code>	Get complexity information of a model.

22.3.1 mmcv.cnn.fuse_conv_bn

`mmcv.cnn.fuse_conv_bn(module: torch.nn.modules.module.Module) → torch.nn.modules.module.Module`

Recursively fuse conv and bn in a module.

During inference, the functionary of batch norm layers is turned off but only the mean and var alone channels are used, which exposes the chance to fuse it with the preceding conv layers to save computations and simplify network structures.

参数 **module** (*nn.Module*) –Module to be fused.

返回 Fused module.

返回类型 `nn.Module`

22.3.2 mmcv.cnn.conv_ws_2d

`mmcv.cnn.conv_ws_2d` (*input: torch.Tensor, weight: torch.Tensor, bias: Optional[torch.Tensor] = None, stride: Union[int, Tuple[int, int]] = 1, padding: Union[int, Tuple[int, int]] = 0, dilation: Union[int, Tuple[int, int]] = 1, groups: int = 1, eps: float = 1e-05*) → `torch.Tensor`

22.3.3 mmcv.cnn.is_norm

`mmcv.cnn.is_norm` (*layer: torch.nn.modules.module.Module, exclude: Optional[Union[type, tuple]] = None*) → `bool`

Check if a layer is a normalization layer.

参数

- **layer** (`nn.Module`) –The layer to be checked.
- **exclude** (`type | tuple[type]`) –Types to be excluded.

返回 Whether the layer is a norm layer.

返回类型 `bool`

22.3.4 mmcv.cnn.make_res_layer

`mmcv.cnn.make_res_layer` (*block: torch.nn.modules.module.Module, inplanes: int, planes: int, blocks: int, stride: int = 1, dilation: int = 1, style: str = 'pytorch', with_cp: bool = False*) → `torch.nn.modules.module.Module`

22.3.5 mmcv.cnn.make_vgg_layer

`mmcv.cnn.make_vgg_layer` (*inplanes: int, planes: int, num_blocks: int, dilation: int = 1, with_bn: bool = False, ceil_mode: bool = False*) → `List[torch.nn.modules.module.Module]`

22.3.6 mmcv.cnn.get_model_complexity_info

`mmcv.cnn.get_model_complexity_info` (*model: torch.nn.modules.module.Module, input_shape: tuple, print_per_layer_stat: bool = True, as_strings: bool = True, input_constructor: Optional[Callable] = None, flush: bool = False, ost: TextIO = <_io.TextIOWrapper name='<stdout>' mode='w' encoding='UTF-8'>, encoding='UTF-8'*) → `tuple`

Get complexity information of a model.

This method can calculate FLOPs and parameter counts of a model with corresponding input shape. It can also print complexity information for each layer in a model.

Supported layers are listed as below:

- Convolutions: `nn.Conv1d`, `nn.Conv2d`, `nn.Conv3d`.
- Activations: `nn.ReLU`, `nn.PReLU`, `nn.ELU`, `nn.LeakyReLU`, `nn.ReLU6`.
- Poolings: `nn.MaxPool1d`, `nn.MaxPool2d`, `nn.MaxPool3d`, `nn.AvgPool1d`, `nn.AvgPool2d`, `nn.AvgPool3d`, `nn.AdaptiveMaxPool1d`, `nn.AdaptiveMaxPool2d`, `nn.AdaptiveMaxPool3d`, `nn.AdaptiveAvgPool1d`, `nn.AdaptiveAvgPool2d`, `nn.AdaptiveAvgPool3d`.

- **BatchNorms:** `nn.BatchNorm1d`, `nn.BatchNorm2d`, `nn.BatchNorm3d`, `nn.GroupNorm`, `nn.InstanceNorm1d`, `nn.InstanceNorm2d`, `nn.InstanceNorm3d`, `nn.LayerNorm`.
- **Linear:** `nn.Linear`.
- **Deconvolution:** `nn.ConvTranspose2d`.
- **Upsample:** `nn.Upsample`.

参数

- **model** (`nn.Module`) –The model for complexity calculation.
- **input_shape** (`tuple`) –Input shape used for calculation.
- **print_per_layer_stat** (`bool`) –Whether to print complexity information for each layer in a model. Default: True.
- **as_strings** (`bool`) –Output FLOPs and params counts in a string form. Default: True.
- **input_constructor** (`None` | `callable`) –If specified, it takes a callable method that generates input. otherwise, it will generate a random tensor with input shape to calculate FLOPs. Default: None.
- **flush** (`bool`) –same as that in `print()`. Default: False.
- **ost** (`stream`) –same as `file` param in `print()`. Default: `sys.stdout`.

返回 If `as_strings` is set to True, it will return FLOPs and parameter counts in a string format. otherwise, it will return those in a float number format.

返回类型 `tuple[float | str]`

CHAPTER 23

mmcv.ops

<i>BorderAlign</i>	Border align pooling layer.
<i>CARAFE</i>	CARAFE: Content-Aware ReAssembly of FEatures
<i>CARAFENaive</i>	
<i>CARAFEPack</i>	A unified package of CARAFE upsampler that contains: 1) channel compressor 2) content encoder 3) CARAFE op.
<i>Conv2d</i>	alias of mmcv.ops.deprecated_wrappers. Conv2d_deprecated
<i>ConvTranspose2d</i>	alias of mmcv.ops.deprecated_wrappers. ConvTranspose2d_deprecated
<i>CornerPool</i>	Corner Pooling.
<i>Correlation</i>	Correlation operator
<i>CrissCrossAttention</i>	Criss-Cross Attention Module.
<i>DeformConv2d</i>	Deformable 2D convolution.
<i>DeformConv2dPack</i>	A Deformable Conv Encapsulation that acts as normal Conv layers.
<i>DeformRoIPool</i>	
<i>DeformRoIPoolPack</i>	
<i>DynamicScatter</i>	Scatters points into voxels, used in the voxel encoder with dynamic voxelization.
<i>FusedBiasLeakyReLU</i>	Fused bias leaky ReLU.
<i>GroupAll</i>	Group xyz with feature.
<i>Linear</i>	alias of mmcv.ops.deprecated_wrappers. Linear_deprecated
<i>MaskedConv2d</i>	A MaskedConv2d which inherits the official Conv2d.
<i>MaxPool2d</i>	alias of mmcv.ops.deprecated_wrappers. MaxPool2d_deprecated

下页继续

表 1 – 续上页

<i>ModulatedDeformConv2d</i>	
<i>ModulatedDeformConv2dPack</i>	A ModulatedDeformable Conv Encapsulation that acts as normal Conv layers.
<i>ModulatedDeformRoIPoolPack</i>	
<i>MultiScaleDeformableAttention</i>	An attention module used in Deformable-Detr.
<i>PSAMask</i>	
<i>PointsSampler</i>	Points sampling.
<i>PrRoIPool</i>	The operation of precision RoI pooling.
<i>QueryAndGroup</i>	Groups points with a ball query of radius.
<i>RiRoIAlignRotated</i>	Rotation-invariant RoI align pooling layer for rotated proposals.
<i>RoIAlign</i>	RoI align pooling layer.
<i>RoIAlignRotated</i>	RoI align pooling layer for rotated proposals.
<i>RoIAwarePool3d</i>	Encode the geometry-specific features of each 3D proposal.
<i>RoIPointPool3d</i>	Encode the geometry-specific features of each 3D proposal.
<i>RoIPool</i>	
<i>SACConv2d</i>	SAC (Switchable Atrous Convolution)
<i>SigmoidFocalLoss</i>	
<i>SimpleRoIAlign</i>	
<i>SoftmaxFocalLoss</i>	
<i>SparseConv2d</i>	
<i>SparseConv3d</i>	
<i>SparseConvTensor</i>	
<i>SparseConvTranspose2d</i>	
<i>SparseConvTranspose3d</i>	
<i>SparseInverseConv2d</i>	
<i>SparseInverseConv3d</i>	
<i>SparseMaxPool2d</i>	
<i>SparseMaxPool3d</i>	
<i>SparseModule</i>	place holder, All module subclass from this will take sptensor in SparseSequential.
<i>SparseSequential</i>	A sequential container.

下页继续

表 1 – 续上页

<i>SubMConv2d</i>	
<i>SubMConv3d</i>	
<i>SyncBatchNorm</i>	Synchronized Batch Normalization.
<i>TINShift</i>	Temporal Interlace Shift.
<i>Voxelization</i>	Convert kitti points(N, >=3) to voxels.

23.1 BorderAlign

class `mmcv.ops.BorderAlign` (*pool_size: int*)

Border align pooling layer.

Applies `border_align` over the input feature based on predicted bboxes. The details were described in the paper [BorderDet: Border Feature for Dense Object Detection](#).

For each border line (e.g. top, left, bottom or right) of each box, `border_align` does the following:

1. uniformly samples `pool_size + 1` positions on this line, involving the start and end points.
2. the corresponding features on these points are computed by bilinear interpolation.
3. max pooling over all the `pool_size + 1` positions are used for computing pooled feature.

参数 `pool_size` (*int*) – number of positions sampled over the boxes' borders (e.g. top, bottom, left, right).

forward (*input: torch.Tensor, boxes: torch.Tensor*) → `torch.Tensor`

参数

- **input** – Features with shape [N,4C,H,W]. Channels ranged in [0,C), [C,2C), [2C,3C), [3C,4C) represent the top, left, bottom, right features respectively.
- **boxes** – Boxes with shape [N,H*W,4]. Coordinate format (x1,y1,x2,y2).

返回 Pooled features with shape [N,C,H*W,4]. The order is (top,left,bottom,right) for the last dimension.

返回类型 `torch.Tensor`

23.2 CARAFE

class `mmcv.ops.CARAFE` (*kernel_size: int, group_size: int, scale_factor: int*)

CARAFE: Content-Aware ReAssembly of FEatures

Please refer to [CARAFE: Content-Aware ReAssembly of FEatures](#) for more details.

参数

- **kernel_size** (*int*) – reassemble kernel size
- **group_size** (*int*) – reassemble group size
- **scale_factor** (*int*) – upsample ratio

返回 upsampled feature map

forward (*features: torch.Tensor, masks: torch.Tensor*) → torch.Tensor

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.3 CARAFENaive

class mmcv.ops.CARAFENaive (*kernel_size: int, group_size: int, scale_factor: int*)

forward (*features: torch.Tensor, masks: torch.Tensor*) → torch.Tensor

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.4 CARAFEPack

class mmcv.ops.CARAFEPack (*channels: int, scale_factor: int, up_kernel: int = 5, up_group: int = 1, encoder_kernel: int = 3, encoder_dilation: int = 1, compressed_channels: int = 64*)

A unified package of CARAFE upsampler that contains: 1) channel compressor 2) content encoder 3) CARAFE op.

Official implementation of ICCV 2019 paper [CARAFE: Content-Aware ReAssembly of FEatures](#).

参数

- **channels** (*int*) –input feature channels
- **scale_factor** (*int*) –upsample ratio
- **up_kernel** (*int*) –kernel size of CARAFE op
- **up_group** (*int*) –group size of CARAFE op
- **encoder_kernel** (*int*) –kernel size of content encoder
- **encoder_dilation** (*int*) –dilation of content encoder
- **compressed_channels** (*int*) –output channels of channels compressor

返回 upsampled feature map

forward (x : *torch.Tensor*) \rightarrow *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.5 Conv2d

`mmcv.ops.Conv2d`

alias of `mmcv.ops.deprecated_wrappers.Conv2d_deprecated`

23.6 ConvTranspose2d

`mmcv.ops.ConvTranspose2d`

alias of `mmcv.ops.deprecated_wrappers.ConvTranspose2d_deprecated`

23.7 CornerPool

class `mmcv.ops.CornerPool` (*mode*: *str*)

Corner Pooling.

Corner Pooling is a new type of pooling layer that helps a convolutional network better localize corners of bounding boxes.

Please refer to [CornerNet: Detecting Objects as Paired Keypoints](#) for more details.

Code is modified from <https://github.com/princeton-vl/CornerNet-Lite>.

参数 `mode` (*str*) – Pooling orientation for the pooling layer

- 'bottom' : Bottom Pooling
- 'left' : Left Pooling
- 'right' : Right Pooling
- 'top' : Top Pooling

返回 Feature map after pooling.

forward (x : *torch.Tensor*) \rightarrow *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.8 Correlation

class `mmcv.ops.Correlation` (*kernel_size*: `int` = 1, *max_displacement*: `int` = 1, *stride*: `int` = 1, *padding*: `int` = 0, *dilation*: `int` = 1, *dilation_patch*: `int` = 1)

Correlation operator

This correlation operator works for optical flow correlation computation.

There are two batched tensors with shape (N, C, H, W) , and the correlation output's shape is $(N, \max_displacement \times 2 + 1, \max_displacement \times 2 + 1, H_{out}, W_{out})$

where

$$H_{out} = \left\lfloor \frac{H_{in} + 2 \times padding - dilation \times (kernel_size - 1) - 1}{stride} + 1 \right\rfloor$$

$$W_{out} = \left\lfloor \frac{W_{in} + 2 \times padding - dilation \times (kernel_size - 1) - 1}{stride} + 1 \right\rfloor$$

the correlation item (N_i, dy, dx) is formed by taking the sliding window convolution between input1 and shifted input2,

$$Corr(N_i, dx, dy) = \sum_{c=0}^{C-1} input1(N_i, c) \star \mathcal{S}(input2(N_i, c), dy, dx)$$

where \star is the valid 2d sliding window convolution operator, and \mathcal{S} means shifting the input features (auto-complete zero marginal), and dx, dy are shifting distance, $dx, dy \in [-\max_displacement \times dilation_patch, \max_displacement \times dilation_patch]$.

参数

- **kernel_size** (`int`) –The size of sliding window i.e. local neighborhood representing the center points and involved in correlation computation. Defaults to 1.
- **max_displacement** (`int`) –The radius for computing correlation volume, but the actual working space can be dilated by `dilation_patch`. Defaults to 1.
- **stride** (`int`) –The stride of the sliding blocks in the input spatial dimensions. Defaults to 1.
- **padding** (`int`) –Zero padding added to all four sides of the input1. Defaults to 0.
- **dilation** (`int`) –The spacing of local neighborhood that will involved in correlation. Defaults to 1.
- **dilation_patch** (`int`) –The spacing between position need to compute correlation. Defaults to 1.

forward (*input1*: `torch.Tensor`, *input2*: `torch.Tensor`) \rightarrow `torch.Tensor`

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.9 CrissCrossAttention

class `mmcv.ops.CrissCrossAttention` (*in_channels: int*)
Criss-Cross Attention Module.

注解: Before v1.3.13, we use a CUDA op. Since v1.3.13, we switch to a pure PyTorch and equivalent implementation. For more details, please refer to <https://github.com/open-mmlab/mmcv/pull/1201>.

Speed comparison for one forward pass

- Input size: [2,512,97,97]
- Device: 1 NVIDIA GeForce RTX 2080 Ti

	PyTorch version	CUDA version	Relative speed
with torch.no_grad()	0.00554402 s	0.0299619 s	5.4x
no with torch.no_grad()	0.00562803 s	0.0301349 s	5.4x

参数 `in_channels` (*int*) –Channels of the input feature map.

forward (*x: torch.Tensor*) → `torch.Tensor`
forward function of Criss-Cross Attention.

参数 `x` (*torch.Tensor*) –Input feature with the shape of (batch_size, in_channels, height, width).

返回 Output of the layer, with the shape of (batch_size, in_channels, height, width)

返回类型 `torch.Tensor`

23.10 DeformConv2d

class `mmcv.ops.DeformConv2d` (*in_channels: int, out_channels: int, kernel_size: Union[int, Tuple[int, ...]], stride: Union[int, Tuple[int, ...]] = 1, padding: Union[int, Tuple[int, ...]] = 0, dilation: Union[int, Tuple[int, ...]] = 1, groups: int = 1, deform_groups: int = 1, bias: bool = False, im2col_step: int = 32*)

Deformable 2D convolution.

Applies a deformable 2D convolution over an input signal composed of several input planes. DeformConv2d was described in the paper [Deformable Convolutional Networks](#)

注解: The argument `im2col_step` was added in version 1.3.17, which means number of samples processed by the `im2col_cuda_kernel` per call. It enables users to define `batch_size` and `im2col_step` more flexibly and solved [issue mmcv#1440](#).

参数

- **in_channels** (*int*) –Number of channels in the input image.
- **out_channels** (*int*) –Number of channels produced by the convolution.
- **kernel_size** (*int, tuple*) –Size of the convolving kernel.

- **stride** (*int*, *tuple*) – Stride of the convolution. Default: 1.
- **padding** (*int* or *tuple*) – Zero-padding added to both sides of the input. Default: 0.
- **dilation** (*int* or *tuple*) – Spacing between kernel elements. Default: 1.
- **groups** (*int*) – Number of blocked connections from input. channels to output channels. Default: 1.
- **deform_groups** (*int*) – Number of deformable group partitions.
- **bias** (*bool*) – If True, adds a learnable bias to the output. Default: False.
- **im2col_step** (*int*) – Number of samples processed by im2col_cuda_kernel per call. It will work when `batch_size > im2col_step`, but `batch_size` must be divisible by `im2col_step`. Default: 32. *New in version 1.3.17.*

forward (*x*: *torch.Tensor*, *offset*: *torch.Tensor*) → *torch.Tensor*

Deformable Convolutional forward function.

参数

- **x** (*Tensor*) – Input feature, shape (B, C_in, H_in, W_in)
- **offset** (*Tensor*) – Offset for deformable convolution, shape (B, deform_groups*kernel_size[0]*kernel_size[1]*2, H_out, W_out), H_out, W_out are equal to the output's.

An offset is like `[y0, x0, y1, x1, y2, x2, ..., y8, x8]`. The spatial arrangement is like:

(x0, y0)	(x1, y1)	(x2, y2)
(x3, y3)	(x4, y4)	(x5, y5)
(x6, y6)	(x7, y7)	(x8, y8)

返回 Output of the layer.

返回类型 Tensor

23.11 DeformConv2dPack

class `mmcv.ops.DeformConv2dPack` (*args, **kwargs)

A Deformable Conv Encapsulation that acts as normal Conv layers.

The offset tensor is like `[y0, x0, y1, x1, y2, x2, ..., y8, x8]`. The spatial arrangement is like:

(x0, y0)	(x1, y1)	(x2, y2)
(x3, y3)	(x4, y4)	(x5, y5)
(x6, y6)	(x7, y7)	(x8, y8)

参数

- **in_channels** (*int*) – Same as `nn.Conv2d`.
- **out_channels** (*int*) – Same as `nn.Conv2d`.
- **kernel_size** (*int* or *tuple[int]*) – Same as `nn.Conv2d`.
- **stride** (*int* or *tuple[int]*) – Same as `nn.Conv2d`.
- **padding** (*int* or *tuple[int]*) – Same as `nn.Conv2d`.

- **dilation** (*int* or *tuple[int]*) –Same as nn.Conv2d.
- **groups** (*int*) –Same as nn.Conv2d.
- **bias** (*bool* or *str*) –If specified as *auto*, it will be decided by the norm_cfg. Bias will be set as True if norm_cfg is None, otherwise False.

forward (*x: torch.Tensor*) → *torch.Tensor*
Deformable Convolutional forward function.

参数

- **x** (*Tensor*) –Input feature, shape (B, C_in, H_in, W_in)
- **offset** (*Tensor*) –Offset for deformable convolution, shape (B, deform_groups*kernel_size[0]*kernel_size[1]*2, H_out, W_out), H_out, W_out are equal to the output's.

An offset is like [y0, x0, y1, x1, y2, x2, ..., y8, x8]. The spatial arrangement is like:

(x0, y0)	(x1, y1)	(x2, y2)
(x3, y3)	(x4, y4)	(x5, y5)
(x6, y6)	(x7, y7)	(x8, y8)

返回 Output of the layer.

返回类型 Tensor

23.12 DeformRoIPool

class mmcv.ops.DeformRoIPool (*output_size: Tuple[int, ...], spatial_scale: float = 1.0, sampling_ratio: int = 0, gamma: float = 0.1*)

forward (*input: torch.Tensor, rois: torch.Tensor, offset: Optional[torch.Tensor] = None*) → *torch.Tensor*
Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the Module instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.13 DeformRoIPoolPack

class mmcv.ops.DeformRoIPoolPack (*output_size: Tuple[int, ...], output_channels: int, deform_fc_channels: int = 1024, spatial_scale: float = 1.0, sampling_ratio: int = 0, gamma: float = 0.1*)

forward (*input: torch.Tensor, rois: torch.Tensor*) → *torch.Tensor*
Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.14 DynamicScatter

class `mmcv.ops.DynamicScatter` (*voxel_size: List, point_cloud_range: List, average_points: bool*)
Scatters points into voxels, used in the voxel encoder with dynamic voxelization.

注解: The CPU and GPU implementation get the same output, but have numerical difference after summation and division (e.g., 5e-7).

参数

- **voxel_size** (*list*) –list [x, y, z] size of three dimension.
- **point_cloud_range** (*list*) –The coordinate range of points, [x_min, y_min, z_min, x_max, y_max, z_max].
- **average_points** (*bool*) –whether to use avg pooling to scatter points into voxel.

forward (*points: torch.Tensor, coors: torch.Tensor*) → `Tuple[torch.Tensor, torch.Tensor]`
Scatters points/features into voxels.

参数

- **points** (*torch.Tensor*) –Points to be reduced into voxels.
- **coors** (*torch.Tensor*) –Corresponding voxel coordinates (specifically multi-dim voxel index) of each points.

返回 A tuple contains two elements. The first one is the voxel features with shape [M, C] which are respectively reduced from input features that share the same voxel coordinates. The second is voxel coordinates with shape [M, ndim].

返回类型 `tuple[torch.Tensor]`

forward_single (*points: torch.Tensor, coors: torch.Tensor*) → `Tuple[torch.Tensor, torch.Tensor]`
Scatters points into voxels.

参数

- **points** (*torch.Tensor*) –Points to be reduced into voxels.
- **coors** (*torch.Tensor*) –Corresponding voxel coordinates (specifically multi-dim voxel index) of each points.

返回 A tuple contains two elements. The first one is the voxel features with shape [M, C] which are respectively reduced from input features that share the same voxel coordinates. The second is voxel coordinates with shape [M, ndim].

返回类型 `tuple[torch.Tensor]`

23.15 FusedBiasLeakyReLU

class mmcv.ops.FusedBiasLeakyReLU (num_channels: int, negative_slope: float = 0.2, scale: float = 1.4142135623730951)

Fused bias leaky ReLU.

This function is introduced in the StyleGAN2: [Analyzing and Improving the Image Quality of StyleGAN](#)

The bias term comes from the convolution operation. In addition, to keep the variance of the feature map or gradients unchanged, they also adopt a scale similarly with Kaiming initialization. However, since the $1 + \alpha^2$ is too small, we can just ignore it. Therefore, the final scale is just $\sqrt{2}$. Of course, you may change it with your own scale.

TODO: Implement the CPU version.

参数

- **num_channels** (int) –The channel number of the feature map.
- **negative_slope** (float, optional) –Same as nn.LeakyRelu. Defaults to 0.2.
- **scale** (float, optional) –A scalar to adjust the variance of the feature map. Defaults to $2^{*}0.5$.

forward (input: torch.Tensor) → torch.Tensor

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the Module instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.16 GroupAll

class mmcv.ops.GroupAll (use_xyz: bool = True)

Group xyz with feature.

参数 use_xyz (bool) –Whether to use xyz.

forward (xyz: torch.Tensor, new_xyz: torch.Tensor, features: Optional[torch.Tensor] = None) → torch.Tensor

参数

- **xyz** (Tensor) –(B, N, 3) xyz coordinates of the features.
- **new_xyz** (Tensor) –new xyz coordinates of the features.
- **features** (Tensor) –(B, C, N) features to group.

返回 (B, C + 3, 1, N) Grouped feature.

返回类型 Tensor

23.17 Linear

`mmcv.ops.Linear`

alias of `mmcv.ops.deprecated_wrappers.Linear_deprecated`

23.18 MaskedConv2d

```
class mmcv.ops.MaskedConv2d(in_channels: int, out_channels: int, kernel_size: Union[int, Tuple[int, ...]],  
                           stride: int = 1, padding: int = 0, dilation: int = 1, groups: int = 1, bias: bool =  
                           True)
```

A MaskedConv2d which inherits the official Conv2d.

The masked forward doesn't implement the backward function and only supports the stride parameter to be 1 currently.

forward (*input: torch.Tensor, mask: Optional[torch.Tensor] = None*) → `torch.Tensor`

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.19 MaxPool2d

`mmcv.ops.MaxPool2d`

alias of `mmcv.ops.deprecated_wrappers.MaxPool2d_deprecated`

23.20 ModulatedDeformConv2d

```
class mmcv.ops.ModulatedDeformConv2d(in_channels: int, out_channels: int, kernel_size: Union[int,  
                                       Tuple[int]], stride: int = 1, padding: int = 0, dilation: int = 1,  
                                       groups: int = 1, deform_groups: int = 1, bias: Union[bool, str]  
                                       = True)
```

forward (*x: torch.Tensor, offset: torch.Tensor, mask: torch.Tensor*) → `torch.Tensor`

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.21 ModulatedDeformConv2dPack

class `mmcv.ops.ModulatedDeformConv2dPack` (*args, **kwargs)
 A ModulatedDeformable Conv Encapsulation that acts as normal Conv layers.

参数

- **in_channels** (*int*) – Same as `nn.Conv2d`.
- **out_channels** (*int*) – Same as `nn.Conv2d`.
- **kernel_size** (*int or tuple[int]*) – Same as `nn.Conv2d`.
- **stride** (*int*) – Same as `nn.Conv2d`, while tuple is not supported.
- **padding** (*int*) – Same as `nn.Conv2d`, while tuple is not supported.
- **dilation** (*int*) – Same as `nn.Conv2d`, while tuple is not supported.
- **groups** (*int*) – Same as `nn.Conv2d`.
- **bias** (*bool or str*) – If specified as *auto*, it will be decided by the `norm_cfg`. Bias will be set as True if `norm_cfg` is None, otherwise False.

forward (*x: torch.Tensor*) → `torch.Tensor`
 Defines the computation performed at every call.
 Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.22 ModulatedDeformRoIPoolPack

class `mmcv.ops.ModulatedDeformRoIPoolPack` (*output_size: Tuple[int, ...], output_channels: int, deform_fc_channels: int = 1024, spatial_scale: float = 1.0, sampling_ratio: int = 0, gamma: float = 0.1*)

forward (*input: torch.Tensor, rois: torch.Tensor*) → `torch.Tensor`
 Defines the computation performed at every call.
 Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.23 MultiScaleDeformableAttention

```
class mmcv.ops.MultiScaleDeformableAttention (embed_dims: int = 256, num_heads: int = 8,  
                                              num_levels: int = 4, num_points: int = 4,  
                                              im2col_step: int = 64, dropout: float = 0.1,  
                                              batch_first: bool = False, norm_cfg: Optional[dict]  
                                              = None, init_cfg:  
                                              Optional[mmengine.config.config.ConfigDict] =  
                                              None, value_proj_ratio: float = 1.0)
```

An attention module used in Deformable-Detr.

Deformable DETR: Deformable Transformers for End-to-End Object Detection..

参数

- **embed_dims** (*int*) –The embedding dimension of Attention. Default: 256.
- **num_heads** (*int*) –Parallel attention heads. Default: 8.
- **num_levels** (*int*) –The number of feature map used in Attention. Default: 4.
- **num_points** (*int*) –The number of sampling points for each query in each head. Default: 4.
- **im2col_step** (*int*) –The step used in image_to_column. Default: 64.
- **dropout** (*float*) –A Dropout layer on *inp_identity*. Default: 0.1.
- **batch_first** (*bool*) –Key, Query and Value are shape of (batch, n, embed_dim) or (n, batch, embed_dim). Default to False.
- **norm_cfg** (*dict*) –Config dict for normalization layer. Default: None.
- (**obj** (*init_cfg*) –*mmcv.ConfigDict*): The Config for initialization. Default: None.
- **value_proj_ratio** (*float*) –The expansion ratio of value_proj. Default: 1.0.

forward (*query: torch.Tensor, key: Optional[torch.Tensor] = None, value: Optional[torch.Tensor] = None,*
identity: Optional[torch.Tensor] = None, query_pos: Optional[torch.Tensor] = None,
key_padding_mask: Optional[torch.Tensor] = None, reference_points: Optional[torch.Tensor] =
None, spatial_shapes: Optional[torch.Tensor] = None, level_start_index: Optional[torch.Tensor] =
*None, **kwargs*) → *torch.Tensor*

Forward Function of MultiScaleDeformAttention.

参数

- **query** (*torch.Tensor*) –Query of Transformer with shape (num_query, bs, embed_dims).
- **key** (*torch.Tensor*) –The key tensor with shape (num_key, bs, embed_dims).
- **value** (*torch.Tensor*) –The value tensor with shape (num_key, bs, embed_dims).
- **identity** (*torch.Tensor*) –The tensor used for addition, with the same shape as *query*. Default None. If None, *query* will be used.
- **query_pos** (*torch.Tensor*) –The positional encoding for *query*. Default: None.
- **key_padding_mask** (*torch.Tensor*) –ByteTensor for *query*, with shape [bs, num_key].
- **reference_points** (*torch.Tensor*) –The normalized reference points with shape (bs, num_query, num_levels, 2), all elements is range in [0, 1], top-left (0,0), bottom-right

(1, 1), including padding area. or (N, Length_{query}, num_levels, 4), add additional two dimensions is (w, h) to form reference boxes.

- **spatial_shapes** (*torch.Tensor*) –Spatial shape of features in different levels. With shape (num_levels, 2), last dimension represents (h, w).
- **level_start_index** (*torch.Tensor*) –The start index of each level. A tensor has shape (num_levels,) and can be represented as [0, h_0*w_0, h_0*w_0+h_1*w_1, ...].

返回 forwarded results with shape [num_query, bs, embed_dims].

返回类型 *torch.Tensor*

init_weights () → *None*

Default initialization for Parameters of Module.

23.24 PSAMask

class *mmcv.ops.PSAMask* (*psa_type: str, mask_size: Optional[tuple] = None*)

forward (*input: torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the *Module* instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.25 PointsSampler

class *mmcv.ops.PointsSampler* (*num_point: List[int], fps_mod_list: List[str] = ['D-FPS'], fps_sample_range_list: List[int] = [-1]*)

Points sampling.

参数

- **num_point** (*list[int]*) –Number of sample points.
- **fps_mod_list** (*list[str], optional*) –Type of FPS method, valid mod ['F-FPS' , 'D-FPS' , 'FS'], Default: ['D-FPS']. F-FPS: using feature distances for FPS. D-FPS: using Euclidean distances of points for FPS. FS: using F-FPS and D-FPS simultaneously.
- **fps_sample_range_list** (*list[int], optional*) –Range of points to apply FPS. Default: [-1].

forward (*points_xyz: torch.Tensor, features: torch.Tensor*) → *torch.Tensor*

参数

- **points_xyz** (*torch.Tensor*) –(B, N, 3) xyz coordinates of the points.
- **features** (*torch.Tensor*) –(B, C, N) features of the points.

返回 (B, npoint, sample_num) Indices of sampled points.

返回类型 `torch.Tensor`

23.26 PrRoIPool

class `mmcv.ops.PrRoIPool` (*output_size: Union[int, tuple], spatial_scale: float = 1.0*)

The operation of precision RoI pooling. The implementation of PrRoIPool is modified from <https://github.com/vacancy/PreciseRoIPooling/>

Precise RoI Pooling (PrRoIPool) is an integration-based (bilinear interpolation) average pooling method for RoI Pooling. It avoids any quantization and has a continuous gradient on bounding box coordinates. It is:

1. different from the original RoI Pooling proposed in Fast R-CNN. PrRoI Pooling uses average pooling instead of max pooling for each bin and has a continuous gradient on bounding box coordinates. That is, one can take the derivatives of some loss function w.r.t the coordinates of each RoI and optimize the RoI coordinates. 2. different from the RoI Align proposed in Mask R-CNN. PrRoI Pooling uses a full integration-based average pooling instead of sampling a constant number of points. This makes the gradient w.r.t. the coordinates continuous.

参数

- **output_size** (*Union[int, tuple]*) –h, w.
- **spatial_scale** (*float, optional*) –scale the input boxes by this number. Defaults to 1.0.

forward (*features: torch.Tensor, rois: torch.Tensor*) → `torch.Tensor`

Forward function.

参数

- **features** (*torch.Tensor*) –The feature map.
- **rois** (*torch.Tensor*) –The RoI bboxes in [tl_x, tl_y, br_x, br_y] format.

返回 The pooled results.

返回类型 `torch.Tensor`

23.27 QueryAndGroup

class `mmcv.ops.QueryAndGroup` (*max_radius: float, sample_num: int, min_radius: float = 0.0, use_xyz: bool = True, return_grouped_xyz: bool = False, normalize_xyz: bool = False, uniform_sample: bool = False, return_unique_cnt: bool = False, return_grouped_idx: bool = False*)

Groups points with a ball query of radius.

参数

- **max_radius** (*float*) –The maximum radius of the balls. If None is given, we will use kNN sampling instead of ball query.
- **sample_num** (*int*) –Maximum number of features to gather in the ball.
- **min_radius** (*float, optional*) –The minimum radius of the balls. Default: 0.
- **use_xyz** (*bool, optional*) –Whether to use xyz. Default: True.

- **return_grouped_xyz** (*bool*, *optional*) –Whether to return grouped xyz. Default: False.
- **normalize_xyz** (*bool*, *optional*) –Whether to normalize xyz. Default: False.
- **uniform_sample** (*bool*, *optional*) –Whether to sample uniformly. Default: False
- **return_unique_cnt** (*bool*, *optional*) –Whether to return the count of unique samples. Default: False.
- **return_grouped_idx** (*bool*, *optional*) –Whether to return grouped idx. Default: False.

forward (*points_xyz: torch.Tensor*, *center_xyz: torch.Tensor*, *features: Optional[torch.Tensor] = None*) → Union[torch.Tensor, Tuple]

参数

- **points_xyz** (*torch.Tensor*) –(B, N, 3) xyz coordinates of the points.
- **center_xyz** (*torch.Tensor*) –(B, npoint, 3) coordinates of the centriods.
- **features** (*torch.Tensor*) –(B, C, N) The features of grouped points.

返回 (B, 3 + C, npoint, sample_num) Grouped concatenated coordinates and features of points.

返回类型 Tuple | torch.Tensor

23.28 RiRoIAlignRotated

class mmcv.ops.RiRoIAlignRotated (*out_size: tuple*, *spatial_scale: float*, *num_samples: int = 0*, *num_orientations: int = 8*, *clockwise: bool = False*)

Rotation-invariant RoI align pooling layer for rotated proposals.

It accepts a feature map of shape (N, C, H, W) and rois with shape (n, 6) with each roi decoded as (batch_index, center_x, center_y, w, h, angle). The angle is in radian.

The details are described in the paper [ReDet: A Rotation-equivariant Detector for Aerial Object Detection](#).

参数

- **out_size** (*tuple*) –fixed dimensional RoI output with shape (h, w).
- **spatial_scale** (*float*) –scale the input boxes by this number
- **num_samples** (*int*) –number of inputs samples to take for each output sample. 0 to take samples densely for current models.
- **num_orientations** (*int*) –number of oriented channels.
- **clockwise** (*bool*) –If True, the angle in each proposal follows a clockwise fashion in image space, otherwise, the angle is counterclockwise. Default: False.

forward (*features: torch.Tensor*, *rois: torch.Tensor*) → torch.Tensor

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the Module instance afterwards instead of this since the former takes care of running the registered hooks while

the latter silently ignores them.

23.29 RoIAlign

class `mmcv.ops.RoIAlign` (*output_size: tuple, spatial_scale: float = 1.0, sampling_ratio: int = 0, pool_mode: str = 'avg', aligned: bool = True, use_torchvision: bool = False*)

RoI align pooling layer.

参数

- **output_size** (*tuple*) –h, w
- **spatial_scale** (*float*) –scale the input boxes by this number
- **sampling_ratio** (*int*) –number of inputs samples to take for each output sample. 0 to take samples densely for current models.
- **pool_mode** (*str*, 'avg' or 'max') –pooling mode in each bin.
- **aligned** (*bool*) –if False, use the legacy implementation in MMDetection. If True, align the results more perfectly.
- **use_torchvision** (*bool*) –whether to use `roi_align` from torchvision.

注解: The implementation of RoIAlign when `aligned=True` is modified from <https://github.com/facebookresearch/detectron2/>

The meaning of `aligned=True`:

Given a continuous coordinate `c`, its two neighboring pixel indices (in our pixel model) are computed by `floor(c - 0.5)` and `ceil(c - 0.5)`. For example, `c=1.3` has pixel neighbors with discrete indices `[0]` and `[1]` (which are sampled from the underlying signal at continuous coordinates `0.5` and `1.5`). But the original `roi_align` (`aligned=False`) does not subtract the `0.5` when computing neighboring pixel indices and therefore it uses pixels with a slightly incorrect alignment (relative to our pixel model) when performing bilinear interpolation.

With `aligned=True`, we first appropriately scale the ROI and then shift it by `-0.5` prior to calling `roi_align`. This produces the correct neighbors;

The difference does not make a difference to the model's performance if RoIAlign is used together with conv layers.

forward (*input: torch.Tensor, rois: torch.Tensor*) → *torch.Tensor*

参数

- **input** –NCHW images
- **rois** –Bx5 boxes. First column is the index into N. The other 4 columns are `xyxy`.

23.30 RoIAlignRotated

class mmdcv.ops.RoIAlignRotated (*output_size: Union[int, tuple], spatial_scale: float, sampling_ratio: int = 0, aligned: bool = True, clockwise: bool = False*)

RoI align pooling layer for rotated proposals.

It accepts a feature map of shape (N, C, H, W) and rois with shape (n, 6) with each roi decoded as (batch_index, center_x, center_y, w, h, angle). The angle is in radian.

参数

- **output_size** (*tuple*) –h, w
- **spatial_scale** (*float*) –scale the input boxes by this number
- **sampling_ratio** (*int*) –number of inputs samples to take for each output sample. 0 to take samples densely for current models.
- **aligned** (*bool*) –if False, use the legacy implementation in MMDetection. If True, align the results more perfectly. Default: True.
- **clockwise** (*bool*) –If True, the angle in each proposal follows a clockwise fashion in image space, otherwise, the angle is counterclockwise. Default: False.

注解: The implementation of RoIAlign when aligned=True is modified from <https://github.com/facebookresearch/detectron2/>

The meaning of aligned=True:

Given a continuous coordinate c , its two neighboring pixel indices (in our pixel model) are computed by $\text{floor}(c - 0.5)$ and $\text{ceil}(c - 0.5)$. For example, $c=1.3$ has pixel neighbors with discrete indices [0] and [1] (which are sampled from the underlying signal at continuous coordinates 0.5 and 1.5). But the original roi_align (aligned=False) does not subtract the 0.5 when computing neighboring pixel indices and therefore it uses pixels with a slightly incorrect alignment (relative to our pixel model) when performing bilinear interpolation.

With *aligned=True*, we first appropriately scale the ROI and then shift it by -0.5 prior to calling roi_align. This produces the correct neighbors;

The difference does not make a difference to the model's performance if ROIAlign is used together with conv layers.

forward (*input: torch.Tensor, rois: torch.Tensor*) → torch.Tensor

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the Module instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.31 RoIAwarePool3d

```
class mmcv.ops.RoIAwarePool3d (out_size: Union[int, tuple], max_pts_per_voxel: int = 128, mode: str = 'max')
```

Encode the geometry-specific features of each 3D proposal.

Please refer to [PartA2](#) for more details.

参数

- **out_size** (*int* or *tuple*) –The size of output features. n or [n1, n2, n3].
- **max_pts_per_voxel** (*int*, *optional*) –The maximum number of points per voxel. Default: 128.
- **mode** (*str*, *optional*) –Pooling method of RoIAware, ‘max’ or ‘avg’ . Default: ‘max’ .

```
forward (rois: torch.Tensor, pts: torch.Tensor, pts_feature: torch.Tensor) → torch.Tensor
```

参数

- **rois** (*torch.Tensor*) –[N, 7], in LiDAR coordinate, (x, y, z) is the bottom center of rois.
- **pts** (*torch.Tensor*) –[npoints, 3], coordinates of input points.
- **pts_feature** (*torch.Tensor*) –[npoints, C], features of input points.

返回 Pooled features whose shape is [N, out_x, out_y, out_z, C].

返回类型 *torch.Tensor*

23.32 RoIPointPool3d

```
class mmcv.ops.RoIPointPool3d (num_sampled_points: int = 512)
```

Encode the geometry-specific features of each 3D proposal.

Please refer to [Paper of PartA2](#) for more details.

参数 **num_sampled_points** (*int*, *optional*) –Number of samples in each roi. Default: 512.

```
forward (points: torch.Tensor, point_features: torch.Tensor, boxes3d: torch.Tensor) → Tuple[torch.Tensor]
```

参数

- **points** (*torch.Tensor*) –Input points whose shape is (B, N, C).
- **point_features** (*torch.Tensor*) –Features of input points whose shape is (B, N, C).
- **boxes3d** (*B*, *M*, *7*), Input bounding boxes whose shape is (*B*, *M*, *7*) –

返回 A tuple contains two elements. The first one is the pooled features whose shape is (B, M, 512, 3 + C). The second is an empty flag whose shape is (B, M).

返回类型 *tuple[torch.Tensor]*

23.33 RoIPool

class `mmdcv.ops.RoIPool` (*output_size: Union[int, tuple], spatial_scale: float = 1.0*)

forward (*input: torch.Tensor, rois: torch.Tensor*) → `torch.Tensor`

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.34 SAConv2d

class `mmdcv.ops.SAConv2d` (*in_channels, out_channels, kernel_size, stride=1, padding=0, dilation=1, groups=1, bias=True, use_deform=False*)

SAC (Switchable Atrous Convolution)

This is an implementation of [DetectoRS: Detecting Objects with Recursive Feature Pyramid and Switchable Atrous Convolution](#).

参数

- **in_channels** (*int*) –Number of channels in the input image
- **out_channels** (*int*) –Number of channels produced by the convolution
- **kernel_size** (*int or tuple*) –Size of the convolving kernel
- **stride** (*int or tuple, optional*) –Stride of the convolution. Default: 1
- **padding** (*int or tuple, optional*) –Zero-padding added to both sides of the input. Default: 0
- **padding_mode** (*string, optional*) –'zeros', 'reflect', 'replicate' or 'circular'. Default: 'zeros'
- **dilation** (*int or tuple, optional*) –Spacing between kernel elements. Default: 1
- **groups** (*int, optional*) –Number of blocked connections from input channels to output channels. Default: 1
- **bias** (*bool, optional*) –If True, adds a learnable bias to the output. Default: True
- **use_deform** –If True, replace convolution with deformable convolution. Default: False.

forward (*x*)

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while

the latter silently ignores them.

23.35 SigmoidFocalLoss

```
class mmcv.ops.SigmoidFocalLoss (gamma: float, alpha: float, weight: Optional[torch.Tensor] = None,
                                reduction: str = 'mean')
```

forward (input: torch.Tensor, target: Union[torch.LongTensor, torch.cuda.LongTensor]) → torch.Tensor

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.36 SimpleRoIAlign

```
class mmcv.ops.SimpleRoIAlign (output_size: Tuple[int], spatial_scale: float, aligned: bool = True)
```

forward (features: torch.Tensor, rois: torch.Tensor) → torch.Tensor

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.37 SoftmaxFocalLoss

```
class mmcv.ops.SoftmaxFocalLoss (gamma: float, alpha: float, weight: Optional[torch.Tensor] = None,
                                reduction: str = 'mean')
```

forward (input: torch.Tensor, target: Union[torch.LongTensor, torch.cuda.LongTensor]) → torch.Tensor

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.38 SparseConv2d

```
class mmcv.ops.SparseConv2d(in_channels, out_channels, kernel_size, stride=1, padding=0, dilation=1,  
                             groups=1, bias=True, indice_key=None)
```

23.39 SparseConv3d

```
class mmcv.ops.SparseConv3d(in_channels, out_channels, kernel_size, stride=1, padding=0, dilation=1,  
                             groups=1, bias=True, indice_key=None)
```

23.40 SparseConvTensor

```
class mmcv.ops.SparseConvTensor(features: torch.Tensor, indices: torch.Tensor, spatial_shape: Union[List,  
                                 Tuple], batch_size: int, grid: Optional[torch.Tensor] = None)
```

23.41 SparseConvTranspose2d

```
class mmcv.ops.SparseConvTranspose2d(in_channels, out_channels, kernel_size, stride=1, padding=0,  
                                       dilation=1, groups=1, bias=True, indice_key=None)
```

23.42 SparseConvTranspose3d

```
class mmcv.ops.SparseConvTranspose3d(in_channels, out_channels, kernel_size, stride=1, padding=0,  
                                       dilation=1, groups=1, bias=True, indice_key=None)
```

23.43 SparseInverseConv2d

```
class mmcv.ops.SparseInverseConv2d(in_channels, out_channels, kernel_size, indice_key=None,  
                                     bias=True)
```

23.44 SparseInverseConv3d

```
class mmcv.ops.SparseInverseConv3d(in_channels, out_channels, kernel_size, indice_key=None,  
                                     bias=True)
```

23.45 SparseMaxPool2d

```
class mmcv.ops.SparseMaxPool2d(kernel_size, stride=1, padding=0, dilation=1)
```

23.46 SparseMaxPool3d

```
class mmcv.ops.SparseMaxPool3d(kernel_size, stride=1, padding=0, dilation=1)
```

23.47 SparseModule

```
class mmcv.ops.SparseModule
    place holder, All module subclass from this will take sptensor in SparseSequential.
```

23.48 SparseSequential

```
class mmcv.ops.SparseSequential(*args, **kwargs)
```

A sequential container. Modules will be added to it in the order they are passed in the constructor. Alternatively, an ordered dict of modules can also be passed in.

To make it easier to understand, given is a small example:

```
.. rubric:: 示例
```

```
>>> # using Sequential:
>>> from mmcv.ops import SparseSequential
>>> model = SparseSequential(
    SparseConv2d(1, 20, 5),
    nn.ReLU(),
    SparseConv2d(20, 64, 5),
    nn.ReLU()
)
```

```
>>> # using Sequential with OrderedDict
>>> model = SparseSequential(OrderedDict([
    ('conv1', SparseConv2d(1, 20, 5)),
    ('relu1', nn.ReLU()),
    ('conv2', SparseConv2d(20, 64, 5)),
    ('relu2', nn.ReLU())
]))
```

```
>>> # using Sequential with kwargs (python 3.6+)
>>> model = SparseSequential(
    conv1=SparseConv2d(1, 20, 5),
    relu1=nn.ReLU(),
    conv2=SparseConv2d(20, 64, 5),
    relu2=nn.ReLU()
)
```


forward (*input: torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.49 SubMConv2d

```
class mmcv.ops.SubMConv2d(in_channels, out_channels, kernel_size, stride=1, padding=0, dilation=1,  
                           groups=1, bias=True, indice_key=None)
```

23.50 SubMConv3d

```
class mmcv.ops.SubMConv3d(in_channels, out_channels, kernel_size, stride=1, padding=0, dilation=1,  
                           groups=1, bias=True, indice_key=None)
```

23.51 SyncBatchNorm

```
class mmcv.ops.SyncBatchNorm(num_features: int, eps: float = 1e-05, momentum: float = 0.1, affine: bool =  
                             True, track_running_stats: bool = True, group: Optional[int] = None,  
                             stats_mode: str = 'default')
```

Synchronized Batch Normalization.

参数

- **num_features** (*int*) –number of features/channels in input tensor
- **eps** (*float, optional*) –a value added to the denominator for numerical stability. Defaults to 1e-5.
- **momentum** (*float, optional*) –the value used for the running_mean and running_var computation. Defaults to 0.1.
- **affine** (*bool, optional*) –whether to use learnable affine parameters. Defaults to True.
- **track_running_stats** (*bool, optional*) –whether to track the running mean and variance during training. When set to False, this module does not track such statistics, and initializes statistics buffers `running_mean` and `running_var` as None. When these buffers are None, this module always uses batch statistics in both training and eval modes. Defaults to True.
- **group** (*int, optional*) –synchronization of stats happen within each process group individually. By default it is synchronization across the whole world. Defaults to None.
- **stats_mode** (*str, optional*) –The statistical mode. Available options includes 'default' and 'N'. Defaults to 'default'. When `stats_mode=='default'`, it

computes the overall statistics using those from each worker with equal weight, i.e., the statistics are synchronized and simply divided by `group`. This mode will produce inaccurate statistics when empty tensors occur. When `stats_mode=='N'`, it compute the overall statistics using the total number of batches in each worker ignoring the number of `group`, i.e., the statistics are synchronized and then divided by the total batch `N`. This mode is beneficial when empty tensors occur during training, as it average the total mean by the real number of batch.

forward (*input: torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the `Module` instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

23.52 TINShift

class `mmcv.ops.TINShift`

Temporal Interlace Shift.

Temporal Interlace shift is a differentiable temporal-wise frame shifting which is proposed in “Temporal Interlacing Network”

Please refer to [Temporal Interlacing Network](#) for more details.

Code is modified from <https://github.com/mit-han-lab/temporal-shift-module>

forward (*input, shift*)

Perform temporal interlace shift.

参数

- **input** (*torch.Tensor*) –Feature map with shape `[N, num_segments, C, H * W]`.
- **shift** (*torch.Tensor*) –Shift tensor with shape `[N, num_segments]`.

返回 Feature map after temporal interlace shift.

23.53 Voxelization

class `mmcv.ops.Voxelization` (*voxel_size: List, point_cloud_range: List, max_num_points: int, max_voxels: Union[tuple, int] = 20000, deterministic: bool = True*)

Convert kitti points(`N`, `>=3`) to voxels.

Please refer to [Point-Voxel CNN for Efficient 3D Deep Learning](#) for more details.

参数

- **voxel_size** (*tuple or float*) –The size of voxel with the shape of `[3]`.
- **point_cloud_range** (*tuple or float*) –The coordinate range of voxel with the shape of `[6]`.
- **max_num_points** (*int*) –maximum points contained in a voxel. if `max_points=-1`, it means using `dynamic_voxelize`.

- **max_voxels** (*int*, *optional*) –maximum voxels this function create. for second, 20000 is a good choice. Users should shuffle points before call this function because max_voxels may drop points. Default: 20000.

forward (*input: torch.Tensor*) → *torch.Tensor*

Defines the computation performed at every call.

Should be overridden by all subclasses.

注解: Although the recipe for forward pass needs to be defined within this function, one should call the Module instance afterwards instead of this since the former takes care of running the registered hooks while the latter silently ignores them.

active_rotated_filter

assign_score_withk

ball_query

batched_nms

Performs non-maximum suppression in a batched fashion.

bbox_overlaps

Calculate overlap between two set of bboxes.

border_align

box_iou_rotated

Return intersection-over-union (Jaccard index) of boxes.

boxes_iou3d

Calculate boxes 3D IoU.

boxes_iou_bev

Calculate boxes IoU in the Bird's Eye View.

boxes_overlap_bev

Calculate boxes BEV overlap.

carafe

carafe_naive

chamfer_distance

contour_expand

Expand kernel contours so that foreground pixels are assigned into instances.

convex_giou

Return generalized intersection-over-union (Jaccard index) between point sets and polygons.

convex_iou

Return intersection-over-union (Jaccard index) between point sets and polygons.

deform_conv2d

deform_roi_pool

diff_iou_rotated_2d

Calculate differentiable iou of rotated 2d boxes.

diff_iou_rotated_3d

Calculate differentiable iou of rotated 3d boxes.

dynamic_scatter

furthest_point_sample

furthest_point_sample_with_dist

下页继续

表 2 - 续上页

<code>fused_bias_leakyrelu</code>	Fused bias leaky ReLU function.
<code>gather_points</code>	
<code>grouping_operation</code>	
<code>knn</code>	
<code>masked_conv2d</code>	
<code>min_area_polygons</code>	Find the smallest polygons that surrounds all points in the point sets.
<code>modulated_deform_conv2d</code>	
<code>nms</code>	Dispatch to either CPU or GPU NMS implementations.
<code>nms3d</code>	3D NMS function GPU implementation (for BEV boxes).
<code>nms3d_normal</code>	Normal 3D NMS function GPU implementation.
<code>nms_bev</code>	NMS function GPU implementation (for BEV boxes).
<code>nms_match</code>	Matched dets into different groups by NMS.
<code>nms_normal_bev</code>	Normal NMS function GPU implementation (for BEV boxes).
<code>nms_rotated</code>	Performs non-maximum suppression (NMS) on the rotated boxes according to their intersection-over-union (IoU).
<code>pixel_group</code>	Group pixels into text instances, which is widely used text detection methods.
<code>point_sample</code>	A wrapper around <code>grid_sample()</code> to support 3D point_coords tensors Unlike <code>torch.nn.functional.grid_sample()</code> it assumes point_coords to lie inside $[0, 1] \times [0, 1]$ square.
<code>points_in_boxes_all</code>	Find all boxes in which each point is (CUDA).
<code>points_in_boxes_cpu</code>	Find all boxes in which each point is (CPU).
<code>points_in_boxes_part</code>	Find the box in which each point is (CUDA).
<code>points_in_polygons</code>	Judging whether points are inside polygons, which is used in the ATSS assignment for the rotated boxes.
<code>prroi_pool</code>	
<code>rel_roi_point_to_rel_img_point</code>	Convert roi based relative point coordinates to image based absolute point coordinates.
<code>riroi_align_rotated</code>	
<code>roi_align</code>	
<code>roi_align_rotated</code>	
<code>roi_pool</code>	
<code>rotated_feature_align</code>	
<code>scatter_nd</code>	pytorch edition of tensorflow scatter_nd.

下页继续

表 2 - 续上页

<code>sigmoid_focal_loss</code>	
<code>soft_nms</code>	Dispatch to only CPU Soft NMS implementations.
<code>softmax_focal_loss</code>	
<code>three_interpolate</code>	
<code>three_nn</code>	
<code>tin_shift</code>	
<code>upfirdn2d</code>	Pad, upsample, filter, and downsample a batch of 2D images.
<code>voxelization</code>	

23.54 mmcv.ops.active_rotated_filter

`mmcv.ops.active_rotated_filter()`

23.55 mmcv.ops.assign_score_withk

`mmcv.ops.assign_score_withk()`

23.56 mmcv.ops.ball_query

`mmcv.ops.ball_query()`

23.57 mmcv.ops.batched_nms

`mmcv.ops.batched_nms` (*boxes*: *torch.Tensor*, *scores*: *torch.Tensor*, *idxs*: *torch.Tensor*, *nms_cfg*: *Optional[Dict]*, *class_agnostic*: *bool = False*) → *Tuple[torch.Tensor, torch.Tensor]*

Performs non-maximum suppression in a batched fashion.

Modified from [torchvision/ops/boxes.py#L39](#). In order to perform NMS independently per class, we add an offset to all the boxes. The offset is dependent only on the class idx, and is large enough so that boxes from different classes do not overlap.

注解: In v1.4.1 and later, `batched_nms` supports skipping the NMS and returns sorted raw results when *nms_cfg* is None.

参数

- **boxes** (*torch.Tensor*) – boxes in shape (N, 4) or (N, 5).

- **scores** (*torch.Tensor*) –scores in shape (N,).
- **idxs** (*torch.Tensor*) –each index value correspond to a bbox cluster, and NMS will not be applied between elements of different idxs, shape (N,).
- **nms_cfg** (*dict | optional*) –Supports skipping the nms when *nms_cfg* is None, otherwise it should specify nms type and other parameters like *iou_thr*. Possible keys includes the following.
 - *iou_threshold* (float): IoU threshold used for NMS.
 - *split_thr* (float): threshold number of boxes. In some cases the number of boxes is large (e.g., 200k). To avoid OOM during training, the users could set *split_thr* to a small value. If the number of boxes is greater than the threshold, it will perform NMS on each group of boxes separately and sequentially. Defaults to 10000.
- **class_agnostic** (*bool*) –if true, nms is class agnostic, i.e. IoU thresholding happens over all boxes, regardless of the predicted class. Defaults to False.

返回

kept dets and indice.

- **boxes** (Tensor): Bboxes with score after nms, has shape (num_bboxes, 5). last dimension 5 arrange as (x1, y1, x2, y2, score)
- **keep** (Tensor): The indices of remaining boxes in input boxes.

返回类型 *tuple*

23.58 mmcv.ops.bbox_overlaps

`mmcv.ops.bbox_overlaps` (*bboxes1: torch.Tensor, bboxes2: torch.Tensor, mode: str = 'iou', aligned: bool = False, offset: int = 0*) → *torch.Tensor*

Calculate overlap between two set of bboxes.

If *aligned* is False, then calculate the ious between each bbox of *bboxes1* and *bboxes2*, otherwise the ious between each aligned pair of *bboxes1* and *bboxes2*.

参数

- **bboxes1** (*torch.Tensor*) –shape (m, 4) in <x1, y1, x2, y2> format or empty.
- **bboxes2** (*torch.Tensor*) –shape (n, 4) in <x1, y1, x2, y2> format or empty. If *aligned* is True, then m and n must be equal.
- **mode** (*str*) –“iou” (intersection over union) or iof (intersection over foreground).

返回 Return the ious between boxes. If *aligned* is False, the shape of ious is (m, n) else (m, 1).

返回类型 *torch.Tensor*

示例

```
>>> bboxes1 = torch.FloatTensor([
>>>     [0, 0, 10, 10],
>>>     [10, 10, 20, 20],
>>>     [32, 32, 38, 42],
>>> ])
>>> bboxes2 = torch.FloatTensor([
>>>     [0, 0, 10, 20],
>>>     [0, 10, 10, 19],
>>>     [10, 10, 20, 20],
>>> ])
>>> bbox_overlaps(bboxes1, bboxes2)
tensor([[0.5000, 0.0000, 0.0000],
        [0.0000, 0.0000, 1.0000],
        [0.0000, 0.0000, 0.0000]])
```

示例

```
>>> empty = torch.FloatTensor([])
>>> nonempty = torch.FloatTensor([
>>>     [0, 0, 10, 9],
>>> ])
>>> assert tuple(bbox_overlaps(empty, nonempty).shape) == (0, 1)
>>> assert tuple(bbox_overlaps(nonempty, empty).shape) == (1, 0)
>>> assert tuple(bbox_overlaps(empty, empty).shape) == (0, 0)
```

23.59 mmcv.ops.border_align

`mmcv.ops.border_align()`

23.60 mmcv.ops.box_iou_rotated

`mmcv.ops.box_iou_rotated(bboxes1: torch.Tensor, bboxes2: torch.Tensor, mode: str = 'iou', aligned: bool = False, clockwise: bool = True) → torch.Tensor`

Return intersection-over-union (Jaccard index) of boxes.

Both sets of boxes are expected to be in (x_center, y_center, width, height, angle) format.

If `aligned` is `False`, then calculate the ious between each bbox of `bboxes1` and `bboxes2`, otherwise the ious between each aligned pair of `bboxes1` and `bboxes2`.

注解: The operator assumes:

- 1) The positive direction along x axis is left -> right.
- 2) The positive direction along y axis is top -> down.
- 3) The w border is in parallel with x axis when angle = 0.

However, there are 2 opposite definitions of the positive angular direction, clockwise (CW) and counter-clockwise (CCW). MMCV supports both definitions and uses CW by default.

Please set `clockwise=False` if you are using the CCW definition.

The coordinate system when `clockwise` is `True` (default)

```

0-----> x (0 rad)
|  A-----B
|  |           |
|  |   box     |
|  |  angle=0  |
|  D-----w---C
v
y (pi/2 rad)

```

In such coordination system the rotation matrix is

$$\begin{pmatrix} \cos \alpha & -\sin \alpha \\ \sin \alpha & \cos \alpha \end{pmatrix}$$

The coordinates of the corner point A can be calculated as:

$$\begin{aligned} P_A = \begin{pmatrix} x_A \\ y_A \end{pmatrix} &= \begin{pmatrix} x_{center} \\ y_{center} \end{pmatrix} + \begin{pmatrix} \cos \alpha & -\sin \alpha \\ \sin \alpha & \cos \alpha \end{pmatrix} \begin{pmatrix} -0.5w \\ -0.5h \end{pmatrix} \\ &= \begin{pmatrix} x_{center} - 0.5w \cos \alpha + 0.5h \sin \alpha \\ y_{center} - 0.5w \sin \alpha - 0.5h \cos \alpha \end{pmatrix} \end{aligned}$$

The coordinate system when `clockwise` is `False`

```

0-----> x (0 rad)
|  A-----B
|  |           |
|  |   box     |
|  |  angle=0  |
|  D-----w---C
v
y (-pi/2 rad)

```

In such coordination system the rotation matrix is

$$\begin{pmatrix} \cos \alpha & \sin \alpha \\ -\sin \alpha & \cos \alpha \end{pmatrix}$$

The coordinates of the corner point A can be calculated as:

$$\begin{aligned} P_A = \begin{pmatrix} x_A \\ y_A \end{pmatrix} &= \begin{pmatrix} x_{center} \\ y_{center} \end{pmatrix} + \begin{pmatrix} \cos \alpha & \sin \alpha \\ -\sin \alpha & \cos \alpha \end{pmatrix} \begin{pmatrix} -0.5w \\ -0.5h \end{pmatrix} \\ &= \begin{pmatrix} x_{center} - 0.5w \cos \alpha - 0.5h \sin \alpha \\ y_{center} + 0.5w \sin \alpha - 0.5h \cos \alpha \end{pmatrix} \end{aligned}$$

参数

- **boxes1** (*torch.Tensor*) –rotated bboxes 1. It has shape (N, 5), indicating (x, y, w, h, theta) for each row. Note that theta is in radian.
- **boxes2** (*torch.Tensor*) –rotated bboxes 2. It has shape (M, 5), indicating (x, y, w, h, theta) for each row. Note that theta is in radian.
- **mode** (*str*) –“iou” (intersection over union) or iof (intersection over foreground).

- **clockwise** (*bool*) –flag indicating whether the positive angular orientation is clockwise. default True. *New in version 1.4.3.*

返回 Return the ious between boxes. If aligned is False, the shape of ious is (N, M) else (N,).

返回类型 `torch.Tensor`

23.61 mmcv.ops.bboxes_iou3d

`mmcv.ops.bboxes_iou3d (boxes_a: torch.Tensor, boxes_b: torch.Tensor) → torch.Tensor`
Calculate boxes 3D IoU.

参数

- **boxes_a** (*torch.Tensor*) –Input boxes a with shape (M, 7).
- **boxes_b** (*torch.Tensor*) –Input boxes b with shape (N, 7).

返回 3D IoU result with shape (M, N).

返回类型 `torch.Tensor`

23.62 mmcv.ops.bboxes_iou_bev

`mmcv.ops.bboxes_iou_bev (boxes_a: torch.Tensor, boxes_b: torch.Tensor) → torch.Tensor`
Calculate boxes IoU in the Bird's Eye View.

参数

- **boxes_a** (*torch.Tensor*) –Input boxes a with shape (M, 5) ([x1, y1, x2, y2, ry]).
- **boxes_b** (*torch.Tensor*) –Input boxes b with shape (N, 5) ([x1, y1, x2, y2, ry]).

返回 IoU result with shape (M, N).

返回类型 `torch.Tensor`

23.63 mmcv.ops.bboxes_overlap_bev

`mmcv.ops.bboxes_overlap_bev (boxes_a: torch.Tensor, boxes_b: torch.Tensor) → torch.Tensor`
Calculate boxes BEV overlap.

参数

- **boxes_a** (*torch.Tensor*) –Input boxes a with shape (M, 7).
- **boxes_b** (*torch.Tensor*) –Input boxes b with shape (N, 7).

返回 BEV overlap result with shape (M, N).

返回类型 `torch.Tensor`

23.64 mmcv.ops.carafe

`mmcv.ops.carafe()`

23.65 mmcv.ops.carafe_naive

`mmcv.ops.carafe_naive()`

23.66 mmcv.ops.chamfer_distance

`mmcv.ops.chamfer_distance()`

23.67 mmcv.ops.contour_expand

`mmcv.ops.contour_expand(kernel_mask: Union[numpy.array, torch.Tensor], internal_kernel_label: Union[numpy.array, torch.Tensor], min_kernel_area: int, kernel_num: int) → list`
 Expand kernel contours so that foreground pixels are assigned into instances.

参数

- **kernel_mask** (*np.array* or *torch.Tensor*) –The instance kernel mask with size hwx.
- **internal_kernel_label** (*np.array* or *torch.Tensor*) –The instance internal kernel label with size hwx.
- **min_kernel_area** (*int*) –The minimum kernel area.
- **kernel_num** (*int*) –The instance kernel number.

返回 The instance index map with size hwx.

返回类型 *list*

23.68 mmcv.ops.convex_giou

`mmcv.ops.convex_giou(pointsets: torch.Tensor, polygons: torch.Tensor) → Tuple[torch.Tensor, torch.Tensor]`
 Return generalized intersection-over-union (Jaccard index) between point sets and polygons.

参数

- **pointsets** (*torch.Tensor*) –It has shape (N, 18), indicating (x1, y1, x2, y2, ..., x9, y9) for each row.
- **polygons** (*torch.Tensor*) –It has shape (N, 8), indicating (x1, y1, x2, y2, x3, y3, x4, y4) for each row.

返回 The first element is the gious between point sets and polygons with the shape (N,). The second element is the gradient of point sets with the shape (N, 18).

返回类型 *tuple[torch.Tensor, torch.Tensor]*

23.69 mmcv.ops.convex_iou

`mmcv.ops.convex_iou` (*pointsets: torch.Tensor, polygons: torch.Tensor*) → `torch.Tensor`

Return intersection-over-union (Jaccard index) between point sets and polygons.

参数

- **pointsets** (`torch.Tensor`) –It has shape (N, 18), indicating (x1, y1, x2, y2, ..., x9, y9) for each row.
- **polygons** (`torch.Tensor`) –It has shape (K, 8), indicating (x1, y1, x2, y2, x3, y3, x4, y4) for each row.

返回 Return the ious between point sets and polygons with the shape (N, K).

返回类型 `torch.Tensor`

23.70 mmcv.ops.deform_conv2d

`mmcv.ops.deform_conv2d()`

23.71 mmcv.ops.deform_roi_pool

`mmcv.ops.deform_roi_pool()`

23.72 mmcv.ops.diff_iou_rotated_2d

`mmcv.ops.diff_iou_rotated_2d` (*box1: torch.Tensor, box2: torch.Tensor*) → `torch.Tensor`

Calculate differentiable iou of rotated 2d boxes.

参数

- **box1** (`Tensor`) –(B, N, 5) First box.
- **box2** (`Tensor`) –(B, N, 5) Second box.

返回 (B, N) IoU.

返回类型 `Tensor`

23.73 mmcv.ops.diff_iou_rotated_3d

`mmcv.ops.diff_iou_rotated_3d` (*box3d1: torch.Tensor, box3d2: torch.Tensor*) → `torch.Tensor`

Calculate differentiable iou of rotated 3d boxes.

参数

- **box3d1** (`Tensor`) –(B, N, 3+3+1) First box (x,y,z,w,h,l,alpha).
- **box3d2** (`Tensor`) –(B, N, 3+3+1) Second box (x,y,z,w,h,l,alpha).

返回 (B, N) IoU.

返回类型 `Tensor`

23.74 `mmcv.ops.dynamic_scatter`

`mmcv.ops.dynamic_scatter()`

23.75 `mmcv.ops.furthest_point_sample`

`mmcv.ops.furthest_point_sample()`

23.76 `mmcv.ops.furthest_point_sample_with_dist`

`mmcv.ops.furthest_point_sample_with_dist()`

23.77 `mmcv.ops.fused_bias_leakyrelu`

`mmcv.ops.fused_bias_leakyrelu` (*input: torch.Tensor, bias: torch.nn.parameter.Parameter, negative_slope: float = 0.2, scale: float = 1.4142135623730951*) \rightarrow `torch.Tensor`

Fused bias leaky ReLU function.

This function is introduced in the StyleGAN2: [Analyzing and Improving the Image Quality of StyleGAN](#)

The bias term comes from the convolution operation. In addition, to keep the variance of the feature map or gradients unchanged, they also adopt a scale similarly with Kaiming initialization. However, since the $1 + \alpha^2$ is too small, we can just ignore it. Therefore, the final scale is just $\sqrt{2}$. Of course, you may change it with your own scale.

参数

- **input** (`torch.Tensor`) –Input feature map.
- **bias** (`nn.Parameter`) –The bias from convolution operation.
- **negative_slope** (`float, optional`) –Same as `nn.LeakyRelu`. Defaults to 0.2.
- **scale** (`float, optional`) –A scalar to adjust the variance of the feature map. Defaults to $2^{*}0.5$.

返回 Feature map after non-linear activation.

返回类型 `torch.Tensor`

23.78 mmcv.ops.gather_points

`mmcv.ops.gather_points()`

23.79 mmcv.ops.grouping_operation

`mmcv.ops.grouping_operation()`

23.80 mmcv.ops.knn

`mmcv.ops.knn()`

23.81 mmcv.ops.masked_conv2d

`mmcv.ops.masked_conv2d()`

23.82 mmcv.ops.min_area_polygons

`mmcv.ops.min_area_polygons` (*pointsets: torch.Tensor*) → *torch.Tensor*

Find the smallest polygons that surrounds all points in the point sets.

参数 *pointsets* (*Tensor*) –point sets with shape (N, 18).

返回 Return the smallest polygons with shape (N, 8).

返回类型 *torch.Tensor*

23.83 mmcv.ops.modulated_deform_conv2d

`mmcv.ops.modulated_deform_conv2d()`

23.84 mmcv.ops.nms

`mmcv.ops.nms` (*boxes: Union[torch.Tensor, numpy.ndarray]*, *scores: Union[torch.Tensor, numpy.ndarray]*,

iou_threshold: float, *offset: int = 0*, *score_threshold: float = 0*, *max_num: int = -1*) →

Tuple[Union[torch.Tensor, numpy.ndarray], Union[torch.Tensor, numpy.ndarray]]

Dispatch to either CPU or GPU NMS implementations.

The input can be either torch tensor or numpy array. GPU NMS will be used if the input is gpu tensor, otherwise CPU NMS will be used. The returned type will always be the same as inputs.

参数

- **boxes** (*torch.Tensor* or *np.ndarray*) –boxes in shape (N, 4).

- **scores** (*torch.Tensor* or *np.ndarray*) –scores in shape (N,).
- **iou_threshold** (*float*) –IoU threshold for NMS.
- **offset** (*int*, 0 or 1) –boxes' width or height is (x2 - x1 + offset).
- **score_threshold** (*float*) –score threshold for NMS.
- **max_num** (*int*) –maximum number of boxes after NMS.

返回 kept dets (boxes and scores) and indice, which always have the same data type as the input.

返回类型 *tuple*

示例

```
>>> boxes = np.array([[49.1, 32.4, 51.0, 35.9],
>>>                    [49.3, 32.9, 51.0, 35.3],
>>>                    [49.2, 31.8, 51.0, 35.4],
>>>                    [35.1, 11.5, 39.1, 15.7],
>>>                    [35.6, 11.8, 39.3, 14.2],
>>>                    [35.3, 11.5, 39.9, 14.5],
>>>                    [35.2, 11.7, 39.7, 15.7]], dtype=np.float32)
>>> scores = np.array([0.9, 0.9, 0.5, 0.5, 0.5, 0.4, 0.3], dtype=np.
↪float32)
>>> iou_threshold = 0.6
>>> dets, inds = nms(boxes, scores, iou_threshold)
>>> assert len(inds) == len(dets) == 3
```

23.85 mmcv.ops.nms3d

`mmcv.ops.nms3d` (boxes: *torch.Tensor*, scores: *torch.Tensor*, iou_threshold: *float*) → *torch.Tensor*
 3D NMS function GPU implementation (for BEV boxes).

参数

- **boxes** (*torch.Tensor*) –Input boxes with the shape of (N, 7) ([x, y, z, dx, dy, dz, heading]).
- **scores** (*torch.Tensor*) –Scores of boxes with the shape of (N).
- **iou_threshold** (*float*) –Overlap threshold of NMS.

返回 Indexes after NMS.

返回类型 *torch.Tensor*

23.86 mmcv.ops.nms3d_normal

`mmcv.ops.nms3d_normal` (*boxes*: `torch.Tensor`, *scores*: `torch.Tensor`, *iou_threshold*: `float`) → `torch.Tensor`

Normal 3D NMS function GPU implementation. The overlap of two boxes for IoU calculation is defined as the exact overlapping area of the two boxes WITH their yaw angle set to 0.

参数

- **boxes** (`torch.Tensor`) –Input boxes with shape (N, 7). ([x, y, z, dx, dy, dz, heading]).
- **scores** (`torch.Tensor`) –Scores of predicted boxes with shape (N).
- **iou_threshold** (`float`) –Overlap threshold of NMS.

返回 Remaining indices with scores in descending order.

返回类型 `torch.Tensor`

23.87 mmcv.ops.nms_bev

`mmcv.ops.nms_bev` (*boxes*: `torch.Tensor`, *scores*: `torch.Tensor`, *thresh*: `float`, *pre_max_size*: `Optional[int] = None`, *post_max_size*: `Optional[int] = None`) → `torch.Tensor`

NMS function GPU implementation (for BEV boxes).

The overlap of two boxes for IoU calculation is defined as the exact overlapping area of the two boxes. In this function, one can also set `pre_max_size` and `post_max_size`.

参数

- **boxes** (`torch.Tensor`) –Input boxes with the shape of (N, 5) ([x1, y1, x2, y2, ry]).
- **scores** (`torch.Tensor`) –Scores of boxes with the shape of (N,).
- **thresh** (`float`) –Overlap threshold of NMS.
- **pre_max_size** (`int`, *optional*) –Max size of boxes before NMS. Default: None.
- **post_max_size** (`int`, *optional*) –Max size of boxes after NMS. Default: None.

返回 Indexes after NMS.

返回类型 `torch.Tensor`

23.88 mmcv.ops.nms_match

`mmcv.ops.nms_match` (*dets*: `Union[torch.Tensor, numpy.ndarray]`, *iou_threshold*: `float`) → `List[Union[numpy.ndarray, torch.Tensor]]`

Matched dets into different groups by NMS.

NMS match is Similar to NMS but when a bbox is suppressed, nms match will record the indice of suppressed bbox and form a group with the indice of kept bbox. In each group, indice is sorted as score order.

参数

- **dets** (`torch.Tensor` | `np.ndarray`) –Det boxes with scores, shape (N, 5).
- **iou_threshold** (`float`) –IoU thresh for NMS.

返回 The outer list corresponds different matched group, the inner Tensor corresponds the indices for a group in score order.

返回类型 `list[torch.Tensor | np.ndarray]`

23.89 mmcv.ops.nms_normal_bev

`mmcv.ops.nms_normal_bev` (*boxes: torch.Tensor, scores: torch.Tensor, thresh: float*) → `torch.Tensor`

Normal NMS function GPU implementation (for BEV boxes).

The overlap of two boxes for IoU calculation is defined as the exact overlapping area of the two boxes WITH their yaw angle set to 0.

参数

- **boxes** (`torch.Tensor`) –Input boxes with shape (N, 5) ([x1, y1, x2, y2, ry]).
- **scores** (`torch.Tensor`) –Scores of predicted boxes with shape (N,).
- **thresh** (`float`) –Overlap threshold of NMS.

返回 Remaining indices with scores in descending order.

返回类型 `torch.Tensor`

23.90 mmcv.ops.nms_rotated

`mmcv.ops.nms_rotated` (*dets: torch.Tensor, scores: torch.Tensor, iou_threshold: float, labels: Optional[torch.Tensor] = None, clockwise: bool = True*) → `Tuple[torch.Tensor, torch.Tensor]`

Performs non-maximum suppression (NMS) on the rotated boxes according to their intersection-over-union (IoU).

Rotated NMS iteratively removes lower scoring rotated boxes which have an IoU greater than `iou_threshold` with another (higher scoring) rotated box.

参数

- **dets** (`torch.Tensor`) –Rotated boxes in shape (N, 5). They are expected to be in (x_ctr, y_ctr, width, height, angle_radian) format.
- **scores** (`torch.Tensor`) –scores in shape (N,).
- **iou_threshold** (`float`) –IoU thresh for NMS.
- **labels** (`torch.Tensor, optional`) –boxes' label in shape (N,).
- **clockwise** (`bool`) –flag indicating whether the positive angular orientation is clockwise. default True. *New in version 1.4.3.*

返回 kept dets(boxes and scores) and indice, which is always the same data type as the input.

返回类型 `tuple`

23.91 mmcv.ops.pixel_group

`mmcv.ops.pixel_group` (*score*: Union[numpy.ndarray, torch.Tensor], *mask*: Union[numpy.ndarray, torch.Tensor], *embedding*: Union[numpy.ndarray, torch.Tensor], *kernel_label*: Union[numpy.ndarray, torch.Tensor], *kernel_contour*: Union[numpy.ndarray, torch.Tensor], *kernel_region_num*: int, *distance_threshold*: float) → List[List[float]]

Group pixels into text instances, which is widely used text detection methods.

参数

- **score** (*np.array* or *torch.Tensor*) –The foreground score with size hwx.
- **mask** (*np.array* or *Tensor*) –The foreground mask with size hwx.
- **embedding** (*np.array* or *torch.Tensor*) –The embedding with size hwxw to distinguish instances.
- **kernel_label** (*np.array* or *torch.Tensor*) –The instance kernel index with size hwx.
- **kernel_contour** (*np.array* or *torch.Tensor*) –The kernel contour with size hwx.
- **kernel_region_num** (*int*) –The instance kernel region number.
- **distance_threshold** (*float*) –The embedding distance threshold between kernel and pixel in one instance.

返回 The instance coordinates and attributes list. Each element consists of averaged confidence, pixel number, and coordinates (x_i, y_i for all pixels) in order.

返回类型 list[list[float]]

23.92 mmcv.ops.point_sample

`mmcv.ops.point_sample` (*input*: torch.Tensor, *points*: torch.Tensor, *align_corners*: bool = False, **kwargs) → torch.Tensor

A wrapper around `grid_sample()` to support 3D point_coords tensors Unlike `torch.nn.functional.grid_sample()` it assumes point_coords to lie inside [0, 1] x [0, 1] square.

参数

- **input** (*torch.Tensor*) –Feature map, shape (N, C, H, W).
- **points** (*torch.Tensor*) –Image based absolute point coordinates (normalized), range [0, 1] x [0, 1], shape (N, P, 2) or (N, Hgrid, Wgrid, 2).
- **align_corners** (*bool*, optional) –Whether align_corners. Default: False

返回 Features of *point* on *input*, shape (N, C, P) or (N, C, Hgrid, Wgrid).

返回类型 torch.Tensor

23.93 mmcv.ops.points_in_boxes_all

`mmcv.ops.points_in_boxes_all` (*points*: `torch.Tensor`, *boxes*: `torch.Tensor`) → `torch.Tensor`

Find all boxes in which each point is (CUDA).

参数

- **points** (`torch.Tensor`) – [B, M, 3], [x, y, z] in LiDAR/DEPTH coordinate
- **boxes** (`torch.Tensor`) – [B, T, 7], num_valid_boxes ≤ T, [x, y, z, x_size, y_size, z_size, rz], (x, y, z) is the bottom center.

返回 Return the box indices of points with the shape of (B, M, T). Default background = 0.

返回类型 `torch.Tensor`

23.94 mmcv.ops.points_in_boxes_cpu

`mmcv.ops.points_in_boxes_cpu` (*points*: `torch.Tensor`, *boxes*: `torch.Tensor`) → `torch.Tensor`

Find all boxes in which each point is (CPU). The CPU version of `points_in_boxes_all()`.

参数

- **points** (`torch.Tensor`) – [B, M, 3], [x, y, z] in LiDAR/DEPTH coordinate
- **boxes** (`torch.Tensor`) – [B, T, 7], num_valid_boxes ≤ T, [x, y, z, x_size, y_size, z_size, rz], (x, y, z) is the bottom center.

返回 Return the box indices of points with the shape of (B, M, T). Default background = 0.

返回类型 `torch.Tensor`

23.95 mmcv.ops.points_in_boxes_part

`mmcv.ops.points_in_boxes_part` (*points*: `torch.Tensor`, *boxes*: `torch.Tensor`) → `torch.Tensor`

Find the box in which each point is (CUDA).

参数

- **points** (`torch.Tensor`) – [B, M, 3], [x, y, z] in LiDAR/DEPTH coordinate.
- **boxes** (`torch.Tensor`) – [B, T, 7], num_valid_boxes ≤ T, [x, y, z, x_size, y_size, z_size, rz] in LiDAR/DEPTH coordinate, (x, y, z) is the bottom center.

返回 Return the box indices of points with the shape of (B, M). Default background = -1.

返回类型 `torch.Tensor`

23.96 mmcv.ops.points_in_polygons

`mmcv.ops.points_in_polygons` (*points*: `torch.Tensor`, *polygons*: `torch.Tensor`) → `torch.Tensor`

Judging whether points are inside polygons, which is used in the ATSS assignment for the rotated boxes.

It should be noted that when the point is just at the polygon boundary, the judgment will be inaccurate, but the effect on assignment is limited.

参数

- **points** (`torch.Tensor`) –It has shape (B, 2), indicating (x, y). B means the number of predicted points.
- **polygons** (`torch.Tensor`) –It has shape (M, 8), indicating (x1, y1, x2, y2, x3, y3, x4, y4). M means the number of ground truth polygons.

返回 Return the result with the shape of (B, M), 1 indicates that the point is inside the polygon, 0 indicates that the point is outside the polygon.

返回类型 `torch.Tensor`

23.97 mmcv.ops.prroi_pool

`mmcv.ops.prroi_pool()`

23.98 mmcv.ops.rel_roi_point_to_rel_img_point

`mmcv.ops.rel_roi_point_to_rel_img_point` (*rois*: `torch.Tensor`, *rel_roi_points*: `torch.Tensor`, *img*: `Union[tuple, torch.Tensor]`, *spatial_scale*: `float = 1.0`) → `torch.Tensor`

Convert roi based relative point coordinates to image based absolute point coordinates.

参数

- **rois** (`torch.Tensor`) –RoIs or BBoxes, shape (N, 4) or (N, 5)
- **rel_roi_points** (`torch.Tensor`) –Point coordinates inside RoI, relative to RoI, location, range (0, 1), shape (N, P, 2)
- **img** (`tuple` or `torch.Tensor`) –(height, width) of image or feature map.
- **spatial_scale** (`float`, *optional*) –Scale points by this factor. Default: 1.

返回 Image based relative point coordinates for sampling, shape (N, P, 2).

返回类型 `torch.Tensor`

23.99 mmcv.ops.riroi_align_rotated

`mmcv.ops.riroi_align_rotated()`

23.100 mmcv.ops.roi_align

`mmcv.ops.roi_align()`

23.101 mmcv.ops.roi_align_rotated

`mmcv.ops.roi_align_rotated()`

23.102 mmcv.ops.roi_pool

`mmcv.ops.roi_pool()`

23.103 mmcv.ops.rotated_feature_align

`mmcv.ops.rotated_feature_align` (*features: torch.Tensor, best_rbboxes: torch.Tensor, spatial_scale: float = 0.125, points: int = 1*) → torch.Tensor

23.104 mmcv.ops.scatter_nd

`mmcv.ops.scatter_nd` (*indices: torch.Tensor, updates: torch.Tensor, shape: torch.Tensor*) → torch.Tensor
pytorch edition of tensorflow scatter_nd.

this function don't contain except handle code. so use this carefully when indice repeats, don't support repeat add which is supported in tensorflow.

23.105 mmcv.ops.sigmoid_focal_loss

`mmcv.ops.sigmoid_focal_loss()`

23.106 mmcv.ops.soft_nms

`mmcv.ops.soft_nms` (*boxes*: `Union[torch.Tensor, numpy.ndarray]`, *scores*: `Union[torch.Tensor, numpy.ndarray]`, *iou_threshold*: `float = 0.3`, *sigma*: `float = 0.5`, *min_score*: `float = 0.001`, *method*: `str = 'linear'`, *offset*: `int = 0`) → `Tuple[Union[torch.Tensor, numpy.ndarray], Union[torch.Tensor, numpy.ndarray]]`

Dispatch to only CPU Soft NMS implementations.

The input can be either a torch tensor or numpy array. The returned type will always be the same as inputs.

参数

- **boxes** (`torch.Tensor` or `np.ndarray`) –boxes in shape (N, 4).
- **scores** (`torch.Tensor` or `np.ndarray`) –scores in shape (N,).
- **iou_threshold** (`float`) –IoU threshold for NMS.
- **sigma** (`float`) –hyperparameter for gaussian method
- **min_score** (`float`) –score filter threshold
- **method** (`str`) –either ‘linear’ or ‘gaussian’
- **offset** (`int`, 0 or 1) –boxes’ width or height is (x2 - x1 + offset).

返回 kept dets (boxes and scores) and indice, which always have the same data type as the input.

返回类型 `tuple`

示例

```
>>> boxes = np.array([[4., 3., 5., 3.],
>>>                    [4., 3., 5., 4.],
>>>                    [3., 1., 3., 1.],
>>>                    [3., 1., 3., 1.],
>>>                    [3., 1., 3., 1.],
>>>                    [3., 1., 3., 1.]], dtype=np.float32)
>>> scores = np.array([0.9, 0.9, 0.5, 0.5, 0.4, 0.0], dtype=np.float32)
>>> iou_threshold = 0.6
>>> dets, inds = soft_nms(boxes, scores, iou_threshold, sigma=0.5)
>>> assert len(inds) == len(dets) == 5
```

23.107 mmcv.ops.softmax_focal_loss

`mmcv.ops.softmax_focal_loss` ()

23.108 mmcv.ops.three_interpolate

`mmcv.ops.three_interpolate()`

23.109 mmcv.ops.three_nn

`mmcv.ops.three_nn()`

23.110 mmcv.ops.tin_shift

`mmcv.ops.tin_shift()`

23.111 mmcv.ops.upfirdn2d

`mmcv.ops.upfirdn2d` (*input*: `torch.Tensor`, *filter*: `torch.Tensor`, *up*: `int = 1`, *down*: `int = 1`, *padding*: `Union[int, List[int]] = 0`, *flip_filter*: `bool = False`, *gain*: `Union[float, int] = 1`, *use_custom_op*: `bool = True`)

Pad, upsample, filter, and downsample a batch of 2D images.

Performs the following sequence of operations for each channel:

1. Upsample the image by inserting N-1 zeros after each pixel (*up*).
2. Pad the image with the specified number of zeros on each side (*padding*). Negative padding corresponds to cropping the image.
3. Convolve the image with the specified 2D FIR filter (*f*), shrinking it so that the footprint of all output pixels lies within the input image.
4. Downsample the image by keeping every Nth pixel (*down*).

This sequence of operations bears close resemblance to `scipy.signal.upfirdn()`.

The fused op is considerably more efficient than performing the same calculation using standard PyTorch ops. It supports gradients of arbitrary order.

参数

- **input** (`torch.Tensor`) –Float32/float64/float16 input tensor of the shape `[batch_size, num_channels, in_height, in_width]`.
- **filter** (`torch.Tensor`) –Float32 FIR filter of the shape `[filter_height, filter_width]` (non-separable), `[filter_taps]` (separable), or `None` (identity).
- **up** (`int`) –Integer upsampling factor. Can be a single int or a list/tuple `[x, y]`. Defaults to 1.
- **down** (`int`) –Integer downsampling factor. Can be a single int or a list/tuple `[x, y]`. Defaults to 1.
- **padding** (`int | tuple[int]`) –Padding with respect to the upsampled image. Can be a single number or a list/tuple `[x, y]` or `[x_before, x_after, y_before, y_after]`. Defaults to 0.
- **flip_filter** (`bool`) –False = convolution, True = correlation. Defaults to False.

- **gain** (*int*) –Overall scaling factor for signal magnitude. Defaults to 1.
- **use_custom_op** (*bool*) –Whether to use customized op. Defaults to True.

返回 Tensor of the shape *[batch_size, num_channels, out_height, out_width]*

23.112 mmcv.ops.voxelization

`mmcv.ops.voxelization()`

BaseTransform

Base class for all transformations.

*TestTimeAug*Test-time augmentation transform.

24.1 BaseTransform

class `mmcv.transforms.BaseTransform`

Base class for all transformations.

abstract transform (*results: Dict*) \rightarrow Optional[Union[Dict, Tuple[List, List]]]

The transform function. All subclass of BaseTransform should override this method.

This function takes the result dict as the input, and can add new items to the dict or modify existing items in the dict. And the result dict will be returned in the end, which allows to concatenate multiple transforms into a pipeline.

参数 **results** (*dict*) – The result dict.

返回 The result dict.

返回类型 *dict*

24.2 TestTimeAug

class `mmcv.transforms.TestTimeAug` (*transforms: list*)

Test-time augmentation transform.

An example configuration is as followed:

```
dict(type='TestTimeAug',
      transforms=[
        [dict(type='Resize', scale=(1333, 400), keep_ratio=True),
         dict(type='Resize', scale=(1333, 800), keep_ratio=True)],
        [dict(type='RandomFlip', prob=1.),
         dict(type='RandomFlip', prob=0.)],
        [dict(type='PackDetInputs',
              meta_keys=('img_id', 'img_path', 'ori_shape',
                        'img_shape', 'scale_factor', 'flip',
                        'flip_direction'))]])
```

`results` will be transformed using all transforms defined in `transforms` arguments.

For the above configuration, there are four combinations of resize and flip:

- Resize to (1333, 400) + no flip
- Resize to (1333, 400) + flip
- Resize to (1333, 800) + no flip
- resize to (1333, 800) + flip

After that, results are wrapped into lists of the same length as below:

```
dict(
  inputs=[...],
  data_samples=[...]
)
```

The length of `inputs` and `data_samples` are both 4.

Required Keys:

- Depending on the requirements of the `transforms` parameter.

Modified Keys:

- All output keys of each transform.

参数 `transforms` (*list[list[dict]]*) –Transforms to be applied to data sampled from dataset. `transforms` is a list of list, and each list element usually represents a series of transforms with the same type and different arguments. Data will be processed by each list elements sequentially. See more information in `transform()`.

`transform` (*results: dict*) → *dict*

Apply all transforms defined in `transforms` to the results.

As the example given in `TestTimeAug`, `transforms` consists of 2 `Resize`, 2 `RandomFlip` and 1 `PackDetInputs`. The data sampled from dataset will be processed as follows:

1. Data will be processed by 2 `Resize` and return a list of 2 results.
2. Each result in list will be further passed to 2 `RandomFlip`, and aggregates into a list of 4 results.

- Each result will be processed by `PackDetInputs`, and return a list of dict.
- Aggregates the same fields of results, and finally returns a dict. Each value of the dict represents 4 transformed results.

参数 `results` (*dict*) –Result dict contains the data to transform.

返回 The augmented data, where each value is wrapped into a list.

返回类型 `dict`

24.3 Loading

<code>LoadAnnotations</code>	Load and process the instances and seg_map annotation provided by dataset.
<code>LoadImageFromFile</code>	Load an image from file.

24.3.1 LoadAnnotations

class `mmcv.transforms.LoadAnnotations` (*with_bbox: bool = True, with_label: bool = True, with_seg: bool = False, with_keypoints: bool = False, imdecode_backend: str = 'cv2', file_client_args: Optional[dict] = None, *, backend_args: Optional[dict] = None*)

Load and process the instances and seg_map annotation provided by dataset.

The annotation format is as the following:

```
{
  'instances':
  [
    {
      # List of 4 numbers representing the bounding box of the
      # instance, in (x1, y1, x2, y2) order.
      'bbox': [x1, y1, x2, y2],

      # Label of image classification.
      'bbox_label': 1,

      # Used in key point detection.
      # Can only load the format of [x1, y1, v1, ..., xn, yn, vn]. v[i]
      # means the visibility of this keypoint. n must be equal to the
      # number of keypoint categories.
      'keypoints': [x1, y1, v1, ..., xn, yn, vn]
    }
  ]
  # Filename of semantic or panoptic segmentation ground truth file.
  'seg_map_path': 'a/b/c'
}
```

After this module, the annotation has been changed to the format below:

```
{
  # In (x1, y1, x2, y2) order, float type. N is the number of bboxes
  # in np.float32
```

(下页继续)

(续上页)

```

'gt_bboxes': np.ndarray(N, 4)
# In np.int64 type.
'gt_bboxes_labels': np.ndarray(N, )
# In uint8 type.
'gt_seg_map': np.ndarray (H, W)
# with (x, y, v) order, in np.float32 type.
'gt_keypoints': np.ndarray(N, NK, 3)
}

```

Required Keys:

- instances
 - bbox (optional)
 - bbox_label
 - keypoints (optional)
- seg_map_path (optional)

Added Keys:

- gt_bboxes (np.float32)
- gt_bboxes_labels (np.int64)
- gt_seg_map (np.uint8)
- gt_keypoints (np.float32)

参数

- **with_bbox** (*bool*) – Whether to parse and load the bbox annotation. Defaults to True.
- **with_label** (*bool*) – Whether to parse and load the label annotation. Defaults to True.
- **with_seg** (*bool*) – Whether to parse and load the semantic segmentation annotation. Defaults to False.
- **with_keypoints** (*bool*) – Whether to parse and load the keypoints annotation. Defaults to False.
- **imdecode_backend** (*str*) – The image decoding backend type. The backend argument for `mmcv.imfrombytes()`. See `mmcv.imfrombytes()` for details. Defaults to 'cv2'.
- **file_client_args** (*dict, optional*) – Arguments to instantiate a FileClient. See `mmengine.fileio.FileClient` for details. Defaults to None. It will be deprecated in future. Please use `backend_args` instead. Deprecate in version 2.0.0rc4.
- **backend_args** (*dict, optional*) – Instantiates the corresponding file backend. It may contain *backend* key to specify the file backend. If it contains, the file backend corresponding to this value will be used and initialized with the remaining values, otherwise the corresponding file backend will be selected based on the prefix of the file path. Defaults to None. New in version 2.0.0rc4.

transform (*results: dict*) → *dict*

Function to load multiple types annotations.

参数 results (*dict*) – Result dict from `mmengine.dataset.BaseDataset`.

返回 The dict contains loaded bounding box, label and semantic segmentation and keypoints annotations.

返回类型 dict

24.3.2 LoadImageFromFile

```
class mmcv.transforms.LoadImageFromFile (to_float32: bool = False, color_type: str = 'color',
                                         imdecode_backend: str = 'cv2', file_client_args:
                                         Optional[dict] = None, ignore_empty: bool = False, *,
                                         backend_args: Optional[dict] = None)
```

Load an image from file.

Required Keys:

- img_path

Modified Keys:

- img
- img_shape
- ori_shape

参数

- **to_float32** (bool) –Whether to convert the loaded image to a float32 numpy array. If set to False, the loaded image is an uint8 array. Defaults to False.
- **color_type** (str) –The flag argument for `mmcv.imfrombytes()`. Defaults to 'color'.
- **imdecode_backend** (str) –The image decoding backend type. The backend argument for `mmcv.imfrombytes()`. See `mmcv.imfrombytes()` for details. Defaults to 'cv2'.
- **file_client_args** (dict, optional) –Arguments to instantiate a FileClient. See `mmengine.fileio.FileClient` for details. Defaults to None. It will be deprecated in future. Please use `backend_args` instead. Deprecated in version 2.0.0rc4.
- **ignore_empty** (bool) –Whether to allow loading empty image or file path not existent. Defaults to False.
- **backend_args** (dict, optional) –Instantiates the corresponding file backend. It may contain `backend` key to specify the file backend. If it contains, the file backend corresponding to this value will be used and initialized with the remaining values, otherwise the corresponding file backend will be selected based on the prefix of the file path. Defaults to None. New in version 2.0.0rc4.

transform (results: dict) → Optional[dict]

Functions to load image.

参数 results (dict) –Result dict from `mmengine.dataset.BaseDataset`.

返回 The dict contains loaded image and meta information.

返回类型 dict

24.4 Processing

<i>CenterCrop</i>	Crop the center of the image, segmentation masks, bounding boxes and key points.
<i>MultiScaleFlipAug</i>	Test-time augmentation with multiple scales and flipping.
<i>Normalize</i>	Normalize the image.
<i>Pad</i>	Pad the image & segmentation map.
<i>RandomChoiceResize</i>	Resize images & bbox & mask from a list of multiple scales.
<i>RandomFlip</i>	Flip the image & bbox & keypoints & segmentation map.
<i>RandomGrayscale</i>	Randomly convert image to grayscale with a probability.
<i>RandomResize</i>	Random resize images & bbox & keypoints.
<i>Resize</i>	Resize images & bbox & seg & keypoints.
<i>ToTensor</i>	Convert some results to <code>torch.Tensor</code> by given keys.
<i>ImageToTensor</i>	Convert image to <code>torch.Tensor</code> by given keys.

24.4.1 CenterCrop

class `mmcv.transforms.CenterCrop` (*crop_size*: `Union[int, Tuple[int, int]]`, *auto_pad*: `bool = False`, *pad_cfg*: `dict = {'type': 'Pad'}`, *clip_object_border*: `bool = True`)

Crop the center of the image, segmentation masks, bounding boxes and key points. If the crop area exceeds the original image and `auto_pad` is True, the original image will be padded before cropping.

Required Keys:

- `img`
- `gt_seg_map` (optional)
- `gt_bboxes` (optional)
- `gt_keypoints` (optional)

Modified Keys:

- `img`
- `img_shape`
- `gt_seg_map` (optional)
- `gt_bboxes` (optional)
- `gt_keypoints` (optional)

Added Key:

- `pad_shape`

参数

- **`crop_size`** (`Union[int, Tuple[int, int]]`) – Expected size after cropping with the format of (w, h). If set to an integer, then cropping width and height are equal to this integer.
- **`auto_pad`** (`bool`) – Whether to pad the image if it's smaller than the `crop_size`. Defaults to False.

- **pad_cfg** (*dict*) –Base config for padding. Refer to `mmcv.Pad` for detail. Defaults to `dict(type='Pad')`.
- **clip_object_border** (*bool*) –Whether to clip the objects outside the border of the image. In some dataset like MOT17, the gt bboxes are allowed to cross the border of images. Therefore, we don't need to clip the gt bboxes in these cases. Defaults to `True`.

transform (*results: dict*) → *dict*

Apply center crop on results.

参数 **results** (*dict*) –Result dict contains the data to transform.

返回 Results with CenterCropped image and semantic segmentation map.

返回类型 *dict*

24.4.2 MultiScaleFlipAug

```
class mmcv.transforms.MultiScaleFlipAug(transforms: List[dict], scales: Optional[Union[Tuple, List[Tuple]]] = None, scale_factor: Optional[Union[float, List[float]]] = None, allow_flip: bool = False, flip_direction: Union[str, List[str]] = 'horizontal', resize_cfg: dict = {'keep_ratio': True, 'type': 'Resize'}, flip_cfg: dict = {'type': 'RandomFlip'})
```

Test-time augmentation with multiple scales and flipping.

An example configuration is as followed:

```
dict(
    type='MultiScaleFlipAug',
    scales=[(1333, 400), (1333, 800)],
    flip=True,
    transforms=[
        dict(type='Normalize', **img_norm_cfg),
        dict(type='Pad', size_divisor=1),
        dict(type='ImageToTensor', keys=['img']),
        dict(type='Collect', keys=['img'])
    ])
```

`results` will be resized using all the sizes in `scales`. If `flip` is `True`, then flipped results will also be added into output list.

For the above configuration, there are four combinations of resize and flip:

- Resize to (1333, 400) + no flip
- Resize to (1333, 400) + flip
- Resize to (1333, 800) + no flip
- resize to (1333, 800) + flip

The four results are then transformed with `transforms` argument. After that, results are wrapped into lists of the same length as below:

```
dict(
    inputs=[...],
    data_samples=[...]
)
```

Where the length of `inputs` and `data_samples` are both 4.

Required Keys:

- Depending on the requirements of the `transforms` parameter.

Modified Keys:

- All output keys of each transform.

参数

- **transforms** (*list[dict]*) –Transforms to be applied to each resized and flipped data.
- **scales** (*tuple | list[tuple] | None*) –Images scales for resizing.
- **scale_factor** (*float or tuple[float]*) –Scale factors for resizing. Defaults to `None`.
- **allow_flip** (*bool*) –Whether apply flip augmentation. Defaults to `False`.
- **flip_direction** (*str | list[str]*) –Flip augmentation directions, options are “horizontal”, “vertical” and “diagonal”. If `flip_direction` is a list, multiple flip augmentations will be applied. It has no effect when `flip == False`. Defaults to “horizontal”.
- **resize_cfg** (*dict*) –Base config for resizing. Defaults to `dict(type='Resize', keep_ratio=True)`.
- **flip_cfg** (*dict*) –Base config for flipping. Defaults to `dict(type='RandomFlip')`.

transform (*results: dict*) → Dict

Apply test time augment transforms on results.

参数 **results** (*dict*) –Result dict contains the data to transform.

返回 The augmented data, where each value is wrapped into a list.

返回类型 *dict*

24.4.3 Normalize

```
class mmcv.transforms.Normalize (mean: Sequence[Union[int, float]], std: Sequence[Union[int, float]],  
                                to_rgb: bool = True)
```

Normalize the image.

Required Keys:

- `img`

Modified Keys:

- `img`

Added Keys:

- `img_norm_cfg`
 - `mean`
 - `std`
 - `to_rgb`

参数

- **mean** (*sequence*) –Mean values of 3 channels.
- **std** (*sequence*) –Std values of 3 channels.
- **to_rgb** (*bool*) –Whether to convert the image from BGR to RGB before normlizing the image. If `to_rgb=True`, the order of mean and std should be RGB. If `to_rgb=False`, the order of mean and std should be the same order of the image. Defaults to `True`.

transform (*results: dict*) → *dict*

Function to normalize images.

参数 **results** (*dict*) –Result dict from loading pipeline.

返回 Normalized results, key ‘img_norm_cfg’ key is added in to result dict.

返回类型 *dict*

24.4.4 Pad

```
class mmcv.transforms.Pad (size: Optional[Tuple[int, int]] = None, size_divisor: Optional[int] = None,  
                           pad_to_square: bool = False, pad_val: Union[int, float, dict] = {'img': 0, 'seg':  
                           255}, padding_mode: str = 'constant')
```

Pad the image & segmentation map.

There are three padding modes: (1) pad to a fixed size and (2) pad to the minimum size that is divisible by some number. and (3) pad to square. Also, pad to square and pad to the minimum size can be used as the same time.

Required Keys:

- `img`
- `gt_bboxes` (optional)
- `gt_seg_map` (optional)

Modified Keys:

- `img`
- `gt_seg_map`
- `img_shape`

Added Keys:

- `pad_shape`
- `pad_fixed_size`
- `pad_size_divisor`

参数

- **size** (*tuple, optional*) –Fixed padding size. Expected padding shape (w, h). Defaults to `None`.
- **size_divisor** (*int, optional*) –The divisor of padded size. Defaults to `None`.
- **pad_to_square** (*bool*) –Whether to pad the image into a square. Currently only used for YOLOX. Defaults to `False`.

- **pad_val** (*Number* | *dict[str, Number]*, *optional*) –Padding value for if the pad_mode is “constant” . If it is a single number, the value to pad the image is the number and to pad the semantic segmentation map is 255. If it is a dict, it should have the following keys:
 - img: The value to pad the image.
 - seg: The value to pad the semantic segmentation map.Defaults to dict(img=0, seg=255).
- **padding_mode** (*str*) –Type of padding. Should be: constant, edge, reflect or symmetric. Defaults to ‘constant’ .
 - constant: pads with a constant value, this value is specified with pad_val.
 - edge: pads with the last value at the edge of the image.
 - reflect: pads with reflection of image without repeating the last value on the edge. For example, padding [1, 2, 3, 4] with 2 elements on both sides in reflect mode will result in [3, 2, 1, 2, 3, 4, 3, 2].
 - symmetric: pads with reflection of image repeating the last value on the edge. For example, padding [1, 2, 3, 4] with 2 elements on both sides in symmetric mode will result in [2, 1, 1, 2, 3, 4, 4, 3]

transform (*results: dict*) → *dict*

Call function to pad images, masks, semantic segmentation maps.

参数 **results** (*dict*) –Result dict from loading pipeline.

返回 Updated result dict.

返回类型 *dict*

24.4.5 RandomChoiceResize

class mmcv.transforms.**RandomChoiceResize** (*scales: Sequence[Union[int, Tuple]]*, *resize_type: str = 'Resize'*, ***resize_kwargs*)

Resize images & bbox & mask from a list of multiple scales.

This transform resizes the input image to some scale. Bboxes and masks are then resized with the same scale factor. Resize scale will be randomly selected from *scales*.

How to choose the target scale to resize the image will follow the rules below:

- if *scale* is a list of tuple, the target scale is sampled from the list uniformly.
- if *scale* is a tuple, the target scale will be set to the tuple.

Required Keys:

- img
- gt_bboxes (optional)
- gt_seg_map (optional)
- gt_keypoints (optional)

Modified Keys:

- img

- `img_shape`
- `gt_bboxes` (optional)
- `gt_seg_map` (optional)
- `gt_keypoints` (optional)

Added Keys:

- `scale`
- `scale_factor`
- `scale_idx`
- `keep_ratio`

参数

- **scales** (*Union[list, Tuple]*) –Images scales for resizing.
- **resize_type** (*str*) –The type of resize class to use. Defaults to “Resize” .
- ****resize_kwargs** –Other keyword arguments for the `resize_type`.

注解: By defaults, the `resize_type` is “Resize” , if it’ s not overwritten by your registry, it indicates the `mmcv.Resize`. And therefore, `resize_kwargs` accepts any keyword arguments of it, like `keep_ratio`, `interpolation` and so on.

If you want to use your custom resize class, the class should accept `scale` argument and have `scale` attribution which determines the resize shape.

transform (*results: dict*) → *dict*

Apply resize transforms on results from a list of scales.

参数 results (*dict*) –Result dict contains the data to transform.

返回 Resized results, ‘img’ , ‘gt_bboxes’ , ‘gt_seg_map’ , ‘gt_keypoints’ , ‘scale’ , ‘scale_factor’ , ‘img_shape’ , and ‘keep_ratio’ keys are updated in result dict.

返回类型 *dict*

24.4.6 RandomFlip

class `mmcv.transforms.RandomFlip` (*prob: Optional[Union[float, Iterable[float]]] = None, direction: Union[str, Sequence[Optional[str]]] = 'horizontal', swap_seg_labels: Optional[Sequence] = None*)

Flip the image & bbox & keypoints & segmentation map. Added or Updated keys: `flip`, `flip_direction`, `img`, `gt_bboxes`, `gt_seg_map`, and `gt_keypoints`. There are 3 flip modes:

- `prob` is float, `direction` is string: the image will be `direction`’ly flipped with probability of `prob`. E.g., `prob=0.5, direction='horizontal'`, then image will be horizontally flipped with probability of 0.5.
- `prob` is float, `direction` is list of string: the image will be `direction[i]`’ly flipped with probability of `prob/len(direction)`. E.g., `prob=0.5, direction=['horizontal', 'vertical']`, then image will be horizontally flipped with probability of 0.25, vertically with probability of 0.25.

- `prob` is list of float, `direction` is list of string: given `len(prob) == len(direction)`, the image will be `direction[i]`'ly flipped with probability of `prob[i]`. E.g., `prob=[0.3, 0.5]`, `direction=['horizontal', 'vertical']`, then image will be horizontally flipped with probability of 0.3, vertically with probability of 0.5.

Required Keys:

- `img`
- `gt_bboxes` (optional)
- `gt_seg_map` (optional)
- `gt_keypoints` (optional)

Modified Keys:

- `img`
- `gt_bboxes` (optional)
- `gt_seg_map` (optional)
- `gt_keypoints` (optional)

Added Keys:

- `flip`
- `flip_direction`
- `swap_seg_labels` (optional)

参数

- **`prob`** (*float* | *list[float]*, *optional*) –The flipping probability. Defaults to None.
- **`direction`** (*str* | *list[str]*) –The flipping direction. Options If input is a list, the length must equal `prob`. Each element in `prob` indicates the flip probability of corresponding direction. Defaults to `'horizontal'`.
- **`swap_seg_labels`** (*list*, *optional*) –The label pair need to be swapped for ground truth, like `'left arm'` and `'right arm'` need to be swapped after horizontal flipping. For example, `[(1, 5)]`, where 1/5 is the label of the left/right arm. Defaults to None.

`transform` (*results: dict*) → *dict*

Transform function to flip images, bounding boxes, semantic segmentation map and keypoints.

参数 **`results`** (*dict*) –Result dict from loading pipeline.

返回 Flipped results, `'img'`, `'gt_bboxes'`, `'gt_seg_map'`, `'gt_keypoints'`, `'flip'`, and `'flip_direction'` keys are updated in result dict.

返回类型 *dict*

24.4.7 RandomGrayscale

class mmcv.transforms.**RandomGrayscale** (*prob: float = 0.1, keep_channels: bool = False, channel_weights: Sequence[float] = (1.0, 1.0, 1.0), color_format: str = 'bgr'*)

Randomly convert image to grayscale with a probability.

Required Key:

- img

Modified Key:

- img

Added Keys:

- grayscale
- grayscale_weights

参数

- **prob** (*float*) –Probability that image should be converted to grayscale. Defaults to 0.1.
- **keep_channels** (*bool*) –Whether keep channel number the same as input. Defaults to False.
- **channel_weights** (*tuple*) –The grayscale weights of each channel, and the weights will be normalized. For example, (1, 2, 1) will be normalized as (0.25, 0.5, 0.25). Defaults to (1., 1., 1.).
- **color_format** (*str*) –Color format set to be any of 'bgr', 'rgb', 'hsv'. Note: 'hsv' image will be transformed into 'bgr' format no matter whether it is grayscale. Defaults to 'bgr'.

transform (*results: dict*) → dict

Apply random grayscale on results.

参数 **results** (*dict*) –Result dict contains the data to transform.

返回 Results with grayscale image.

返回类型 dict

24.4.8 RandomResize

class mmcv.transforms.**RandomResize** (*scale: Union[Tuple[int, int], Sequence[Tuple[int, int]]], ratio_range: Optional[Tuple[float, float]] = None, resize_type: str = 'Resize', **resize_kwargs*)

Random resize images & bbox & keypoints.

How to choose the target scale to resize the image will follow the rules below:

- if `scale` is a sequence of tuple

$$target_scale[0] \sim Uniform([scale[0][0], scale[1][0]])$$

$$target_scale[1] \sim Uniform([scale[0][1], scale[1][1]])$$

Following the resize order of weight and height in cv2, `scale[i][0]` is for width, and `scale[i][1]` is for height.

- if `scale` is a tuple

$$target_scale[0] \sim Uniform([ratio_range[0], ratio_range[1]]) * scale[0]$$

$$target_scale[1] \sim Uniform([ratio_range[0], ratio_range[1]]) * scale[1]$$

Following the resize order of weight and height in cv2, `ratio_range[0]` is for width, and `ratio_range[1]` is for height.

- if `keep_ratio` is `True`, the minimum value of `target_scale` will be used to set the shorter side and the maximum value will be used to set the longer side.
- if `keep_ratio` is `False`, the value of `target_scale` will be used to reize the width and height accordingly.

Required Keys:

- `img`
- `gt_bboxes`
- `gt_seg_map`
- `gt_keypoints`

Modified Keys:

- `img`
- `gt_bboxes`
- `gt_seg_map`
- `gt_keypoints`
- `img_shape`

Added Keys:

- `scale`
- `scale_factor`
- `keep_ratio`

参数

- **`scale`** (*tuple or Sequence[tuple]*) –Images scales for resizing. Defaults to `None`.
- **`ratio_range`** (*tuple[float], optional*) –(min_ratio, max_ratio). Defaults to `None`.
- **`resize_type`** (*str*) –The type of resize class to use. Defaults to “`Resize`” .
- **`**resize_kwargs`** –Other keyword arguments for the `resize_type`.

注解: By defaults, the `resize_type` is “`Resize`” , if it’s not overwritten by your registry, it indicates the `mmcv.Resize`. And therefore, `resize_kwargs` accepts any keyword arguments of it, like `keep_ratio`, `interpolation` and so on.

If you want to use your custom resize class, the class should accept `scale` argument and have `scale` attribution which determines the resize shape.

`transform` (*results: dict*) \rightarrow *dict*

Transform function to resize images, bounding boxes, semantic segmentation map.

参数 **results** (*dict*) –Result dict from loading pipeline.

返回 Resized results, img, gt_bboxes, gt_semantic_seg, gt_keypoints, scale, scale_factor, img_shape, and keep_ratio keys are updated in result dict.

返回类型 *dict*

24.4.9 Resize

```
class mmcv.transforms.Resize (scale: Optional[Union[int, Tuple[int, int]]] = None, scale_factor:
    Optional[Union[float, Tuple[float, float]]] = None, keep_ratio: bool =
    False, clip_object_border: bool = True, backend: str = 'cv2',
    interpolation='bilinear')
```

Resize images & bbox & seg & keypoints.

This transform resizes the input image according to scale or scale_factor. Bboxes, seg map and keypoints are then resized with the same scale factor. if scale and scale_factor are both set, it will use scale to resize.

Required Keys:

- img
- gt_bboxes (optional)
- gt_seg_map (optional)
- gt_keypoints (optional)

Modified Keys:

- img
- gt_bboxes
- gt_seg_map
- gt_keypoints
- img_shape

Added Keys:

- scale
- scale_factor
- keep_ratio

参数

- **scale** (*int* or *tuple*) –Images scales for resizing. Defaults to None
- **scale_factor** (*float* or *tuple[float]*) –Scale factors for resizing. Defaults to None.
- **keep_ratio** (*bool*) –Whether to keep the aspect ratio when resizing the image. Defaults to False.
- **clip_object_border** (*bool*) –Whether to clip the objects outside the border of the image. In some dataset like MOT17, the gt bboxes are allowed to cross the border of images. Therefore, we don't need to clip the gt bboxes in these cases. Defaults to True.

- **backend** (*str*) –Image resize backend, choices are ‘cv2’ and ‘pillow’ . These two backends generates slightly different results. Defaults to ‘cv2’ .
- **interpolation** (*str*) –Interpolation method, accepted values are “nearest”, “bilinear”, “bicubic”, “area”, “lanczos” for ‘cv2’ backend, “nearest”, “bilinear” for ‘pillow’ backend. Defaults to ‘bilinear’ .

transform (*results: dict*) → *dict*

Transform function to resize images, bounding boxes, semantic segmentation map and keypoints.

参数 **results** (*dict*) –Result dict from loading pipeline.

返回 Resized results, ‘img’, ‘gt_bboxes’, ‘gt_seg_map’, ‘gt_keypoints’, ‘scale’, ‘scale_factor’, ‘img_shape’, and ‘keep_ratio’ keys are updated in result dict.

返回类型 *dict*

24.4.10 ToTensor

class mmcv.transforms.**ToTensor** (*keys: Sequence[str]*)

Convert some results to *torch.Tensor* by given keys.

Required keys:

- all these keys in *keys*

Modified Keys:

- all these keys in *keys*

参数 **keys** (*Sequence[str]*) –Keys that need to be converted to Tensor.

transform (*results: dict*) → *dict*

Transform function to convert data to *torch.Tensor*.

参数 **results** (*dict*) –Result dict from loading pipeline.

返回 *keys* in results will be updated.

返回类型 *dict*

24.4.11 ImageToTensor

class mmcv.transforms.**ImageToTensor** (*keys: dict*)

Convert image to *torch.Tensor* by given keys.

The dimension order of input image is (H, W, C). The pipeline will convert it to (C, H, W). If only 2 dimension (H, W) is given, the output would be (1, H, W).

Required keys:

- all these keys in *keys*

Modified Keys:

- all these keys in *keys*

参数 **keys** (*Sequence[str]*) –Key of images to be converted to Tensor.

transform (*results: dict*) → dict

Transform function to convert image in results to `torch.Tensor` and transpose the channel order. :param results: Result dict contains the image data to convert. :type results: dict

返回 The result dict contains the image converted to :obj:torch.Tensor and transposed to (C, H, W) order.

返回类型 dict

24.5 Wrapper

<code>Compose</code>	Compose multiple transforms sequentially.
<code>KeyMapper</code>	A transform wrapper to map and reorganize the input/output of the wrapped transforms (or sub-pipeline).
<code>RandomApply</code>	Apply transforms randomly with a given probability.
<code>RandomChoice</code>	Process data with a randomly chosen transform from given candidates.
<code>TransformBroadcaster</code>	A transform wrapper to apply the wrapped transforms to multiple data items.

24.5.1 Compose

class `mmcv.transforms.Compose` (*transforms: Union[Dict, Callable[[Dict], Dict], Sequence[Union[Dict, Callable[[Dict], Dict]]]]*)

Compose multiple transforms sequentially.

参数 **transforms** (*list[dict | callable]*) –Sequence of transform object or config dict to be composed.

实际案例

```
>>> pipeline = [
>>>     dict(type='Compose',
>>>         transforms=[
>>>             dict(type='LoadImageFromFile'),
>>>             dict(type='Normalize')
>>>         ]
>>> )
>>> ]
```

transform (*results: Dict*) → Optional[Dict]

Call function to apply transforms sequentially.

参数 **results** (*dict*) –A result dict contains the results to transform.

返回 Transformed results.

返回类型 dict or None

24.5.2 KeyMapper

class `mmcv.transforms.KeyMapper` (*transforms: Optional[Union[Dict, Callable[[Dict], Dict], List[Union[Dict, Callable[[Dict], Dict]]]] = None, mapping: Optional[Dict] = None, remapping: Optional[Dict] = None, auto_remap: Optional[bool] = None, allow_nonexist_keys: bool = False*)

A transform wrapper to map and reorganize the input/output of the wrapped transforms (or sub-pipeline).

参数

- **transforms** (*list[dict | callable]*, *optional*) – Sequence of transform object or config dict to be wrapped.
- **mapping** (*dict*) – A dict that defines the input key mapping. The keys corresponds to the inner key (i.e., kwargs of the `transform` method), and should be string type. The values corresponds to the outer keys (i.e., the keys of the data/results), and should have a type of string, list or dict. None means not applying input mapping. Default: None.
- **remapping** (*dict*) – A dict that defines the output key mapping. The keys and values have the same meanings and rules as in the `mapping`. Default: None.
- **auto_remap** (*bool*, *optional*) – If True, an inverse of the mapping will be used as the remapping. If `auto_remap` is not given, it will be automatically set True if ‘remapping’ is not given, and vice versa. Default: None.
- **allow_nonexist_keys** (*bool*) – If False, the outer keys in the mapping must exist in the input data, or an exception will be raised. Default: False.

实际案例

```
>>> # Example 1: KeyMapper 'gt_img' to 'img'
>>> pipeline = [
>>>     # Use KeyMapper to convert outer (original) field name
>>>     # 'gt_img' to inner (used by inner transforms) field name
>>>     # 'img'
>>>     dict(type='KeyMapper',
>>>           mapping={'img': 'gt_img'},
>>>           # auto_remap=True means output key mapping is the revert of
>>>           # the input key mapping, e.g. inner 'img' will be mapped
>>>           # back to outer 'gt_img'
>>>           auto_remap=True,
>>>           transforms=[
>>>               # In all transforms' implementation just use 'img'
>>>               # as a standard field name
>>>               dict(type='Crop', crop_size=(384, 384)),
>>>               dict(type='Normalize'),
>>>           ])
>>> ]
```

```
>>> # Example 2: Collect and structure multiple items
>>> pipeline = [
>>>     # The inner field 'imgs' will be a dict with keys 'img_src'
>>>     # and 'img_tar', whose values are outer fields 'img1' and
>>>     # 'img2' respectively.
>>>     dict(type='KeyMapper',
>>>           dict(
```

(下页继续)

(续上页)

```
>>>         type='KeyMapper',
>>>         mapping=dict(
>>>             imgs=dict(
>>>                 img_src='img1',
>>>                 img_tar='img2')),
>>>         transforms=...)
>>> ]
```

```
>>> # Example 3: Manually set ignored keys by "...
>>> pipeline = [
>>>     ...
>>>     dict(type='KeyMapper',
>>>         mapping={
>>>             # map outer key "gt_img" to inner key "img"
>>>             'img': 'gt_img',
>>>             # ignore outer key "mask"
>>>             'mask': ...,
>>>         },
>>>         transforms=[
>>>             dict(type='RandomFlip'),
>>>         ])
>>>     ...
>>> ]
```

transform (results: Dict) → Dict

Apply mapping, wrapped transforms and remapping.

24.5.3 RandomApply

class mmcv.transforms.**RandomApply** (transforms: Union[Dict, Callable[[Dict], Dict], List[Union[Dict, Callable[[Dict], Dict]]]], prob: float = 0.5)

Apply transforms randomly with a given probability.

参数

- **transforms** (list[dict | callable]) –The transform or transform list to randomly apply.
- **prob** (float) –The probability to apply transforms. Default: 0.5

实际案例

```
>>> # config
>>> pipeline = [
>>>     dict(type='RandomApply',
>>>         transforms=[dict(type='HorizontalFlip')],
>>>         prob=0.3)
>>> ]
```

transform (results: Dict) → Optional[Dict]

Randomly apply the transform.

24.5.4 RandomChoice

class `mmcv.transforms.RandomChoice` (*transforms: List[Union[Dict, Callable[[Dict], Dict], List[Union[Dict, Callable[[Dict], Dict]]]]], prob: Optional[List[float]] = None*)

Process data with a randomly chosen transform from given candidates.

参数

- **transforms** (*list[list]*) – A list of transform candidates, each is a sequence of transforms.
- **prob** (*list[float], optional*) – The probabilities associated with each pipeline. The length should be equal to the pipeline number and the sum should be 1. If not given, a uniform distribution will be assumed.

实际案例

```
>>> # config
>>> pipeline = [
>>>     dict(type='RandomChoice',
>>>         transforms=[
>>>             [dict(type='RandomHorizontalFlip')], # subpipeline 1
>>>             [dict(type='RandomRotate')], # subpipeline 2
>>>         ]
>>> )
>>> ]
```

transform (*results: Dict*) → `Optional[Dict]`
Randomly choose a transform to apply.

24.5.5 TransformBroadcaster

class `mmcv.transforms.TransformBroadcaster` (*transforms: List[Union[Dict, Callable[[Dict], Dict]]], mapping: Optional[Dict] = None, remapping: Optional[Dict] = None, auto_remap: Optional[bool] = None, allow_nonexist_keys: bool = False, share_random_params: bool = False*)

A transform wrapper to apply the wrapped transforms to multiple data items. For example, apply Resize to multiple images.

参数

- **transforms** (*list[dict | callable]*) – Sequence of transform object or config dict to be wrapped.
- **mapping** (*dict*) – A dict that defines the input key mapping. Note that to apply the transforms to multiple data items, the outer keys of the target items should be remapped as a list with the standard inner key (The key required by the wrapped transform). See the following example and the document of `mmcv.transforms.wrappers.KeyMapper` for details.
- **remapping** (*dict*) – A dict that defines the output key mapping. The keys and values have the same meanings and rules as in the mapping. Default: None.
- **auto_remap** (*bool, optional*) – If True, an inverse of the mapping will be used as the remapping. If auto_remap is not given, it will be automatically set True if ‘remapping’ is not given, and vice versa. Default: None.

- **allow_nonexist_keys** (*bool*) –If False, the outer keys in the mapping must exist in the input data, or an exception will be raised. Default: False.
- **share_random_params** (*bool*) –If True, the random transform (e.g., RandomFlip) will be conducted in a deterministic way and have the same behavior on all data items. For example, to randomly flip either both input image and ground-truth image, or none. Default: False.

注解: To apply the transforms to each elements of a list or tuple, instead of separating data items, you can map the outer key of the target sequence to the standard inner key. See example 2. example.

实际案例

```
>>> # Example 1: Broadcast to enumerated keys, each contains a single
>>> # data element
>>> pipeline = [
>>>     dict(type='LoadImageFromFile', key='lq'), # low-quality img
>>>     dict(type='LoadImageFromFile', key='gt'), # ground-truth img
>>>     # TransformBroadcaster maps multiple outer fields to standard
>>>     # the inner field and process them with wrapped transforms
>>>     # respectively
>>>     dict(type='TransformBroadcaster',
>>>           # case 1: from multiple outer fields
>>>           mapping={'img': ['lq', 'gt']},
>>>           auto_remap=True,
>>>           # share_random_param=True means using identical random
>>>           # parameters in every processing
>>>           share_random_param=True,
>>>           transforms=[
>>>               dict(type='Crop', crop_size=(384, 384)),
>>>               dict(type='Normalize'),
>>>           ])
>>> ]
```

```
>>> # Example 2: Broadcast to keys that contains data sequences
>>> pipeline = [
>>>     dict(type='LoadImageFromFile', key='lq'), # low-quality img
>>>     dict(type='LoadImageFromFile', key='gt'), # ground-truth img
>>>     # TransformBroadcaster maps multiple outer fields to standard
>>>     # the inner field and process them with wrapped transforms
>>>     # respectively
>>>     dict(type='TransformBroadcaster',
>>>           # case 2: from one outer field that contains multiple
>>>           # data elements (e.g. a list)
>>>           # mapping={'img': 'images'},
>>>           auto_remap=True,
>>>           share_random_param=True,
>>>           transforms=[
>>>               dict(type='Crop', crop_size=(384, 384)),
>>>               dict(type='Normalize'),
>>>           ])
>>> ]
```

```
>>> Example 3: Set ignored keys in broadcasting
>>> pipeline = [
```

(下页继续)

(续上页)

```
>>> dict(type='TransformBroadcaster',
>>>       # Broadcast the wrapped transforms to multiple images
>>>       # 'lq' and 'gt, but only update 'img_shape' once
>>>       mapping={
>>>         'img': ['lq', 'gt'],
>>>         'img_shape': ['img_shape', ...],
>>>       },
>>>       auto_remap=True,
>>>       share_random_params=True,
>>>       transforms=[
>>>         # `RandomCrop` will modify the field "img",
>>>         # and optionally update "img_shape" if it exists
>>>         dict(type='RandomCrop'),
>>>       ])
>>> ]
```

scatter_sequence (*data: Dict*) → List[Dict]

Scatter the broadcasting targets to a list of inputs of the wrapped transforms.

transform (*results: Dict*)

Broadcast wrapped transforms to multiple targets.

<code>quantize</code>	Quantize an array of $(-\infty, \infty)$ to $[0, \text{levels}-1]$.
<code>dequantize</code>	Dequantize an array.

25.1 mmcv.arraymisc.quantize

`mmcv.arraymisc.quantize` (*arr*: `numpy.ndarray`, *min_val*: `Union[int, float]`, *max_val*: `Union[int, float]`, *levels*: `int`, *dtype*=<class 'numpy.int64'>) → `tuple`

Quantize an array of $(-\infty, \infty)$ to $[0, \text{levels}-1]$.

参数

- **arr** (`ndarray`) –Input array.
- **min_val** (`int` or `float`) –Minimum value to be clipped.
- **max_val** (`int` or `float`) –Maximum value to be clipped.
- **levels** (`int`) –Quantization levels.
- **dtype** (`np.type`) –The type of the quantized array.

返回 Quantized array.

返回类型 `tuple`

25.2 mmcv.arraymisc.dequantize

`mmcv.arraymisc.dequantize` (*arr*: `numpy.ndarray`, *min_val*: `Union[int, float]`, *max_val*: `Union[int, float]`,
levels: `int`, *dtype*=<class 'numpy.float64'>) → `tuple`

Dequantize an array.

参数

- **arr** (`ndarray`) –Input array.
- **min_val** (`int` or `float`) –Minimum value to be clipped.
- **max_val** (`int` or `float`) –Maximum value to be clipped.
- **levels** (`int`) –Quantization levels.
- **dtype** (`np.type`) –The type of the dequantized array.

返回 Dequantized array.

返回类型 `tuple`

CHAPTER 26

mmcv.utils

<i>IS_CUDA_AVAILABLE</i>	bool(x) -> bool
<i>IS_MLU_AVAILABLE</i>	bool(x) -> bool
<i>IS_MPS_AVAILABLE</i>	bool(x) -> bool
<i>collect_env</i>	Collect the information of the running environments.
<i>jit</i>	
<i>skip_no_elena</i>	

26.1 mmcv.utils.IS_CUDA_AVAILABLE

`mmcv.utils.IS_CUDA_AVAILABLE = False`
bool(x) -> bool

Returns True when the argument x is true, False otherwise. The builtins True and False are the only two instances of the class bool. The class bool is a subclass of the class int, and cannot be subclassed.

26.2 mmcv.utils.IS_MLU_AVAILABLE

`mmcv.utils.IS_MLU_AVAILABLE = False`
bool(x) -> bool

Returns True when the argument x is true, False otherwise. The builtins True and False are the only two instances of the class bool. The class bool is a subclass of the class int, and cannot be subclassed.

26.3 mmcv.utils.IS_MPS_AVAILABLE

```
mmcv.utils.IS_MPS_AVAILABLE = False
bool(x) -> bool
```

Returns True when the argument `x` is true, False otherwise. The builtins `True` and `False` are the only two instances of the class `bool`. The class `bool` is a subclass of the class `int`, and cannot be subclassed.

26.4 mmcv.utils.collect_env

```
mmcv.utils.collect_env()
Collect the information of the running environments.
```

返回

The environment information. The following fields are contained.

- `sys.platform`: The variable of `sys.platform`.
- `Python`: Python version.
- `CUDA available`: Bool, indicating if CUDA is available.
- `GPU devices`: Device type of each GPU.
- `CUDA_HOME` (optional): The env var `CUDA_HOME`.
- `NVCC` (optional): NVCC version.
- `GCC`: GCC version, “n/a” if GCC is not installed.
- `MSVC`: Microsoft Virtual C++ Compiler version, Windows only.
- `PyTorch`: PyTorch version.
- `PyTorch compiling details`: The output of `torch.__config__.show()`.
- `TorchVision` (optional): TorchVision version.
- `OpenCV`: OpenCV version.
- `MMEEngine`: MMEEngine version.
- `MMCV`: MMCV version.
- `MMCV Compiler`: The GCC version for compiling MMCV ops.
- `MMCV CUDA Compiler`: The CUDA version for compiling MMCV ops.

返回类型 `dict`

26.5 mmcv.utils.jit

`mmcv.utils.jit` (*func=None, check_input=None, full_shape=True, derivate=False, coderize=False, optimize=False*)

26.6 mmcv.utils.skip_no_elena

`mmcv.utils.skip_no_elena` (*func*)

CHAPTER 27

Indices and tables

- `genindex`
- `search`

A

active_rotated_filter() (在 *mmcv.ops* 模块中), 157
 adjust_brightness() (在 *mmcv.image* 模块中), 91
 adjust_color() (在 *mmcv.image* 模块中), 92
 adjust_contrast() (在 *mmcv.image* 模块中), 92
 adjust_hue() (在 *mmcv.image* 模块中), 93
 adjust_lighting() (在 *mmcv.image* 模块中), 93
 adjust_sharpness() (在 *mmcv.image* 模块中), 94
 assign_score_withk() (在 *mmcv.ops* 模块中), 157
 auto_contrast() (在 *mmcv.image* 模块中), 94

B

ball_query() (在 *mmcv.ops* 模块中), 157
 BaseTransform(*mmcv.transforms* 中的类), 177
 batched_nms() (在 *mmcv.ops* 模块中), 157
 bbox_overlaps() (在 *mmcv.ops* 模块中), 158
 bgr2gray() (在 *mmcv.image* 模块中), 81
 bgr2hls() (在 *mmcv.image* 模块中), 81
 bgr2hsv() (在 *mmcv.image* 模块中), 81
 bgr2rgb() (在 *mmcv.image* 模块中), 81
 bgr2ycbcr() (在 *mmcv.image* 模块中), 82
 border_align() (在 *mmcv.ops* 模块中), 159
 BorderAlign(*mmcv.ops* 中的类), 131
 box_iou_rotated() (在 *mmcv.ops* 模块中), 159
 boxes_iou3d() (在 *mmcv.ops* 模块中), 161
 boxes_iou_bev() (在 *mmcv.ops* 模块中), 161
 boxes_overlap_bev() (在 *mmcv.ops* 模块中), 161
 build_activation_layer() (在 *mmcv.cnn* 模块中), 123
 build_conv_layer() (在 *mmcv.cnn* 模块中), 123
 build_norm_layer() (在 *mmcv.cnn* 模块中), 124
 build_padding_layer() (在 *mmcv.cnn* 模块中), 124
 build_plugin_layer() (在 *mmcv.cnn* 模块中), 124
 build_upsample_layer() (在 *mmcv.cnn* 模块中), 125

C

Cache(*mmcv.video* 中的类), 101
 CARAFE(*mmcv.ops* 中的类), 131
 carafe() (在 *mmcv.ops* 模块中), 162
 carafe_naive() (在 *mmcv.ops* 模块中), 162
 CARAFENaive(*mmcv.ops* 中的类), 132
 CARAFEPack(*mmcv.ops* 中的类), 132
 CenterCrop(*mmcv.transforms* 中的类), 182
 chamfer_distance() (在 *mmcv.ops* 模块中), 162
 clahe() (在 *mmcv.image* 模块中), 95
 collect_env() (在 *mmcv.utils* 模块中), 202
 Color(*mmcv.visualization* 中的类), 107
 color_val() (在 *mmcv.visualization* 模块中), 108
 Compose(*mmcv.transforms* 中的类), 193
 concat_video() (在 *mmcv.video* 模块中), 104
 ContextBlock(*mmcv.cnn* 中的类), 112
 contour_expand() (在 *mmcv.ops* 模块中), 162
 Conv2d(*mmcv.cnn* 中的类), 113
 Conv2d() (在 *mmcv.ops* 模块中), 133
 Conv2dRFSearchOp(*mmcv.cnn* 中的类), 122
 Conv3d(*mmcv.cnn* 中的类), 113
 conv_ws_2d() (在 *mmcv.cnn* 模块中), 126
 ConvAWS2d(*mmcv.cnn* 中的类), 113
 convert_video() (在 *mmcv.video* 模块中), 105
 convex_giou() (在 *mmcv.ops* 模块中), 162
 convex_iou() (在 *mmcv.ops* 模块中), 163
 ConvModule(*mmcv.cnn* 中的类), 114
 ConvTranspose2d(*mmcv.cnn* 中的类), 115
 ConvTranspose2d() (在 *mmcv.ops* 模块中), 133
 ConvTranspose3d(*mmcv.cnn* 中的类), 116
 ConvWS2d(*mmcv.cnn* 中的类), 116
 CornerPool(*mmcv.ops* 中的类), 133
 Correlation(*mmcv.ops* 中的类), 134
 create_from_conv_bn() (*mmcv.cnn.ConvModule* 静态方法), 115
 CrissCrossAttention(*mmcv.ops* 中的类), 135
 current_frame() (*mmcv.video.VideoReader* 方法), 100
 cut_video() (在 *mmcv.video* 模块中), 105

cutout() (在 *mmcv.image* 模块中), 85
 cvt2frames() (*mmcv.video.VideoReader* 方法), 100

D

deform_conv2d() (在 *mmcv.ops* 模块中), 163
 deform_roi_pool() (在 *mmcv.ops* 模块中), 163
 DeformConv2d (*mmcv.ops* 中的类), 135
 DeformConv2dPack (*mmcv.ops* 中的类), 136
 DeformRoIPool (*mmcv.ops* 中的类), 137
 DeformRoIPoolPack (*mmcv.ops* 中的类), 137
 DepthwiseSeparableConvModule (*mmcv.cnn* 中的类), 117
 dequantize() (在 *mmcv.arraymisc* 模块中), 200
 dequantize_flow() (在 *mmcv.video* 模块中), 102
 diff_iou_rotated_2d() (在 *mmcv.ops* 模块中), 163
 diff_iou_rotated_3d() (在 *mmcv.ops* 模块中), 163
 dynamic_scatter() (在 *mmcv.ops* 模块中), 164
 DynamicScatter (*mmcv.ops* 中的类), 138

E

estimate_rates() (*mmcv.cnn.Conv2dRFSearchOp* 方法), 122
 expand_rates() (*mmcv.cnn.Conv2dRFSearchOp* 方法), 122

F

flow2rgb() (在 *mmcv.visualization* 模块中), 110
 flow_from_bytes() (在 *mmcv.video* 模块中), 102
 flow_warp() (在 *mmcv.video* 模块中), 103
 flowread() (在 *mmcv.video* 模块中), 103
 flowshow() (在 *mmcv.visualization* 模块中), 110
 flowwrite() (在 *mmcv.video* 模块中), 103
 forward() (*mmcv.cnn.ContextBlock* 方法), 112
 forward() (*mmcv.cnn.Conv2d* 方法), 113
 forward() (*mmcv.cnn.Conv2dRFSearchOp* 方法), 123
 forward() (*mmcv.cnn.Conv3d* 方法), 113
 forward() (*mmcv.cnn.ConvAWS2d* 方法), 114
 forward() (*mmcv.cnn.ConvModule* 方法), 115
 forward() (*mmcv.cnn.ConvTranspose2d* 方法), 115
 forward() (*mmcv.cnn.ConvTranspose3d* 方法), 116
 forward() (*mmcv.cnn.ConvWS2d* 方法), 116
 forward() (*mmcv.cnn.DepthwiseSeparableConvModule* 方法), 117
 forward() (*mmcv.cnn.GeneralizedAttention* 方法), 118
 forward() (*mmcv.cnn.HSigmoid* 方法), 119
 forward() (*mmcv.cnn.HSwish* 方法), 119
 forward() (*mmcv.cnn.Linear* 方法), 120
 forward() (*mmcv.cnn.MaxPool2d* 方法), 120
 forward() (*mmcv.cnn.MaxPool3d* 方法), 120
 forward() (*mmcv.cnn.Scale* 方法), 121
 forward() (*mmcv.cnn.Swish* 方法), 122
 forward() (*mmcv.ops.BorderAlign* 方法), 131

forward() (*mmcv.ops.CARAFE* 方法), 132
 forward() (*mmcv.ops.CARAFENaive* 方法), 132
 forward() (*mmcv.ops.CARAFEPack* 方法), 132
 forward() (*mmcv.ops.CornerPool* 方法), 133
 forward() (*mmcv.ops.Correlation* 方法), 134
 forward() (*mmcv.ops.CrissCrossAttention* 方法), 135
 forward() (*mmcv.ops.DeformConv2d* 方法), 136
 forward() (*mmcv.ops.DeformConv2dPack* 方法), 137
 forward() (*mmcv.ops.DeformRoIPool* 方法), 137
 forward() (*mmcv.ops.DeformRoIPoolPack* 方法), 137
 forward() (*mmcv.ops.DynamicScatter* 方法), 138
 forward() (*mmcv.ops.FusedBiasLeakyReLU* 方法), 139
 forward() (*mmcv.ops.GroupAll* 方法), 139
 forward() (*mmcv.ops.MaskedConv2d* 方法), 140
 forward() (*mmcv.ops.ModulatedDeformConv2d* 方法), 140
 forward() (*mmcv.ops.ModulatedDeformConv2dPack* 方法), 141
 forward() (*mmcv.ops.ModulatedDeformRoIPoolPack* 方法), 141
 forward() (*mmcv.ops.MultiScaleDeformableAttention* 方法), 142
 forward() (*mmcv.ops.PointsSampler* 方法), 143
 forward() (*mmcv.ops.PrRoIPool* 方法), 144
 forward() (*mmcv.ops.PSAMask* 方法), 143
 forward() (*mmcv.ops.QueryAndGroup* 方法), 145
 forward() (*mmcv.ops.RiRoIAlignRotated* 方法), 145
 forward() (*mmcv.ops.RoIAlign* 方法), 146
 forward() (*mmcv.ops.RoIAlignRotated* 方法), 147
 forward() (*mmcv.ops.RoIAwarePool3d* 方法), 148
 forward() (*mmcv.ops.RoIPointPool3d* 方法), 148
 forward() (*mmcv.ops.RoIPool* 方法), 149
 forward() (*mmcv.ops.SAConv2d* 方法), 149
 forward() (*mmcv.ops.SigmoidFocalLoss* 方法), 150
 forward() (*mmcv.ops.SimpleRoIAlign* 方法), 150
 forward() (*mmcv.ops.SoftmaxFocalLoss* 方法), 150
 forward() (*mmcv.ops.SparseSequential* 方法), 152
 forward() (*mmcv.ops.SyncBatchNorm* 方法), 154
 forward() (*mmcv.ops.TINShift* 方法), 154
 forward() (*mmcv.ops.Voxelization* 方法), 155
 forward_single() (*mmcv.ops.DynamicScatter* 方法), 138
 fourcc (*mmcv.video.VideoReader* property), 100
 fps (*mmcv.video.VideoReader* property), 100
 frame_cnt (*mmcv.video.VideoReader* property), 100
 frames2video() (在 *mmcv.video* 模块中), 101
 furthest_point_sample() (在 *mmcv.ops* 模块中), 164
 furthest_point_sample_with_dist() (在 *mmcv.ops* 模块中), 164
 fuse_conv_bn() (在 *mmcv.cnn* 模块中), 125
 fused_bias_leakyrelu() (在 *mmcv.ops* 模块中), 164
 FusedBiasLeakyReLU (*mmcv.ops* 中的类), 139

G

gather_points() (在 *mmcv.ops* 模块中), 165
 GeneralizedAttention (*mmcv.cnn* 中的类), 118
 get_frame() (*mmcv.video.VideoReader* 方法), 100
 get_model_complexity_info() (在 *mmcv.cnn* 模块中), 126
 gray2bgr() (在 *mmcv.image* 模块中), 82
 gray2rgb() (在 *mmcv.image* 模块中), 82
 GroupAll (*mmcv.ops* 中的类), 139
 grouping_operation() (在 *mmcv.ops* 模块中), 165

H

height (*mmcv.video.VideoReader* property), 100
 hls2bgr() (在 *mmcv.image* 模块中), 82
 HSigmoid (*mmcv.cnn* 中的类), 119
 hsv2bgr() (在 *mmcv.image* 模块中), 83
 HSwish (*mmcv.cnn* 中的类), 119

I

ImageToTensor (*mmcv.transforms* 中的类), 192
 imconvert() (在 *mmcv.image* 模块中), 83
 imcrop() (在 *mmcv.image* 模块中), 85
 imdenormalize() (在 *mmcv.image* 模块中), 95
 imequalize() (在 *mmcv.image* 模块中), 95
 imflip() (在 *mmcv.image* 模块中), 86
 imfrombytes() (在 *mmcv.image* 模块中), 77
 iminvert() (在 *mmcv.image* 模块中), 95
 imnormalize() (在 *mmcv.image* 模块中), 96
 impad() (在 *mmcv.image* 模块中), 86
 impad_to_multiple() (在 *mmcv.image* 模块中), 87
 imread() (在 *mmcv.image* 模块中), 78
 imrescale() (在 *mmcv.image* 模块中), 87
 imresize() (在 *mmcv.image* 模块中), 87
 imresize_like() (在 *mmcv.image* 模块中), 88
 imresize_to_multiple() (在 *mmcv.image* 模块中), 88
 imrotate() (在 *mmcv.image* 模块中), 89
 imshear() (在 *mmcv.image* 模块中), 89
 imshow() (在 *mmcv.visualization* 模块中), 108
 imshow_bboxes() (在 *mmcv.visualization* 模块中), 108
 imshow_det_bboxes() (在 *mmcv.visualization* 模块中), 109
 imtranslate() (在 *mmcv.image* 模块中), 90
 imwrite() (在 *mmcv.image* 模块中), 79
 init_weights() (*mmcv.ops.MultiScaleDeformableAttention* 方法), 143
 IS_CUDA_AVAILABLE() (在 *mmcv.utils* 模块中), 201
 IS_MLU_AVAILABLE() (在 *mmcv.utils* 模块中), 201
 IS_MPS_AVAILABLE() (在 *mmcv.utils* 模块中), 202
 is_norm() (在 *mmcv.cnn* 模块中), 126

J

jit() (在 *mmcv.utils* 模块中), 203

K

KeyMapper (*mmcv.transforms* 中的类), 194
 knn() (在 *mmcv.ops* 模块中), 165

L

Linear (*mmcv.cnn* 中的类), 120
 Linear() (在 *mmcv.ops* 模块中), 140
 LoadAnnotations (*mmcv.transforms* 中的类), 179
 LoadImageFromFile (*mmcv.transforms* 中的类), 181
 lut_transform() (在 *mmcv.image* 模块中), 96

M

make_color_wheel() (在 *mmcv.visualization* 模块中), 110
 make_res_layer() (在 *mmcv.cnn* 模块中), 126
 make_vgg_layer() (在 *mmcv.cnn* 模块中), 126
 masked_conv2d() (在 *mmcv.ops* 模块中), 165
 MaskedConv2d (*mmcv.ops* 中的类), 140
 MaxPool2d (*mmcv.cnn* 中的类), 120
 MaxPool2d() (在 *mmcv.ops* 模块中), 140
 MaxPool3d (*mmcv.cnn* 中的类), 120
 min_area_polygons() (在 *mmcv.ops* 模块中), 165
 modulated_deform_conv2d() (在 *mmcv.ops* 模块中), 165
 ModulatedDeformConv2d (*mmcv.ops* 中的类), 140
 ModulatedDeformConv2dPack (*mmcv.ops* 中的类), 141
 ModulatedDeformRoIPoolPack (*mmcv.ops* 中的类), 141
 MultiScaleDeformableAttention (*mmcv.ops* 中的类), 142
 MultiScaleFlipAug (*mmcv.transforms* 中的类), 183

N

nms() (在 *mmcv.ops* 模块中), 165
 nms3d() (在 *mmcv.ops* 模块中), 166
 nms3d_normal() (在 *mmcv.ops* 模块中), 167
 nms_bev() (在 *mmcv.ops* 模块中), 167
 nms_match() (在 *mmcv.ops* 模块中), 167
 nms_normal_bev() (在 *mmcv.ops* 模块中), 168
 nms_rotated() (在 *mmcv.ops* 模块中), 168
 NonLocal1d (*mmcv.cnn* 中的类), 121
 NonLocal2d (*mmcv.cnn* 中的类), 121
 NonLocal3d (*mmcv.cnn* 中的类), 121
 Normalize (*mmcv.transforms* 中的类), 184

O

opened (*mmcv.video.VideoReader* property), 100

P

Pad (*mmcv.transforms* 中的类), 185
 pixel_group() (在 *mmcv.ops* 模块中), 169
 point_sample() (在 *mmcv.ops* 模块中), 169

points_in_boxes_all() (在 *mmcv.ops* 模块中), 170
 points_in_boxes_cpu() (在 *mmcv.ops* 模块中), 170
 points_in_boxes_part() (在 *mmcv.ops* 模块中), 170
 points_in_polygons() (在 *mmcv.ops* 模块中), 171
 PointsSampler (*mmcv.ops* 中的类), 143
 position (*mmcv.video.VideoReader* property), 101
 posterize() (在 *mmcv.image* 模块中), 96
 prroi_pool() (在 *mmcv.ops* 模块中), 171
 PrRoIPool (*mmcv.ops* 中的类), 144
 PSAMask (*mmcv.ops* 中的类), 143

Q

quantize() (在 *mmcv.arraymisc* 模块中), 199
 quantize_flow() (在 *mmcv.video* 模块中), 104
 QueryAndGroup (*mmcv.ops* 中的类), 144

R

RandomApply (*mmcv.transforms* 中的类), 195
 RandomChoice (*mmcv.transforms* 中的类), 196
 RandomChoiceResize (*mmcv.transforms* 中的类), 186
 RandomFlip (*mmcv.transforms* 中的类), 187
 RandomGrayscale (*mmcv.transforms* 中的类), 189
 RandomResize (*mmcv.transforms* 中的类), 189
 read() (*mmcv.video.VideoReader* 方法), 101
 rel_roi_point_to_rel_img_point() (在 *mmcv.ops* 模块中), 171
 rescale_size() (在 *mmcv.image* 模块中), 90
 Resize (*mmcv.transforms* 中的类), 191
 resize_video() (在 *mmcv.video* 模块中), 106
 resolution (*mmcv.video.VideoReader* property), 101
 rgb2bgr() (在 *mmcv.image* 模块中), 83
 rgb2gray() (在 *mmcv.image* 模块中), 83
 rgb2ycbcr() (在 *mmcv.image* 模块中), 84
 rroi_align_rotated() (在 *mmcv.ops* 模块中), 172
 RiRoIAlignRotated (*mmcv.ops* 中的类), 145
 roi_align() (在 *mmcv.ops* 模块中), 172
 roi_align_rotated() (在 *mmcv.ops* 模块中), 172
 roi_pool() (在 *mmcv.ops* 模块中), 172
 RoIAlign (*mmcv.ops* 中的类), 146
 RoIAlignRotated (*mmcv.ops* 中的类), 147
 RoIAwarePool3d (*mmcv.ops* 中的类), 148
 RoIPointPool3d (*mmcv.ops* 中的类), 148
 RoIPool (*mmcv.ops* 中的类), 149
 rotated_feature_align() (在 *mmcv.ops* 模块中), 172

S

SACConv2d (*mmcv.ops* 中的类), 149
 Scale (*mmcv.cnn* 中的类), 121

scatter_nd() (在 *mmcv.ops* 模块中), 172
 scatter_sequence() (*mmcv.transforms.TransformBroadcaster* 方法), 198
 sigmoid_focal_loss() (在 *mmcv.ops* 模块中), 172
 SigmoidFocalLoss (*mmcv.ops* 中的类), 150
 SimpleRoIAlign (*mmcv.ops* 中的类), 150
 skip_no_elena() (在 *mmcv.utils* 模块中), 203
 soft_nms() (在 *mmcv.ops* 模块中), 173
 softmax_focal_loss() (在 *mmcv.ops* 模块中), 173
 SoftmaxFocalLoss (*mmcv.ops* 中的类), 150
 solarize() (在 *mmcv.image* 模块中), 97
 sparse_flow_from_bytes() (在 *mmcv.video* 模块中), 104
 SparseConv2d (*mmcv.ops* 中的类), 151
 SparseConv3d (*mmcv.ops* 中的类), 151
 SparseConvTensor (*mmcv.ops* 中的类), 151
 SparseConvTranspose2d (*mmcv.ops* 中的类), 151
 SparseConvTranspose3d (*mmcv.ops* 中的类), 151
 SparseInverseConv2d (*mmcv.ops* 中的类), 151
 SparseInverseConv3d (*mmcv.ops* 中的类), 151
 SparseMaxPool2d (*mmcv.ops* 中的类), 152
 SparseMaxPool3d (*mmcv.ops* 中的类), 152
 SparseModule (*mmcv.ops* 中的类), 152
 SparseSequential (*mmcv.ops* 中的类), 152
 SubMConv2d (*mmcv.ops* 中的类), 153
 SubMConv3d (*mmcv.ops* 中的类), 153
 Swish (*mmcv.cnn* 中的类), 122
 SyncBatchNorm (*mmcv.ops* 中的类), 153

T

tensor2imgs() (在 *mmcv.image* 模块中), 97
 TestTimeAug (*mmcv.transforms* 中的类), 178
 three_interpolate() (在 *mmcv.ops* 模块中), 174
 three_nn() (在 *mmcv.ops* 模块中), 174
 tin_shift() (在 *mmcv.ops* 模块中), 174
 TINShift (*mmcv.ops* 中的类), 154
 ToTensor (*mmcv.transforms* 中的类), 192
 transform() (*mmcv.transforms.BaseTransform* 方法), 177
 transform() (*mmcv.transforms.CenterCrop* 方法), 183
 transform() (*mmcv.transforms.Compose* 方法), 193
 transform() (*mmcv.transforms.ImageToTensor* 方法), 192
 transform() (*mmcv.transforms.KeyMapper* 方法), 195
 transform() (*mmcv.transforms.LoadAnnotations* 方法), 180
 transform() (*mmcv.transforms.LoadImageFromFile* 方法), 181
 transform() (*mmcv.transforms.MultiScaleFlipAug* 方法), 184
 transform() (*mmcv.transforms.Normalize* 方法), 185
 transform() (*mmcv.transforms.Pad* 方法), 186

[transform\(\)](#) (*mmcv.transforms.RandomApply* 方法),
[195](#)
[transform\(\)](#) (*mmcv.transforms.RandomChoice* 方法),
[196](#)
[transform\(\)](#) (*mmcv.transforms.RandomChoiceResize*
 方法), [187](#)
[transform\(\)](#) (*mmcv.transforms.RandomFlip* 方法),
[188](#)
[transform\(\)](#) (*mmcv.transforms.RandomGrayscale* 方
 法), [189](#)
[transform\(\)](#) (*mmcv.transforms.RandomResize* 方法),
[190](#)
[transform\(\)](#) (*mmcv.transforms.Resize* 方法), [192](#)
[transform\(\)](#) (*mmcv.transforms.TestTimeAug* 方法),
[178](#)
[transform\(\)](#) (*mmcv.transforms.ToTensor* 方法), [192](#)
[transform\(\)](#) (*mmcv.transforms.TransformBroadcaster*
 方法), [198](#)
[TransformBroadcaster](#) (*mmcv.transforms* 中的类),
[196](#)

U

[upfirdn2d\(\)](#) (在 *mmcv.ops* 模块中), [174](#)
[use_backend\(\)](#) (在 *mmcv.image* 模块中), [80](#)

V

[vcap](#) (*mmcv.video.VideoReader* property), [101](#)
[VideoReader](#) (*mmcv.video* 中的类), [99](#)
[Voxelization](#) (*mmcv.ops* 中的类), [154](#)
[voxelization\(\)](#) (在 *mmcv.ops* 模块中), [175](#)

W

[width](#) (*mmcv.video.VideoReader* property), [101](#)

Y

[ycbcr2bgr\(\)](#) (在 *mmcv.image* 模块中), [84](#)
[ycbcr2rgb\(\)](#) (在 *mmcv.image* 模块中), [84](#)